Meteorological Bulletin

Institute of Meteorology
University of Uppsala

Volume 90, 1958

(Formerly Bulletin mensuel de l'Observatoire Météorologique de l'Université d'Uppsala)

Meteorological Bulletin

Institute of Meteorology
University of Uppsala

Volume 90, 1958

Latitude	59° 51′.5 N.
Longitude	17° 37′.5 E.
Times are given in Mean European Time (M. E. T.)	
M. E. T. of Local Mean Noon	11h 49m 30s

CONTENTS

Introduction	3
Cloud amount	5
Pressure, hourly values	6
Pressure, daily maximum and minimum values	18
Temperature, hourly values	20
Temperature, daily maximum and minimum values	32
Vapour pressure and relative humidity, hourly values	34
Wind direction and wind speed, hourly values	46
Precipitation, daily and monthly values	58
Summary of monthly and annual means and also five-day means of hourly values	59

UPPSALA 1971. TOFTERS/WRETMANS BOKTRYCKERI AB

INTRODUCTION

Uppsala has more extensive meteorological records than any other place in Sweden. The observations extend back to the beginning of the 18th century. The oldest manuscript is the *Journal Météorologique, Uppsala 1722–1731* by E. Burman and A. Celsius. The journal of 1722 is marked No. 9, which indicates that the observations started in 1714. However, all the journals dated before 1722 appear to have been lost. These early journals include three or four observations a day of temperature, pressure and wind direction.

The ext manuscript, the *Journal météorologique* by O. L. Hjorter, covers the period from January 1793 to April 1750. From 1739 and onwards to the present time the series of observations are continuous, except for the years 1765, 1766, 1767 and 1771. The following series have been published:

1. *Observations météorologiques faites à l'Observatoire d'Uppsala pendant les années 1855–1862.*
2. *Observations météorologiques horaires, exécutées par une Société d'étudiants à l'Observatoire d l'Université d'Uppsala du 30e mai 1865 au 9e aout 1868, continuées jusqu'au 30e novembre suivant au moyen d'appareils enregistreurs.*
3. *Bulletin mensuel de l'Observatoire météorologique de l'Université d'Uppsala.*

The present publication, *Meteorological Bulletin, Institute of Meteorology, University of Uppsala,* is a continuation of the *Bulletin mensuel de l'Observatoire météorologique de l'Université d'Uppsala.* In connection with a change of the method of printing, the composition and arrangement of the tables in the present volume have been reviewed. Furthermore, the contents of the tables have been influenced by a change of the observational program, which was introduced in mid-September 1958. From then onwards the checks of the recording instruments (barograph, thermograph and hygrograph) and also the weather observations were made three times a day instead of seven times a day, which was the earlier practice. As regards the instruments, no changes were introduced in 1958. Reference should be made to the volumes for 1855, 1865, 1869, 1870, 1874, 1885, 1888, 1889, 1904, 1908 and 1952 for details of sites and instruments. Reference should also be made to Tage Andersson: *Temperature and precipitation records in Sweden since the 1850's.* Meteorologiska Institutionen, Uppsala Universitet. Reports, Nr 13, Uppsala 1969.

NOTES ON THE TABLES AND THE INSTRUMENTS

Daily mean values. The daily means of pressure, temperature, relative humidity and vapour pressure are obtained by adding the hourly values at 01h, 02h . . . 24h and dividing by 24.

Pressure. Pressures are obtained from the record of an aneroid barograph, which is checked by means of a Fuess normal barometer at the observation hours.

Temperature. Temperatures are obtained by means of a ventilated resistance thermometer connected with a recording potentiometer. At the observations hours the record is checked by means of an Assmann psychrometer hanging inside a Stevenson screen.

Humidity. Relative humidities are obtained from the record of a hair hygrograph kept in a Stevenson screen. The record is checked by means of an Assmann psychrometer at the observation hours.

Wind. Wind speeds are recorded by a contact Fuess anemometer connected with a chronograph. Wind directions are recorded by means of position motors. Winds, temperatures and humidities are measured on a hillock, "Rackarberget", situated about 300 m south-east of the Institute of Meteorology.

Precipitation. Amounts of precipitation are measured by means of the old Celsius gauge. This gauge has a square orifice with a catchment area of 1.4 m^2. The height of the orifice above ground is 1.19 m. The gauge is placed about 20 m east of the old Meteorological Observatory (the present Institute of Seismology).

DATE	JANUARY				FEBRUARY				MARCH				APRIL				MAY				JUNE			
	HOUR M.E.T.			MEAN	HOUR M.E.T.			MEAN	HOUR M.E.T.			MEAN	HOUR M.E.T.			MEAN	HOUR M.E.T.			MEAN	HOUR M.E.T.			MEAN
	07	13	19		07	13	19		07	13	19		07	13	19		07	13	19		07	13	19	
1	6	2	5	4	4	7	7	6	8	8	8	8	6	8	8	7	1	2	2	2	7	8	8	8
2	7	1	1	3	0	0	7	2	8	8	8	8	8	8	8	8	8	8	8	8	4	2	5	4
3	8	8	4	7	6	2	4	4	3	4	8	5	2	1	1	1	8	8	8	8	8	8	5	7
4	8	8	8	8	2	8	8	6	8	8	8	8	0	8	8	5	8	7	7	7	5	7	8	7
5	7	8	8	8	8	8	8	8	4	1	2	2	8	8	8	8	0	6	3	3	8	7	2	6
6	8	8	8	8	8	8	3	6	8	8	8	8	8	8	1	6	6	6	8	7	1	2	1	1
7	8	5	8	7	8	8	6	7	6	2	4	4	0	6	5	4	8	8	8	8	2	7	4	4
8	8	6	8	7	0	6	3	3	1	1	0	1	0	2	1	1	8	7	8	8	3	5	6	5
9	8	8	8	8	8	8	3	6	7	4	8	6	8	8	3	6	8	8	8	8	8	8	8	8
10	5	8	8	7	2	6	8	5	8	8	8	8	6	7	2	5	7	3	0	3	8	6	3	6
11	8	8	8	8	8	8	8	8	8	8	8	8	8	2	3	4	0	0	2	1	1	7	6	5
12	8	8	8	8	8	8	8	8	8	8	8	8	6	2	2	3	8	8	8	8	6	8	4	6
13	8	8	8	8	8	8	0	5	8	8	8	8	8	8	6	7	8	8	2	6	8	7	6	7
14	8	8	8	8	8	7	8	8	8	8	8	8	7	8	6	7	0	6	8	5	2	7	8	6
15	2	6	4	4	0	1	0	0	8	7	8	8	8	8	8	8	8	8	8	8	8	8	8	8
16	8	7	4	6	8	8	8	8	8	8	8	8	6	5	2	4	8	7	7	7	8	8	8	8
17	0	6	7	4	8	8	8	8	8	8	8	8	0	7	7	5	8	8	8	8	6	3	7	5
18	8	7	8	8	8	7	3	6	8	3	3	5	1	4	2	2	8	6	8	7	8	8	8	8
19	5	8	4	6	0	3	0	1	8	6	1	5	8	8	8	8	3	5	1	3	8	7	6	7
20	6	0	0	2	8	8	6	7	7	8	8	8	8	7	8	8	8	8	8	8	8	6	8	7
21	6	4	8	6	7	6	8	7	0	0	0	0	8	8	8	8	8	1	8	6	8	8	8	8
22	8	8	8	8	8	8	7	8	0	0	0	0	4	6	6	5	2	3	2	2	8	3	8	6
23	8	8	7	8	3	2	4	3	3	0	1	1	2	8	8	6	2	8	6	5	7	6	7	7
24	8	6	8	7	8	6	0	5	8	8	3	6	8	8	8	8	3	8	8	6	4	6	8	6
25	8	4	4	5	6	8	8	7	8	8	6	7	6	2	3	4	7	3	8	6	0	6	8	5
26	8	8	8	8	8	8	8	8	8	8	1	6	7	8	8	8	0	2	2	1	2	5	5	4
27	8	7	8	8	8	0	0	3	7	0	0	2	8	8	8	8	2	2	7	4	5	6	8	6
28	8	8	8	8	0	2	8	3	0	0	0	0	8	8	8	8	8	8	8	8	7	6	8	7
29	8	8	8	8					0	0	5	2	8	8	5	7	8	8	3	6	8	8	8	8
30	8	8	8	8					0	0	0	0	0	4	2	2	0	3	5	3	0	1	2	1
31	7	8	8	8					0	2	2	1					2	5	8	5				
MEAN	7.1	6.6	6.7	6.8	5.6	6.0	5.3	5.6	5.6	4.8	4.8	5.1	5.5	6.4	5.4	5.7	5.3	5.7	6.0	5.7	5.5	6.1	6.3	6.0

DATE	JULY				AUGUST				SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
	HOUR M.E.T.			MEAN	HOUR M.E.T.			MEAN	HOUR M.E.T.			MEAN	HOUR M.E.T.			MEAN	HOUR M.E.T.			MEAN	HOUR M.E.T.			MEAN
	07	13	19		07	13	19		07	13	19		07	13	19		07	13	19		07	13	19	
1	0	1	0	0	8	6	8	7	8	7	2	6	8	5	7	7	8	2	0	3	4	3	0	2
2	6	2	1	3	8	6	8	7	8	8	0	5	7	8	8	8	8	8	8	8	7	7	8	7
3	6	1	4	4	8	8	8	8	8	0	1	3	8	8	8	8	8	8	8	8	8	8	8	8
4	6	6	4	5	8	6	8	7	2	0	1	1	8	7	8	8	8	8	8	8	6	6	7	6
5	6	4	5	5	8	8	8	8	7	8	4	6	8	8	8	8	8	8	8	8	4	2	0	2
6	8	7	6	7	1	2	8	4	4	1	2	2	8	7	8	8	8	3	6	6	8	8	0	5
7	1	8	5	5	3	7	1	4	2	6	6	5	8	8	8	8	8	6	8	7	0	0	0	0
8	3	7	8	6	8	7	8	8	7	6	7	7	2	5	0	2	8	8	8	8	8	8	8	8
9	7	3	6	5	8	7	7	7	8	7	6	7	7	1	0	3	8	6	6	7	8	8	7	8
10	5	6	6	6	7	2	2	4	3	7	2	4	8	5	1	5	2	3	4	3	8	8	3	6
11	6	6	5	6	2	6	1	3	2	8	3	4	8	2	2	4	8	7	8	8	1	1	0	1
12	1	7	6	5	2	6	8	5	1	2	1	1	4	8	7	6	8	8	8	8	1	4	5	3
13	7	8	8	8	8	8	8	8	7	6	1	5	8	3	8	6	8	8	8	8	3	5	2	3
14	8	7	8	8	8	8	8	8	2	2	2	2	6	3	8	6	8	8	8	8	8	8	8	8
15	8	8	1	6	8	8	5	7	6	8	8	7	6	7	4	6	8	7	7	7	8	8	8	8
16	8	4	6	6	8	8	8	8	8	7	8	8	8	8	7	8	5	3	1	3	8	8	8	8
17	8	8	8	8	8	8	7	8	8	8	3	6	5	3	3	4	2	8	8	6	8	8	8	8
18	8	8	6	7	8	8	7	8	5	6	6	6	6	8	7	7	4	7	8	6	8	8	8	8
19	6	7	4	6	2	8	0	3	2	3	3	3	7	5	8	7	0	8	8	5	2	4	8	5
20	1	2	2	2	8	4	0	4	2	5	8	5	5	8	8	7	8	8	8	8	8	8	8	8
21	2	7	8	6	4	8	8	7	8	6	1	5	8	8	7	8	8	8	8	8	8	8	8	8
22	8	8	8	8	8	8	8	8	2	7	8	6	4	8	1	4	6	8	8	7	8	8	8	8
23	8	7	6	7	8	8	8	8	8	7	2	6	7	7	7	7	1	8	5	5	8	8	8	8
24	8	7	8	8	8	8	8	8	5	6	3	5	8	6	8	7	8	8	8	8	8	8	8	8
25	8	8	8	8	8	8	8	8	8	8	7	8	7	0	0	2	8	8	0	5	8	8	8	8
26	1	2	1	1	8	8	8	8	8	8	7	8	4	5	8	6	8	6	8	7	8	8	8	8
27	2	4	4	3	8	8	1	6	4	7	1	4	8	6	7	7	8	8	8	8	8	8	8	8
28	3	5	2	3	5	6	6	6	3	7	7	6	8	8	8	8	8	7	8	8	8	8	8	8
29	8	8	8	8	8	4	2	5	7	7	1	5	8	7	7	7	4	8	8	7	8	8	8	8
30	8	7	6	7	8	8	5	7	7	8	7	7	7	4	3	5	2	7	4	4	8	8	8	8
31	8	5	6	6	8	2	2	4					7	8	8	8					8	7	7	7
MEAN	5.6	5.7	5.3	5.5	6.8	6.7	5.9	6.4	5.3	5.9	3.9	5.0	6.8	5.9	5.9	6.2	6.5	6.9	6.7	6.7	6.6	6.7	6.2	6.5

JANUARY — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	991.4	991.8	992.0	991.9	992.0	992.0	992.8	993.2	993.7	994.1	994.7	995.1
2	1001.5	1002.2	1002.4	1003.2	1003.6	1004.2	1005.0	1005.0	1006.2	1007.0	1007.4	1007.7
3	1014.4	1015.1	1015.7	1016.1	1016.6	1017.2	1018.0	1019.1	1020.0	1021.0	1021.6	1022.1
4	1028.4	1028.8	1028.7	1028.5	1028.3	1028.2	1028.0	1027.9	1027.7	1027.1	1026.5	1025.5
5	1019.8	1019.8	1019.9	1019.7	1019.1	1019.0	1018.6	1018.6	1018.3	1017.8	1017.0	1016.2
6	1007.6	1006.9	1006.6	1006.2	1005.9	1006.0	1006.0	1006.1	1006.1	1006.1	1005.9	1005.5
7	1000.1	999.7	999.2	998.8	998.1	997.8	998.1	998.3	998.6	998.5	998.7	998.7
8	1003.3	1003.9	1004.1	1004.3	1004.5	1004.6	1005.2	1005.2	1005.8	1006.3	1006.5	1006.8
9	1003.9	1003.5	1003.0	1001.9	1000.8	999.9	999.0	998.5	997.6	996.7	995.5	994.5
10	989.9	990.3	990.4	990.7	990.5	990.8	991.2	991.8	992.2	992.8	992.5	992.6
11	993.8	993.8	993.5	993.4	993.1	992.7	993.2	993.5	993.6	993.5	993.4	993.0
12	996.1	996.2	996.2	996.2	996.9	997.1	997.2	997.7	998.3	999.0	999.8	1000.2
13	1011.9	1013.0	1013.9	1014.6	1015.6	1016.0	1017.2	1018.1	1019.2	1020.0	1020.8	1021.4
14	1027.9	1028.1	1028.1	1028.2	1028.1	1027.8	1028.2	1028.1	1028.0	1027.9	1027.1	1026.8
15	1017.6	1019.5	1019.4	1019.5	1019.5	1019.8	1020.5	1020.9	1021.6	1021.8	1022.1	1022.2
16	1020.0	1019.8	1018.9	1017.9	1017.0	1016.0	1015.0	1014.3	1013.5	1012.6	1011.6	1010.6
17	1000.0	999.1	998.1	996.8	995.8	994.9	994.5	994.5	994.4	994.2	993.7	992.8
18	986.7	986.9	986.5	986.8	986.9	987.7	988.2	989.0	990.2	991.0	991.7	991.6
19	966.4	964.8	963.5	963.2	962.6	961.8	960.8	960.4	959.6	959.2	958.9	958.4
20	969.6	970.3	971.2	972.1	973.1	974.2	975.1	976.2	977.3	978.9	980.0	980.9
21	990.2	990.9	991.7	992.1	992.2	992.8	993.7	993.9	995.0	995.9	996.6	997.0
22	1004.5	1005.0	1005.2	1005.2	1005.3	1005.7	1006.0	1006.8	1007.2	1007.7	1007.6	1007.5
23	1008.8	1008.8	1008.4	1008.4	1007.9	1007.6	1007.5	1007.9	1008.0	1008.1	1008.0	1007.8
24	1012.5	1012.6	1012.1	1011.7	1010.7	1009.8	1009.3	1008.6	1008.3	1007.8	1007.9	1007.8
25	1016.2	1017.1	1017.9	1018.1	1018.5	1019.1	1019.8	1020.5	1021.6	1022.2	1022.8	1022.8
26	1028.9	1029.2	1029.2	1029.4	1029.5	1029.7	1029.9	1030.4	1030.9	1031.0	1030.9	1030.8
27	1029.5	1029.4	1029.1	1029.2	1028.8	1028.5	1028.5	1028.3	1028.1	1028.9	1028.9	1028.5
28	1024.4	1024.0	1023.4	1023.5	1022.7	1022.4	1022.0	1022.1	1022.0	1021.7	1021.6	1020.9
29	1019.1	1018.9	1018.9	1019.2	1019.5	1019.8	1020.1	1020.8	1021.5	1022.2	1022.4	1022.3
30	1022.2	1021.9	1021.4	1020.5	1020.2	1019.7	1019.4	1018.9	1018.8	1018.6	1018.5	1017.3
31	1016.0	1015.7	1015.9	1015.9	1015.9	1016.1	1016.6	1017.1	1017.1	1017.0	1017.4	1016.9
MEAN	1007.25	1007.32	1007.24	1007.20	1007.07	1007.06	1007.25	1007.47	1007.75	1007.95	1008.00	1007.81

FEBRUARY — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	1014.7	1014.6	1014.1	1014.0	1013.9	1013.8	1013.8	1013.1	1013.0	1012.5	1012.6	1012.2
2	1004.8	1005.0	1004.8	1004.5	1004.6	1004.6	1004.5	1004.6	1004.9	1005.4	1005.6	1005.5
3	993.9	993.4	992.8	992.5	992.6	993.5	994.4	994.8	995.6	995.9	996.3	996.6
4	1006.8	1007.0	1007.0	1007.0	1007.0	1007.4	1007.3	1007.6	1007.1	1006.8	1006.0	1005.5
5	997.0	996.2	995.8	995.0	994.2	993.9	993.6	993.5	993.2	992.3	991.9	991.2
6	988.1	988.2	988.5	989.1	989.2	990.0	990.4	991.0	991.3	992.0	992.8	993.0
7	996.1	996.0	995.9	995.8	995.8	996.0	996.0	996.2	996.9	997.5	997.8	998.1
8	1004.7	1005.0	1005.4	1005.7	1006.6	1006.9	1007.4	1007.9	1008.3	1008.8	1008.9	1009.4
9	1008.3	1007.8	1006.6	1005.6	1004.8	1004.0	1003.0	1002.5	1002.0	1001.5	1000.7	1000.7
10	1011.0	1011.9	1012.7	1013.0	1013.8	1014.2	1014.8	1014.9	1015.2	1015.9	1016.3	1016.0
11	1014.9	1014.8	1014.3	1013.8	1013.8	1013.4	1012.6	1011.9	1011.5	1010.1	1009.6	1008.8
12	999.5	999.0	998.4	997.8	997.1	996.7	995.9	995.7	995.2	995.0	994.8	994.4
13	991.3	991.0	990.9	990.9	990.9	990.9	992.0	992.9	993.8	994.8	995.7	997.5
14	1010.8	1010.6	1011.0	1010.9	1011.1	1010.9	1010.7	1010.7	1010.7	1010.6	1010.7	1010.0
15	999.9	1000.0	1000.8	1001.3	1002.4	1003.2	1004.3	1005.3	1006.0	1006.7	1007.6	1007.7
16	1001.2	1000.0	998.9	997.7	996.2	995.0	994.0	993.0	992.0	991.6	990.6	989.9
17	981.2	980.8	980.6	980.6	980.7	981.0	981.6	981.6	981.7	982.2	982.8	983.3
18	990.0	990.6	990.8	990.9	991.6	991.9	992.7	993.1	993.7	994.0	994.6	995.2
19	999.0	999.0	999.0	999.1	999.3	999.0	998.9	998.9	998.8	998.6	998.6	998.4
20	996.0	995.8	995.6	995.3	995.3	994.9	994.9	994.8	994.8	994.9	994.8	994.7
21	994.0	993.8	993.8	993.9	994.0	994.0	994.4	994.6	994.6	995.3	995.6	995.5
22	999.9	998.0	998.0	998.2	998.7	999.0	999.4	1000.0	1000.0	1000.6	1001.3	1001.6
23	1005.7	1005.7	1005.8	1005.8	1005.8	1005.9	1005.9	1006.0	1006.3	1006.5	1006.6	1006.5
24	1008.3	1008.9	1009.1	1009.1	1009.6	1009.5	1009.9	1010.0	1010.0	1010.4	1010.6	1010.8
25	1013.4	1013.3	1013.1	1013.0	1013.0	1013.2	1013.4	1013.6	1013.6	1013.7	1013.7	1013.5
26	1011.9	1011.8	1011.2	1011.0	1011.0	1011.8	1010.1	1010.0	1009.8	1009.5	1009.1	1009.0
27	1009.1	1009.5	1010.0	1010.9	1011.3	1011.9	1012.7	1013.4	1014.2	1015.0	1015.4	1015.4
28	1018.2	1018.3	1018.0	1017.5	1017.8	1017.4	1017.3	1017.1	1017.4	1017.0	1016.2	1015.8
MEAN	1002.49	1002.36	1002.25	1002.15	1002.22	1002.28	1002.35	1002.45	1002.56	1002.68	1002.76	1002.72

JANUARY — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
995.8	996.4	996.9	997.3	997.7	998.2	998.5	999.2	999.8	1000.3	1001.0	1001.3	995.71
1008.0	1008.3	1008.9	1009.3	1009.8	1010.2	1011.0	1011.6	1012.1	1012.8	1013.2	1014.0	1007.69
1022.8	1023.5	1024.4	1025.2	1025.6	1026.3	1026.9	1027.4	1029.0	1028.3	1028.3	1028.4	1022.21
1024.5	1023.2	1022.3	1022.0	1021.4	1020.6	1019.9	1019.7	1019.6	1019.4	1019.6	1019.7	1024.40
1015.7	1015.1	1014.1	1013.5	1012.6	1011.9	1011.0	1009.9	1009.5	1009.0	1008.5	1007.8	1015.10
1005.2	1005.1	1005.1	1004.9	1004.2	1003.9	1003.5	1003.0	1002.6	1001.9	1001.1	1000.8	1004.84
998.9	999.3	999.8	1000.0	1000.4	1000.8	1001.3	1001.8	1002.3	1002.9	1003.1	1003.1	999.93
1006.6	1006.6	1006.8	1006.8	1006.7	1006.6	1006.3	1005.8	1005.6	1005.7	1005.2	1004.9	1005.59
993.4	992.6	991.8	991.0	990.6	990.1	989.7	989.5	989.4	989.3	989.5	989.7	995.06
992.6	992.7	993.1	993.5	993.9	993.8	993.9	994.1	994.0	994.0	993.6	993.7	992.44
993.0	993.2	993.6	993.7	993.8	994.0	994.5	995.0	995.3	995.7	995.8	996.0	993.92
1000.7	1001.2	1002.1	1003.0	1004.0	1005.2	1006.1	1007.2	1008.2	1009.1	1009.8	1010.8	1001.60
1022.2	1023.1	1023.5	1024.2	1024.8	1025.0	1026.1	1026.4	1026.9	1027.0	1027.3	1027.8	1021.08
1026.1	1025.4	1025.0	1024.3	1023.8	1023.1	1022.3	1022.3	1022.0	1021.4	1020.6	1019.9	1025.44
1022.4	1022.7	1022.5	1022.8	1023.0	1022.8	1022.7	1022.8	1022.6	1022.7	1021.5	1021.0	1021.50
1009.3	1008.1	1007.6	1007.2	1006.3	1005.7	1005.1	1004.6	1004.0	1003.4	1002.0	1000.8	1010.47
990.9	989.8	989.0	988.1	987.1	987.0	987.0	986.9	986.4	985.8	985.8	986.1	991.61
991.6	991.0	990.6	989.6	987.9	985.9	983.9	981.3	978.2	975.0	971.8	968.8	985.78
958.4	959.0	959.7	960.5	961.6	962.5	963.5	964.8	965.9	966.6	967.8	968.8	962.45*
981.9	982.7	983.7	984.7	985.4	986.0	986.9	987.5	988.2	988.8	989.5	990.0	980.59
997.0	997.3	998.1	998.7	999.6	1000.2	1001.0	1001.6	1002.3	1003.3	1003.6	1004.0	997.03
1007.7	1007.8	1007.9	1008.0	1008.0	1008.3	1008.6	1008.7	1008.7	1009.1	1009.3	1009.0	1007.28
1007.8	1008.0	1008.0	1008.5	1009.3	1009.8	1010.3	1011.1	1012.0	1012.2	1012.2	1012.2	1009.11
1007.8	1008.2	1008.9	1009.9	1010.5	1011.2	1012.0	1012.6	1013.5	1014.3	1015.0	1015.7	1010.78
1022.9	1023.8	1024.4	1024.9	1025.6	1025.8	1026.2	1026.7	1027.1	1027.9	1028.1	1028.4	1022.85
1030.6	1030.7	1030.6	1030.5	1030.1	1030.0	1030.5	1029.9	1029.8	1029.6	1029.6	1029.5	1030.05*
1027.9	1027.6	1026.7	1027.0	1026.7	1026.1	1026.1	1025.9	1025.4	1025.0	1025.0	1024.8	1027.50
1020.4	1019.7	1019.4	1019.5	1019.1	1018.8	1018.9	1019.0	1019.1	1019.0	1018.9	1018.9	1020.89
1022.2	1022.7	1022.8	1023.1	1023.2	1023.5	1023.2	1023.6	1023.8	1023.7	1023.4	1023.1	1021.79
1016.8	1016.5	1015.8	1015.5	1015.3	1015.2	1014.9	1014.8	1014.8	1015.1	1015.5	1015.9	1017.65
1016.3	1016.4	1016.3	1016.7	1016.7	1016.2	1016.0	1015.9	1015.5	1015.3	1015.0	1014.9	1016.20
1007.66	1007.67	1007.73	1007.87	1007.89	1007.89	1007.99	1008.08	1008.18	1008.18	1008.08	1008.06	1007.69

FEBRUARY — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
1011.5	1010.8	1009.8	1009.4	1008.8	1008.1	1007.6	1006.9	1006.8	1006.6	1005.7	1005.6	1010.83
1005.5	1005.6	1004.8	1004.2	1003.0	1002.1	1001.2	999.1	998.8	997.7	996.1	994.8	1002.99
996.8	997.2	998.6	998.7	1000.3	1001.3	1002.0	1003.1	1004.1	1005.1	1005.6	1006.1	997.97
1004.8	1004.5	1003.9	1003.1	1002.7	1001.8	1001.6	1000.8	1000.0	999.7	998.8	997.9	1004.25
990.8	990.4	989.9	989.8	989.7	989.0	988.7	988.2	988.1	988.1	988.2	988.2	991.54
993.7	993.9	994.2	995.0	995.4	995.8	995.8	996.0	996.1	996.2	996.3	996.2	992.84
998.0	998.6	999.0	999.8	1000.7	1001.0	1001.5	1001.9	1002.6	1002.9	1003.5	1004.1	998.82
1009.4	1009.5	1009.5	1009.4	1009.6	1009.7	1009.2	1009.3	1009.2	1009.2	1009.0	1009.0	1008.22
1000.7	1000.5	1001.0	1002.1	1003.2	1004.0	1005.1	1006.0	1007.4	1008.3	1009.7	1010.1	1004.40
1015.8	1015.7	1015.7	1015.7	1015.6	1015.4	1015.3	1015.7	1015.9	1015.9	1015.3	1015.1	1014.87
1007.8	1005.9	1004.9	1004.6	1003.4	1003.3	1002.0	1001.5	1000.9	1000.5	1000.0	1000.0	1007.68
993.7	993.7	993.5	993.0	993.0	992.9	992.7	992.7	992.2	991.9	991.8	991.7	994.68
998.8	999.7	1001.5	1002.9	1004.3	1005.4	1006.4	1007.1	1008.0	1009.0	1009.6	1010.0	998.97
1009.8	1008.8	1007.7	1006.6	1005.7	1004.5	1003.6	1002.7	1001.7	1000.8	1000.3	1000.0	1007.54
1007.9	1008.0	1007.9	1007.7	1007.7	1007.1	1006.9	1006.2	1005.7	1004.8	1003.6	1002.3	1005.04
988.8	986.8	986.5	985.6	985.0	984.7	983.9	983.7	982.8	982.5	981.7	981.7	989.74
983.9	984.4	984.9	985.7	986.0	986.8	987.2	988.0	988.2	989.0	989.3	989.9	984.23*
995.7	996.1	996.8	997.1	997.6	997.9	997.9	998.2	998.8	999.0	999.0	999.1	995.10
998.0	997.7	997.3	997.3	997.4	997.3	997.1	997.0	997.0	996.9	996.8	996.1	997.02
994.7	994.3	994.0	994.1	994.5	994.6	994.7	994.7	994.6	994.6	994.0	993.9	994.77
995.7	995.8	995.8	996.0	996.7	997.0	997.2	997.6	997.7	997.7	997.7	997.8	995.67
1001.8	1002.0	1002.5	1002.7	1003.4	1003.9	1004.5	1004.9	1005.2	1005.6	1005.6	1005.8	1001.77
1006.4	1006.3	1006.2	1006.5	1006.6	1006.9	1007.2	1007.4	1007.6	1008.0	1008.0	1008.2	1006.57
1010.9	1010.9	1011.0	1011.4	1011.6	1011.8	1012.0	1012.1	1012.5	1013.0	1013.2	1013.5	1010.84
1013.2	1013.0	1012.9	1012.8	1012.3	1012.0	1012.2	1012.3	1012.0	1012.0	1011.9	1011.9	1012.88
1008.8	1008.0	1007.9	1007.9	1008.0	1008.0	1007.7	1007.8	1008.1	1008.3	1008.9	1009.0	1009.36
1015.6	1016.0	1016.2	1016.7	1017.4	1018.2	1018.2	1018.2	1018.2	1018.3	1018.2	1018.1	1014.92*
1015.0	1013.7	1013.2	1012.7	1012.0	1011.3	1010.8	1010.0	1009.6	1009.4	1009.0	1008.8	1014.31
1002.62	1002.42	1002.40	1002.45	1002.56	1002.56	1002.51	1002.47	1002.49	1002.54	1002.39	1002.32	1002.46

MARCH — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	1008.7	1008.7	1008.7	1008.4	1008.0	1008.0	1008.1	1008.1	1008.2	1008.2	1008.4	1007.7
2	1008.4	1008.8	1009.1	1009.3	1009.8	1010.1	1011.0	1011.8	1012.2	1013.0	1013.7	1014.0
3	1020.9	1021.6	1022.0	1022.5	1022.7	1023.5	1024.4	1024.7	1024.9	1025.0	1025.7	1025.7
4	1019.7	1018.9	1017.9	1017.0	1016.5	1015.4	1014.9	1014.1	1013.4	1013.0	1012.6	1011.8
5	994.8	991.9	991.2	991.1	990.7	991.4	991.7	991.7	991.7	991.9	991.8	991.7
6	980.9	979.9	978.9	978.0	977.5	977.0	977.0	976.9	977.0	977.8	978.7	980.1
7	998.9	999.5	1000.4	1001.2	1002.0	1002.9	1003.8	1004.1	1005.0	1005.8	1006.7	1007.3
8	1013.1	1013.4	1013.8	1013.9	1013.9	1014.0	1014.2	1014.6	1015.0	1014.6	1014.6	1014.4
9	1012.1	1011.8	1011.6	1011.5	1011.5	1011.2	1011.1	1010.8	1010.8	1010.6	1010.6	1010.1
10	1006.6	1006.0	1005.9	1005.1	1004.9	1004.7	1003.9	1003.7	1003.0	1002.5	1001.8	1001.4
11	994.6	994.5	993.7	993.5	993.0	992.8	992.7	992.7	992.7	992.7	992.7	992.7
12	993.8	993.8	993.8	993.5	993.4	993.7	993.8	994.6	995.0	995.6	996.6	997.0
13	1004.1	1004.8	1005.0	1005.5	1005.8	1006.0	1006.6	1007.1	1007.3	1007.4	1007.8	1008.1
14	1006.7	1006.5	1005.8	1005.8	1005.7	1005.5	1005.0	1004.9	1005.0	1004.7	1004.7	1004.6
15	1005.5	1005.6	1005.9	1006.2	1006.8	1007.1	1007.8	1008.7	1009.1	1009.8	1010.4	1010.8
16	1017.8	1018.1	1018.4	1018.5	1018.7	1018.9	1019.2	1019.6	1019.8	1020.1	1020.1	1019.9
17	1020.0	1019.9	1019.9	1019.8	1019.8	1019.7	1019.7	1019.7	1019.4	1019.2	1019.0	1018.9
18	1018.0	1017.8	1017.6	1017.6	1017.7	1017.8	1018.0	1018.8	1019.1	1019.6	1019.8	1019.9
19	1025.3	1025.3	1025.6	1025.7	1026.0	1026.6	1026.7	1027.1	1027.2	1027.4	1027.3	1027.3
20	1028.2	1027.9	1027.7	1027.6	1027.1	1026.9	1026.8	1026.8	1026.8	1026.9	1026.8	1026.8
21	1028.9	1028.9	1028.9	1029.3	1029.8	1029.9	1030.9	1031.1	1031.7	1031.8	1031.9	1031.7
22	1032.1	1032.2	1032.0	1031.8	1031.7	1031.8	1031.9	1032.0	1032.0	1032.1	1031.8	1031.5
23	1029.0	1028.7	1028.3	1027.8	1027.5	1027.0	1026.8	1026.8	1026.6	1026.4	1025.6	1025.1
24	1020.9	1020.9	1020.7	1020.6	1020.6	1020.8	1021.3	1021.2	1021.2	1021.1	1021.1	1021.1
25	1018.9	1018.7	1018.4	1018.3	1017.8	1017.8	1017.9	1018.5	1018.4	1018.4	1018.4	1018.0
26	1017.4	1017.2	1017.0	1016.7	1016.7	1016.7	1016.8	1016.8	1016.4	1016.5	1016.3	1016.3
27	1016.5	1016.8	1016.9	1016.9	1016.9	1017.0	1017.7	1017.9	1017.8	1017.7	1017.7	1017.7
28	1019.8	1019.9	1019.9	1019.8	1019.9	1020.6	1020.8	1021.6	1021.8	1022.0	1022.1	1022.0
29	1024.5	1024.8	1024.9	1024.9	1024.9	1024.9	1025.2	1025.8	1025.8	1025.9	1026.0	1025.8
30	1028.8	1029.2	1029.6	1029.8	1030.1	1030.6	1031.0	1031.6	1031.9	1032.0	1032.1	1032.0
31	1031.8	1031.7	1031.6	1031.6	1031.2	1031.0	1031.0	1030.7	1030.5	1030.3	1029.7	1029.5
MEAN	1014.41	1014.32	1014.23	1014.17	1014.15	1014.24	1014.44	1014.66	1014.73	1014.84	1014.92	1014.87

MARCH — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
1007.7	1007.5	1007.4	1006.9	1007.0	1006.9	1007.0	1006.9	1006.9	1006.9	1007.1	1007.7	1007.71
1014.4	1014.8	1015.1	1015.8	1016.6	1017.3	1017.9	1018.3	1018.9	1019.8	1020.0	1020.1	1014.18
1025.0	1024.8	1024.0	1023.9	1023.5	1023.0	1022.7	1022.5	1021.9	1021.5	1021.0	1020.2	1023.23
1010.9	1009.8	1008.7	1007.9	1006.1	1005.8	1004.0	1003.3	1001.1	999.8	998.2	996.8	1009.90
991.2	990.5	990.0	989.6	988.5	987.0	986.2	985.6	984.4	983.7	982.8	981.8	989.29
981.6	983.1	985.1	986.6	988.2	990.1	991.3	992.8	994.0	995.0	996.2	997.5	984.22*
1007.9	1008.4	1009.1	1009.1	1010.0	1010.4	1011.1	1011.6	1012.1	1012.6	1012.8	1013.0	1006.90
1013.7	1013.4	1012.9	1012.4	1012.3	1012.4	1012.6	1012.7	1012.9	1012.7	1012.7	1012.6	1013.45
1009.8	1009.5	1009.6	1008.9	1009.0	1009.1	1009.0	1009.0	1008.7	1008.6	1008.7	1006.9	1010.02
1000.7	1000.5	999.6	998.7	998.7	998.4	997.7	997.4	996.5	995.7	995.5	994.9	1000.99
992.7	992.7	992.8	992.8	992.8	992.9	993.1	993.1	993.4	993.4	993.5	993.8	993.14
997.6	998.4	998.0	999.7	1000.1	1000.8	1001.4	1001.9	1002.4	1002.7	1003.2	1003.9	997.70
1008.5	1008.6	1008.9	1008.9	1009.0	1009.0	1009.4	1009.2	1008.8	1007.9	1007.7	1006.8	1007.42
1004.8	1005.2	1005.1	1005.2	1005.4	1005.6	1005.7	1005.4	1005.3	1005.3	1005.3	1005.3	1005.35
1011.6	1012.0	1012.6	1013.2	1014.4	1014.9	1015.5	1016.0	1016.6	1016.9	1017.1	1017.4	1011.34
1019.6	1019.5	1019.5	1019.6	1019.9	1020.0	1020.2	1020.3	1020.1	1020.0	1020.0	1020.0	1019.49
1018.8	1018.1	1018.0	1017.9	1017.9	1017.9	1018.0	1018.1	1018.0	1018.0	1018.0	1018.0	1018.82
1019.9	1020.1	1020.4	1020.8	1021.3	1021.8	1023.0	1023.6	1023.9	1024.3	1024.7	1024.9	1020.43
1027.4	1027.2	1027.1	1027.0	1027.5	1027.8	1027.9	1028.3	1028.3	1028.4	1028.5	1028.5	1027.14
1026.7	1026.5	1026.4	1026.6	1026.9	1027.1	1027.4	1027.8	1027.9	1027.9	1028.1	1028.6	1027.26
1031.5	1031.1	1030.9	1030.8	1030.9	1031.1	1031.3	1031.5	1031.8	1031.8	1032.0	1032.1	1030.90
1031.0	1030.6	1030.2	1029.8	1029.7	1029.6	1029.5	1029.5	1029.2	1029.1	1029.3	1029.4	1030.82
1024.5	1023.9	1023.4	1022.7	1022.4	1022.3	1022.2	1021.8	1021.4	1021.1	1021.1	1020.9	1024.72
1020.7	1020.3	1019.9	1019.7	1019.6	1019.6	1019.7	1019.6	1019.4	1019.3	1019.2	1019.1	1020.32
1017.8	1017.5	1016.9	1016.7	1016.5	1016.8	1017.3	1017.4	1017.4	1017.4	1017.5	1017.5	1017.76
1016.0	1015.7	1015.1	1015.0	1014.9	1015.1	1015.1	1015.6	1016.0	1016.0	1016.1	1016.3	1016.15
1017.7	1017.2	1017.0	1017.0	1017.0	1017.4	1017.9	1018.0	1018.7	1018.9	1019.1	1019.4	1017.62
1021.9	1021.8	1021.7	1021.4	1021.4	1021.8	1022.2	1023.0	1023.5	1023.9	1024.1	1024.0	1021.70
1025.7	1025.5	1025.3	1025.2	1025.1	1025.6	1026.0	1026.3	1026.6	1027.0	1027.7	1028.1	1025.73
1031.7	1031.6	1031.7	1031.5	1031.3	1031.4	1031.7	1031.8	1031.8	1031.9	1031.8	1031.8	1031.20*
1028.8	1028.4	1027.6	1027.2	1026.8	1026.6	1026.9	1027.5	1027.5	1027.5	1027.6	1027.6	1029.19
1014.77	1014.65	1014.52	1014.47	1014.54	1014.69	1014.87	1015.03	1015.01	1015.00	1015.05	1015.00	1014.65

APRIL — PRESSURE AT STATION LEVEL

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	1027.5	1027.4	1027.1	1027.2	1027.3	1026.7	1026.6	1026.5	1026.1	1025.9	1025.9	1025.7
2	1026.0	1025.7	1025.6	1025.6	1025.5	1025.7	1025.6	1026.0	1026.1	1026.7	1026.7	1026.8
3	1028.4	1028.6	1028.6	1028.5	1028.4	1028.3	1028.7	1028.8	1029.0	1028.8	1028.8	1028.9
4	1025.1	1024.9	1024.6	1024.2	1023.8	1023.7	1023.5	1023.1	1022.7	1022.0	1021.5	1021.0
5	1014.7	1014.3	1013.6	1013.0	1012.6	1012.1	1011.9	1011.5	1011.4	1011.3	1010.7	1010.5
6	1008.4	1008.0	1008.0	1007.8	1007.8	1007.9	1008.0	1008.1	1008.7	1009.0	1009.3	1009.6
7	1010.0	1010.1	1009.9	1010.3	1010.5	1010.8	1011.1	1011.0	1010.8	1010.6	1010.4	1009.9
8	1010.4	1010.8	1011.3	1011.8	1012.0	1012.7	1013.6	1013.9	1014.1	1014.4	1014.5	1014.3
9	1009.9	1009.7	1009.2	1008.8	1008.4	1008.2	1008.2	1008.6	1008.2	1008.3	1008.5	1008.8
10	1017.1	1017.8	1018.4	1018.9	1019.7	1020.5	1021.4	1022.0	1022.8	1023.6	1024.0	1024.6
11	1029.2	1029.7	1029.9	1030.0	1030.0	1030.1	1030.3	1030.8	1030.6	1030.2	1029.8	1029.6
12	1025.9	1025.6	1025.4	1024.9	1024.8	1024.7	1024.6	1024.6	1024.2	1023.8	1023.6	1022.6
13	1015.6	1015.0	1014.5	1013.8	1013.5	1013.4	1013.2	1013.1	1012.9	1012.7	1012.6	1012.5
14	1013.9	1013.9	1013.8	1013.8	1013.7	1013.6	1013.8	1013.9	1013.9	1013.7	1013.5	1013.4
15	1007.8	1007.5	1006.5	1005.8	1005.2	1004.6	1004.2	1003.9	1003.2	1003.0	1002.4	1001.5
16	997.2	996.8	996.4	996.4	996.3	996.5	996.6	997.2	997.2	997.2	997.4	997.4
17	1000.9	1001.3	1001.6	1002.1	1002.6	1003.4	1003.9	1004.6	1005.0	1006.0	1006.6	1006.8
18	1011.8	1011.8	1011.9	1012.2	1012.4	1012.6	1012.7	1013.2	1013.5	1013.4	1013.3	1013.3
19	1011.9	1011.7	1011.0	1010.6	1010.0	1009.6	1009.5	1009.3	1008.4	1008.0	1007.5	1007.2
20	1005.7	1005.9	1006.1	1006.7	1007.0	1007.6	1007.9	1008.6	1008.9	1009.1	1009.5	1009.5
21	1003.7	1002.8	1002.0	1001.7	1001.6	1001.5	1001.5	1001.7	1001.3	1001.7	1001.9	1002.1
22	1009.8	1011.0	1011.9	1012.8	1013.7	1014.7	1015.1	1015.9	1016.7	1017.1	1017.7	1017.9
23	1019.8	1019.9	1020.0	1020.0	1020.0	1020.3	1020.6	1020.9	1020.8	1020.9	1021.3	1021.4
24	1023.7	1023.9	1023.9	1023.7	1024.0	1024.2	1024.5	1024.6	1024.6	1025.0	1025.0	1024.7
25	1023.9	1023.8	1023.4	1023.3	1022.9	1022.8	1022.8	1022.7	1022.1	1021.8	1021.7	1021.1
26	1017.6	1017.0	1016.6	1015.7	1015.3	1014.8	1014.5	1014.1	1013.2	1012.3	1011.7	1011.4
27	1005.6	1005.4	1005.0	1004.7	1004.5	1003.9	1003.7	1003.7	1003.6	1003.6	1003.6	1003.5
28	1003.5	1002.9	1002.9	1003.0	1002.7	1002.6	1002.8	1002.6	1003.0	1003.4	1003.6	1003.7
29	1006.7	1006.8	1007.7	1007.9	1008.5	1008.9	1009.6	1010.6	1011.5	1012.0	1012.5	1013.3
30	1013.0	1013.1	1012.9	1012.8	1012.9	1013.8	1014.0	1014.8	1015.0	1015.8	1015.9	1015.8
MEAN	1014.16	1014.10	1013.99	1013.93	1013.92	1014.01	1014.15	1014.34	1014.32	1014.38	1014.38	1014.29

APRIL — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
1025.6	1025.3	1025.4	1025.6	1025.5	1025.5	1025.7	1025.9	1026.0	1026.0	1026.0	1026.0	1026.18
1027.0	1027.0	1027.4	1027.6	1027.6	1027.8	1028.1	1028.5	1028.4	1028.3	1028.4	1028.2	1026.93
1028.4	1028.0	1027.7	1027.0	1026.8	1026.8	1026.7	1026.4	1026.0	1025.7	1025.2	1025.5	1027.67
1020.7	1019.9	1019.6	1018.9	1018.7	1017.9	1017.9	1017.6	1016.9	1016.7	1016.0	1015.5	1020.68
1010.5	1010.0	1009.7	1009.5	1009.1	1008.9	1009.0	1009.1	1008.9	1008.8	1008.7	1008.6	1010.77
1009.7	1009.8	1009.9	1009.7	1009.6	1009.8	1010.3	1010.2	1010.3	1009.9	1010.0	1010.0	1009.16
1009.6	1008.9	1008.4	1008.0	1007.9	1007.8	1008.1	1008.4	1008.6	1008.8	1009.6	1009.8	1009.55
1013.8	1013.6	1013.2	1012.8	1012.5	1012.2	1012.2	1012.0	1011.6	1010.9	1010.6	1010.0	1012.47
1009.5	1009.6	1009.9	1010.3	1011.1	1012.1	1013.0	1014.0	1014.7	1015.3	1015.8	1016.6	1010.70
1024.8	1024.9	1025.0	1025.4	1025.9	1026.8	1027.8	1028.1	1028.6	1028.7	1029.0	1029.1	1023.95
1029.0	1028.6	1027.9	1027.6	1027.5	1027.3	1027.3	1027.2	1027.0	1026.8	1026.8	1026.5	1028.74*
1022.2	1021.4	1020.9	1020.4	1019.8	1019.2	1018.8	1018.6	1017.8	1017.3	1016.8	1016.2	1021.84
1012.6	1012.6	1012.6	1012.8	1013.1	1013.7	1013.9	1014.0	1014.0	1014.1	1014.1	1014.2	1013.52
1012.9	1012.6	1012.0	1011.3	1010.4	1010.4	1010.0	1010.5	1009.9	1009.7	1009.3	1008.0	1012.16
1001.6	1001.0	1000.5	999.8	999.3	999.0	998.8	998.8	998.1	998.1	997.7	997.5	1001.91
997.3	997.5	997.5	997.6	997.7	998.1	998.7	999.6	999.7	1000.0	1000.6	1000.7	997.82*
1007.2	1007.6	1008.1	1008.8	1009.0	1009.5	1010.3	1010.7	1010.9	1011.1	1011.5	1011.7	1006.72
1013.2	1012.9	1012.7	1012.3	1012.2	1012.1	1012.4	1012.8	1012.8	1012.8	1012.6	1012.2	1012.63
1006.7	1005.9	1005.3	1004.7	1004.6	1004.5	1004.5	1004.6	1004.8	1005.0	1005.1	1005.4	1007.32
1009.5	1009.4	1009.1	1008.8	1008.6	1007.8	1007.5	1007.2	1006.6	1005.8	1005.2	1004.5	1007.60
1002.2	1002.7	1002.9	1002.9	1003.6	1003.9	1004.9	1005.8	1006.3	1007.1	1008.1	1009.0	1003.45
1018.1	1018.2	1018.8	1018.8	1019.1	1019.6	1019.8	1019.9	1020.0	1020.0	1020.0	1019.9	1016.94
1021.7	1021.9	1022.0	1022.1	1022.2	1022.7	1023.1	1023.6	1023.4	1023.6	1023.6	1023.6	1021.65
1024.4	1024.4	1024.4	1024.0	1023.7	1023.6	1023.8	1024.0	1024.2	1024.0	1024.0	1023.9	1024.17
1020.8	1020.4	1020.0	1019.7	1019.3	1019.0	1019.3	1019.0	1018.8	1018.7	1018.0	1017.8	1020.96
1010.5	1010.3	1010.2	1009.8	1009.2	1008.8	1008.4	1008.2	1007.1	1006.2	1005.5	1005.5	1011.41
1003.5	1003.6	1003.6	1003.4	1003.4	1003.7	1003.8	1003.8	1003.9	1003.7	1003.7	1003.7	1003.94
1003.7	1004.4	1004.7	1004.8	1004.7	1004.9	1005.4	1005.8	1005.7	1005.8	1006.0	1006.6	1004.13
1013.7	1013.9	1014.0	1014.0	1014.0	1014.0	1014.1	1014.5	1014.3	1014.3	1014.0	1013.9	1011.86
1015.8	1015.5	1015.5	1015.4	1015.4	1015.3	1015.5	1015.7	1015.7	1015.7	1015.9	1016.5	1014.90
1014.21	1014.06	1013.96	1013.79	1013.72	1013.76	1013.97	1014.15	1014.03	1013.96	1013.93	1013.89	1014.06

MAY — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	1016.8	1017.3	1017.7	1018.7	1018.8	1019.1	1019.6	1019.7	1019.7	1019.8	1019.5	1019.4
2	1016.8	1015.8	1014.7	1013.7	1012.4	1011.7	1010.7	1009.5	1008.5	1007.5	1006.6	1006.0
3	993.1	993.2	992.9	992.8	992.9	993.7	994.0	994.8	995.8	996.3	996.8	997.5
4	1000.8	1000.9	1001.0	1001.1	1001.6	1001.9	1002.6	1002.9	1003.1	1003.5	1003.7	1004.6
5	1006.1	1006.0	1006.0	1006.2	1006.3	1006.3	1006.8	1006.7	1006.4	1006.6	1006.7	1006.7
6	1008.6	1008.5	1008.6	1008.2	1008.2	1008.1	1008.8	1008.7	1008.6	1008.4	1007.6	1007.4
7	1004.1	1003.9	1003.0	1002.6	1001.8	1001.3	1001.1	1001.1	1000.8	1000.6	1000.5	1000.6
8	1009.5	1009.9	1010.5	1010.9	1011.7	1012.1	1012.6	1012.7	1012.9	1013.2	1013.1	1013.4
9	1008.9	1008.7	1007.8	1007.6	1007.4	1006.9	1006.9	1006.9	1006.7	1005.9	1005.6	1005.1
10	1002.4	1001.9	1002.0	1002.5	1002.6	1002.6	1002.6	1002.7	1002.6	1002.6	1002.8	1003.0
11	1004.9	1004.9	1004.9	1005.2	1005.5	1005.5	1005.6	1005.5	1005.5	1005.2	1004.8	1004.5
12	1000.4	999.7	999.6	999.5	999.4	999.3	999.4	999.1	999.0	999.2	999.5	999.7
13	998.8	997.9	997.7	997.3	997.3	997.2	997.7	997.7	998.1	999.0	999.7	1000.6
14	1011.1	1011.7	1012.2	1012.7	1013.1	1013.7	1013.9	1014.0	1014.1	1014.2	1014.0	1013.8
15	1012.3	1012.1	1011.7	1011.5	1011.6	1010.8	1010.0	1009.7	1008.8	1008.0	1007.8	1006.8
16	994.3	994.1	994.1	994.1	994.0	994.0	994.0	994.8	995.0	995.2	995.4	995.8
17	1001.2	1001.4	1001.4	1001.9	1001.9	1002.0	1001.8	1001.8	1001.4	1000.7	1000.4	999.7
18	991.8	992.0	992.7	992.8	993.6	994.3	995.0	995.6	995.9	996.0	996.4	996.1
19	997.7	998.5	998.8	999.6	999.8	1000.6	1001.2	1002.1	1003.0	1004.7	1005.0	1006.7
20	1012.7	1012.7	1012.3	1012.0	1011.7	1011.1	1010.8	1010.7	1009.7	1009.3	1008.5	1007.6
21	1003.6	1003.7	1003.0	1003.6	1003.7	1004.0	1004.4	1004.6	1004.6	1004.7	1004.8	1004.9
22	1003.7	1003.7	1004.1	1004.9	1004.9	1005.7	1006.7	1006.8	1007.8	1008.6	1009.4	1010.0
23	1017.2	1017.5	1017.9	1018.1	1018.3	1018.5	1018.7	1019.0	1018.8	1018.5	1018.3	1017.7
24	1019.4	1019.3	1019.2	1019.0	1019.0	1019.1	1019.2	1019.3	1019.1	1018.9	1018.9	1018.9
25	1017.5	1017.3	1017.0	1016.6	1016.5	1016.3	1016.5	1016.7	1016.6	1016.5	1016.7	1016.2
26	1017.1	1016.9	1016.8	1016.5	1016.5	1015.9	1015.8	1015.5	1014.8	1014.1	1013.4	1012.7
27	1008.7	1009.0	1009.8	1010.6	1011.7	1011.9	1012.9	1013.3	1013.8	1014.2	1014.8	1015.1
28	1016.4	1016.7	1016.6	1016.3	1016.1	1016.0	1015.9	1015.0	1014.9	1014.4	1013.7	1013.5
29	1007.7	1007.7	1007.9	1008.0	1008.0	1008.4	1009.0	1009.6	1010.8	1011.9	1012.8	1013.3
30	1018.8	1019.3	1019.8	1020.2	1020.8	1021.2	1021.6	1022.2	1022.4	1022.4	1022.5	1022.7
31	1025.0	1025.1	1025.5	1025.4	1025.9	1026.0	1026.0	1026.2	1026.4	1026.5	1026.2	1025.9
MEAN	1007.98	1007.98	1007.97	1008.07	1008.16	1008.23	1008.45	1008.55	1008.57	1008.60	1008.58	1008.58

JUNE — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	1025.0	1024.7	1024.6	1024.7	1024.7	1024.6	1024.4	1024.1	1024.0	1023.7	1023.7	1023.1
2	1022.0	1021.5	1021.0	1020.9	1020.7	1020.4	1020.6	1020.4	1020.0	1019.7	1019.6	1019.1
3	1017.0	1016.9	1016.2	1016.0	1016.5	1015.9	1016.6	1015.9	1015.9	1015.9	1015.8	1015.4
4	1012.5	1011.7	1010.8	1010.6	1009.9	1009.3	1008.6	1008.4	1007.5	1006.6	1005.5	1004.3
5	1005.9	1006.5	1006.9	1007.2	1008.0	1009.0	1009.8	1010.4	1011.3	1011.4	1011.8	1012.9
6	1018.7	1019.0	1019.2	1019.4	1019.8	1019.9	1019.9	1019.9	1019.8	1019.5	1019.6	1019.4
7	1016.0	1015.4	1015.0	1015.0	1015.1	1015.1	1015.2	1015.0	1014.8	1014.8	1014.1	1013.7
8	1012.0	1012.2	1012.3	1012.8	1013.0	1013.0	1012.9	1012.6	1012.2	1012.0	1011.6	1010.8
9	1004.7	1004.6	1004.3	1003.8	1003.6	1002.9	1002.7	1002.4	1002.1	1001.8	1002.2	1002.4
10	1007.4	1007.2	1007.1	1007.6	1008.0	1008.1	1008.9	1009.0	1009.2	1009.2	1009.2	1009.3
11	1011.8	1011.8	1011.9	1012.0	1012.0	1012.1	1012.7	1013.0	1013.0	1013.3	1013.5	1013.8
12	1015.6	1015.7	1015.5	1015.6	1015.9	1015.8	1015.7	1015.5	1015.8	1015.7	1015.6	1015.8
13	1017.9	1018.0	1018.0	1018.7	1019.0	1018.8	1018.9	1019.6	1019.0	1019.7	1019.7	1019.7
14	1022.4	1022.9	1023.0	1023.3	1023.6	1023.7	1023.9	1024.2	1024.1	1023.9	1023.8	1023.7
15	1024.2	1024.6	1024.7	1024.9	1025.3	1025.6	1025.8	1026.0	1026.1	1026.0	1025.9	1025.7
16	1023.7	1023.3	1023.2	1023.2	1023.4	1023.6	1023.6	1023.7	1023.2	1023.0	1022.8	1022.8
17	1021.9	1021.8	1021.4	1020.9	1020.9	1020.7	1020.7	1020.6	1020.5	1020.1	1019.7	1019.6
18	1016.5	1016.0	1015.9	1015.8	1015.0	1014.4	1014.2	1013.9	1013.2	1012.7	1012.1	1011.6
19	1005.9	1005.8	1005.7	1005.7	1005.8	1005.4	1005.3	1005.3	1005.3	1004.9	1004.8	1004.5
20	1002.1	1002.0	1001.9	1001.8	1001.5	1001.2	1001.1	1001.2	1000.9	1000.3	1000.0	999.6
21	997.5	997.1	997.0	996.8	996.6	996.6	996.5	996.5	996.4	996.2	996.0	995.8
22	997.6	997.7	997.8	997.9	998.0	998.4	998.8	999.1	999.3	999.3	999.3	999.4
23	1002.0	1001.9	1002.0	1001.9	1002.1	1002.4	1002.6	1002.7	1002.8	1003.0	1002.8	1002.7
24	1005.6	1005.9	1006.0	1006.2	1006.7	1006.9	1007.0	1007.1	1007.2	1007.1	1007.0	1006.6
25	1009.2	1009.3	1009.7	1009.8	1009.8	1010.0	1010.1	1010.0	1010.0	1009.9	1009.7	1009.5
26	1010.0	1010.2	1010.1	1010.0	1010.1	1010.5	1010.8	1010.8	1010.8	1010.8	1010.7	1010.6
27	1010.8	1010.8	1010.9	1010.9	1011.0	1011.0	1010.4	1010.1	1010.1	1010.0	1009.8	1009.6
28	1008.6	1008.2	1008.4	1008.5	1008.2	1008.1	1008.2	1008.1	1007.9	1008.5	1008.5	1008.7
29	1010.4	1010.2	1010.2	1010.1	1010.2	1010.1	1010.0	1009.9	1010.1	1010.2	1010.7	1011.0
30	1015.0	1015.2	1015.2	1015.8	1015.9	1015.9	1016.2	1016.9	1017.0	1017.3	1017.7	1018.2
MEAN	1012.33	1012.27	1012.20	1012.26	1012.35	1012.31	1012.40	1012.41	1012.32	1012.22	1012.11	1011.98

MAY — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
1019.4	1019.5	1018.9	1018.5	1018.2	1018.0	1018.6	1018.7	1018.6	1018.6	1018.1	1017.6	1018.70
1004.7	1002.9	1001.6	999.9	998.7	997.5	996.5	995.4	994.9	994.0	993.7	993.1	1004.45
998.2	998.6	999.0	999.5	999.7	999.9	1000.3	1000.5	1000.6	1000.6	1000.5	1000.6	997.16
1005.0	1005.3	1005.7	1005.6	1005.7	1005.9	1006.0	1006.1	1006.3	1006.3	1006.2	1006.1	1004.08
1006.9	1007.1	1007.8	1007.3	1007.4	1007.7	1007.6	1007.9	1008.0	1008.0	1008.2	1008.6	1007.05
1007.1	1006.8	1006.8	1006.7	1006.6	1006.2	1006.1	1006.0	1005.7	1005.4	1005.1	1004.8	1007.21
1000.6	1000.7	1000.9	1001.2	1001.5	1002.1	1003.4	1004.8	1005.9	1006.0	1007.4	1008.7	1002.69
1013.1	1013.0	1013.0	1012.7	1012.0	1011.8	1011.5	1011.4	1011.6	1010.8	1009.8	1009.7	1011.79
1004.9	1004.3	1004.0	1003.2	1003.1	1002.8	1002.0	1001.9	1002.0	1002.4	1002.6	1002.5	1005.00
1002.9	1002.5	1002.5	1002.4	1002.7	1002.9	1003.1	1003.9	1004.2	1004.4	1004.8	1004.9	1002.98
1003.9	1003.7	1003.4	1002.7	1002.1	1001.8	1001.8	1001.8	1001.7	1001.5	1001.0	1000.9	1003.68
999.9	1000.0	1000.2	999.9	999.9	999.9	1000.2	1000.3	1000.3	1000.1	999.9	999.5	999.75
1001.6	1002.5	1002.8	1003.9	1004.6	1005.5	1006.6	1007.5	1008.7	1009.2	1009.8	1010.8	1002.19
1013.7	1013.1	1012.8	1012.4	1012.1	1011.7	1011.7	1012.0	1012.0	1012.3	1012.3	1012.4	1012.79
1005.9	1004.8	1003.8	1002.8	1002.0	1001.0	999.7	998.7	997.7	996.6	995.9	994.4	1005.18
996.0	996.3	996.9	997.0	997.5	998.0	999.1	999.8	1000.1	1000.3	1000.6	1000.9	996.55
999.3	998.4	997.6	996.7	996.2	995.3	994.6	993.8	992.6	992.5	992.5	992.5	998.23
995.8	996.4	996.6	996.7	996.0	996.1	996.1	996.2	996.5	996.6	996.7	997.0	995.37*
1006.8	1007.0	1007.8	1008.1	1008.7	1009.1	1009.9	1010.7	1011.0	1011.6	1011.8	1012.2	1005.52
1006.7	1005.3	1005.1	1004.6	1003.7	1003.5	1003.5	1003.5	1003.5	1003.7	1003.7	1003.7	1007.48
1005.1	1004.9	1004.8	1004.7	1004.1	1003.9	1003.6	1003.5	1003.4	1003.2	1003.4	1003.6	1004.07
1010.5	1010.9	1011.1	1012.0	1012.5	1013.0	1013.8	1014.4	1015.2	1015.8	1016.3	1017.1	1009.95
1017.8	1017.8	1017.5	1017.4	1017.2	1017.5	1018.1	1018.0	1018.9	1019.0	1019.3	1019.4	1018.18
1018.5	1018.4	1018.3	1018.4	1018.3	1018.3	1018.5	1018.3	1018.4	1018.5	1018.1	1017.6	1018.70
1016.1	1016.2	1016.0	1016.0	1016.1	1016.0	1016.3	1016.9	1016.9	1017.0	1017.1	1017.1	1016.59
1012.2	1011.4	1010.9	1010.5	1009.7	1008.8	1009.0	1009.1	1009.2	1009.2	1008.7	1008.5	1012.63
1015.7	1015.7	1016.0	1015.9	1016.0	1016.1	1016.5	1017.1	1017.3	1017.2	1017.2	1016.4	1014.29
1013.3	1012.1	1010.7	1010.5	1010.9	1010.5	1009.5	1009.0	1008.8	1007.7	1009.0	1008.7	1012.76
1014.1	1014.8	1015.0	1015.2	1015.4	1015.5	1015.8	1016.6	1017.5	1018.0	1018.3	1018.4	1012.90
1022.6	1022.6	1023.0	1022.4	1022.3	1022.5	1022.5	1022.8	1023.1	1023.5	1024.0	1024.4	1022.07
1025.6	1025.5	1025.3	1025.0	1025.1	1024.9	1025.0	1025.1	1025.1	1025.3	1025.2	1025.1	1025.51*
1008.51	1008.34	1008.25	1008.06	1007.94	1007.86	1007.96	1008.12	1008.25	1008.24	1008.30	1008.30	1008.24

JUNE — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
1022.9	1022.9	1022.9	1022.7	1022.1	1022.3	1022.2	1022.1	1022.3	1022.5	1022.1	1022.1	1023.35
1018.7	1018.4	1017.8	1017.7	1017.7	1017.2	1017.1	1017.2	1017.2	1017.5	1017.4	1017.0	1019.03
1015.3	1015.7	1015.1	1014.8	1014.7	1014.1	1013.9	1013.7	1013.7	1013.6	1013.4	1012.9	1015.20
1003.5	1002.7	1001.7	1000.6	999.7	1000.2	1000.8	1002.0	1002.8	1003.5	1004.5	1005.2	1005.54
1013.7	1013.8	1014.1	1014.9	1015.1	1015.4	1016.1	1016.3	1017.2	1017.3	1017.9	1018.0	1012.54
1019.0	1018.7	1017.9	1017.8	1017.6	1017.5	1017.3	1017.3	1017.1	1017.0	1017.0	1016.7	1018.54
1012.9	1012.3	1011.4	1010.8	1010.6	1010.2	1010.3	1010.6	1011.6	1011.6	1011.9	1012.0	1013.14
1010.3	1009.6	1009.0	1008.5	1007.7	1007.5	1007.2	1006.8	1006.4	1005.9	1005.6	1005.1	1009.87
1002.8	1003.2	1003.9	1004.3	1004.8	1005.5	1005.8	1006.1	1006.3	1006.7	1007.1	1007.2	1004.22
1009.5	1009.5	1009.8	1009.9	1010.0	1010.1	1010.2	1010.8	1010.9	1011.2	1011.5	1011.7	1009.39
1013.9	1014.0	1014.0	1014.1	1014.2	1014.4	1014.4	1015.0	1015.4	1015.4	1015.6	1015.6	1013.62
1016.4	1016.0	1016.0	1016.7	1016.6	1016.0	1016.9	1016.9	1017.3	1017.6	1017.9	1017.9	1016.27
1019.8	1019.8	1019.9	1020.2	1020.3	1021.0	1020.8	1020.8	1021.0	1021.2	1021.9	1022.1	1019.83
1023.2	1023.0	1023.7	1022.9	1022.7	1023.5	1023.6	1023.8	1023.7	1024.3	1024.4	1024.3	1023.58
1025.8	1025.6	1025.0	1024.8	1024.6	1024.6	1024.1	1024.4	1024.3	1024.3	1023.9	1023.8	1025.00*
1022.7	1022.3	1022.0	1021.8	1021.5	1021.4	1021.6	1021.9	1022.0	1022.0	1022.2	1021.9	1022.62
1019.1	1018.8	1018.7	1018.0	1017.8	1017.7	1017.5	1017.5	1017.3	1017.3	1017.0	1016.9	1019.27
1011.0	1010.7	1010.7	1009.9	1009.9	1008.7	1008.7	1008.2	1007.8	1007.5	1006.8	1006.0	1011.55
1004.1	1003.9	1003.4	1003.1	1003.9	1003.2	1003.0	1003.0	1003.0	1002.8	1002.7	1002.2	1004.28
999.5	999.1	998.9	998.6	998.5	998.6	998.1	998.0	998.0	997.9	997.8	997.7	999.76
995.9	995.9	996.0	996.1	996.0	996.2	996.1	996.1	996.5	996.7	996.9	997.2	996.44*
999.4	999.5	999.7	1000.2	1000.6	1000.9	1001.2	1001.8	1001.9	1002.0	1002.0	1002.0	999.74
1002.8	1002.9	1002.9	1003.0	1003.5	1004.0	1004.3	1004.7	1005.2	1005.2	1005.5	1005.4	1003.26
1006.6	1006.4	1006.5	1006.9	1007.1	1007.5	1007.7	1008.1	1008.8	1008.8	1008.9	1008.9	1007.15
1009.0	1009.0	1009.0	1008.9	1009.1	1009.8	1009.6	1009.9	1010.0	1010.0	1010.0	1010.0	1009.64
1010.1	1010.1	1009.9	1009.8	1009.7	1009.4	1009.6	1009.9	1010.2	1010.3	1010.2	1010.7	1010.22
1009.6	1009.2	1009.0	1008.9	1009.0	1009.2	1009.1	1009.3	1009.3	1008.9	1008.8	1009.0	1009.78
1008.6	1008.5	1007.8	1008.2	1009.7	1008.5	1009.7	1009.1	1009.5	1010.1	1010.1	1010.5	1008.76
1011.7	1012.0	1012.4	1012.8	1012.9	1013.5	1013.9	1014.2	1014.5	1014.4	1014.5	1014.8	1011.86
1018.4	1018.6	1018.6	1018.5	1018.5	1018.5	1018.9	1019.1	1019.6	1019.7	1019.7	1019.7	1017.67
1011.87	1011.74	1011.59	1011.51	1011.54	1011.55	1011.66	1011.82	1012.03	1012.11	1012.17	1012.15	1012.04

JULY — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	1019.9	1020.3	1020.3	1020.3	1020.3	1020.3	1020.7	1020.6	1020.4	1020.4	1019.8	1019.7
2	1019.6	1019.7	1019.8	1019.7	1019.6	1019.6	1019.7	1019.7	1019.6	1019.4	1019.4	1019.2
3	1017.1	1017.0	1016.9	1016.5	1016.3	1016.1	1016.0	1015.9	1015.7	1015.4	1014.9	1014.8
4	1009.3	1009.0	1008.1	1007.8	1007.8	1007.7	1007.1	1006.9	1006.8	1006.8	1006.7	1006.7
5	1007.0	1007.0	1006.9	1007.0	1007.2	1007.5	1007.9	1008.0	1008.0	1008.0	1008.0	1008.0
6	1005.4	1004.7	1005.7	1004.9	1004.7	1004.7	1004.9	1005.0	1005.4	1005.8	1006.1	1006.2
7	1009.7	1009.9	1010.0	1010.1	1010.6	1010.8	1011.1	1011.3	1011.5	1011.4	1011.5	1011.4
8	1013.9	1014.2	1014.4	1014.7	1015.1	1015.5	1015.5	1015.6	1015.4	1015.4	1014.9	1014.0
9	1009.0	1009.0	1009.0	1009.3	1009.5	1009.6	1009.7	1009.6	1009.6	1009.5	1008.6	1008.3
10	1000.8	1000.0	999.6	999.3	999.0	998.8	998.8	998.1	997.4	997.0	996.6	996.1
11	1000.8	1001.4	1001.9	1002.2	1003.0	1003.7	1004.5	1004.9	1005.1	1005.3	1005.5	1005.5
12	1008.3	1008.6	1008.6	1008.9	1009.0	1009.1	1009.2	1009.5	1009.5	1009.7	1009.6	1009.6
13	1009.1	1008.9	1008.9	1008.8	1008.8	1008.7	1008.3	1008.3	1008.6	1008.4	1008.1	1007.9
14	999.2	998.2	997.0	996.9	996.6	995.9	995.8	995.2	994.7	993.7	993.6	992.4
15	997.2	997.9	998.4	999.3	1000.2	1001.0	1002.1	1002.9	1003.4	1004.1	1005.0	1005.5
16	1010.7	1011.2	1011.2	1011.8	1011.8	1012.0	1013.0	1013.9	1013.6	1013.9	1014.1	1014.1
17	1013.3	1013.2	1013.1	1013.6	1013.8	1013.6	1013.4	1013.3	1012.8	1012.7	1012.9	1013.0
18	1002.2	1001.1	1000.8	1000.6	1000.2	1000.1	1000.2	1000.5	1000.6	1001.5	1002.2	1003.2
19	1009.0	1009.2	1009.4	1009.7	1009.7	1009.9	1009.9	1010.0	1010.4	1010.9	1010.7	1010.5
20	1011.7	1011.8	1011.7	1011.4	1011.2	1011.0	1010.9	1010.4	1010.1	1009.5	1008.8	1008.7
21	1003.1	1002.8	1002.1	1001.8	1001.2	1000.8	1000.1	999.9	999.0	998.5	997.5	997.7
22	993.1	992.9	992.4	992.3	992.3	992.7	993.0	993.1	993.2	993.5	993.8	994.1
23	997.3	996.8	996.2	996.1	996.1	996.0	996.0	996.3	996.2	996.4	996.0	996.0
24	996.3	996.3	996.2	995.9	996.0	995.8	995.7	995.3	995.3	995.3	995.1	994.9
25	998.0	998.2	998.8	999.2	999.4	1000.0	1000.3	1001.0	1001.8	1002.6	1003.0	1003.5
26	1012.7	1013.2	1013.7	1014.2	1014.5	1015.1	1015.4	1016.1	1016.3	1016.4	1016.4	1016.3
27	1017.0	1017.1	1016.6	1016.1	1016.2	1016.1	1016.2	1016.0	1015.8	1015.4	1014.8	1014.4
28	1011.0	1010.8	1010.4	1009.8	1009.7	1009.5	1009.3	1008.9	1008.6	1008.3	1008.2	1008.2
29	1007.2	1007.5	1007.0	1007.0	1007.0	1007.1	1007.1	1007.1	1007.1	1007.3	1007.2	1007.1
30	1006.9	1007.0	1007.1	1007.2	1007.3	1007.6	1008.0	1008.0	1008.9	1009.4	1009.9	1010.1
31	1011.9	1011.5	1011.0	1010.6	1010.4	1009.9	1010.0	1010.0	1010.0	1009.8	1009.7	1009.7
MEAN	1007.35	1007.30	1007.20	1007.19	1007.24	1007.30	1007.41	1007.46	1007.45	1007.47	1007.37	1007.32

JULY — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
1019.8	1019.8	1019.8	1019.6	1019.5	1019.5	1019.1	1019.3	1019.8	1019.9	1019.9	1019.9	1019.95*
1019.0	1018.3	1017.1	1017.8	1017.4	1017.3	1017.0	1017.1	1017.2	1017.5	1017.8	1017.8	1018.60
1014.1	1013.4	1012.7	1012.2	1011.8	1011.5	1011.0	1011.0	1010.7	1010.3	1010.1	1009.9	1013.80
1006.5	1006.3	1006.0	1005.9	1005.9	1006.0	1006.1	1006.3	1006.9	1006.9	1007.2	1007.2	1007.00
1007.8	1007.6	1007.4	1007.2	1006.9	1006.9	1006.7	1006.8	1006.9	1006.8	1006.2	1006.0	1007.24
1006.0	1006.3	1006.7	1006.8	1007.1	1007.3	1007.7	1007.9	1008.3	1008.9	1009.1	1009.3	1006.45
1011.0	1011.0	1011.0	1011.0	1011.5	1011.5	1011.5	1011.6	1011.9	1012.2	1013.0	1013.7	1011.26
1013.5	1013.0	1012.4	1011.8	1011.4	1010.8	1010.0	1009.6	1009.2	1009.1	1009.1	1009.1	1012.82
1007.8	1007.3	1006.9	1006.0	1005.1	1004.7	1004.0	1003.9	1003.2	1002.6	1001.8	1000.9	1006.87
995.7	995.9	995.9	996.7	997.0	997.3	997.7	998.0	998.7	999.7	1000.1	1000.4	998.11
1005.8	1006.0	1006.0	1006.2	1006.1	1006.1	1006.3	1006.7	1007.1	1007.5	1008.1	1008.3	1005.17
1009.2	1009.1	1008.8	1008.7	1008.2	1008.5	1008.4	1008.9	1009.9	1009.0	1009.1	1009.2	1009.02
1007.6	1006.9	1006.2	1005.6	1005.0	1004.6	1003.7	1003.6	1003.0	1001.9	1001.3	1000.3	1006.35
992.0	992.0	991.9	992.3	992.3	992.5	993.0	993.4	994.2	995.1	995.9	996.2	994.59
1006.1	1006.9	1007.2	1007.6	1007.8	1008.0	1008.5	1009.1	1009.3	1009.7	1010.0	1010.3	1004.90
1013.9	1013.4	1013.0	1012.7	1012.6	1012.5	1012.7	1013.0	1013.2	1013.5	1013.2	1013.3	1012.85
1012.2	1011.5	1010.7	1009.9	1008.9	1008.0	1006.7	1006.3	1006.0	1005.7	1005.0	1004.2	1010.57
1004.1	1004.9	1005.2	1005.7	1006.3	1006.9	1007.3	1007.4	1007.8	1008.1	1008.5	1009.0	1003.93
1010.0	1010.0	1010.0	1009.9	1009.6	1009.4	1009.7	1009.9	1010.5	1011.0	1011.4	1011.5	1010.09
1008.0	1007.6	1006.9	1006.8	1006.1	1005.9	1005.4	1005.1	1004.9	1004.7	1004.3	1003.8	1008.20
997.5	997.0	996.7	996.1	995.9	995.4	994.9	994.8	994.2	994.0	994.0	993.8	997.87
994.5	994.8	995.0	995.0	995.2	995.7	996.0	996.1	996.6	997.0	997.2	997.3	996.45*
996.1	996.1	996.2	996.2	996.3	996.4	996.5	996.6	996.7	997.1	997.0	996.3	996.37
994.9	994.8	994.9	995.2	995.8	996.3	996.6	997.0	997.3	997.3	997.3	997.7	995.97
1004.0	1004.3	1005.2	1006.0	1006.5	1007.5	1008.2	1009.2	1010.0	1010.5	1011.2	1012.1	1004.19
1016.4	1016.3	1016.0	1015.9	1015.6	1015.6	1015.7	1016.1	1016.6	1017.0	1017.1	1017.1	1015.65
1014.0	1013.7	1013.0	1012.8	1012.7	1012.6	1012.4	1012.2	1012.2	1012.0	1011.9	1011.8	1014.29
1008.0	1008.2	1008.0	1007.9	1007.3	1007.2	1007.4	1007.4	1007.7	1007.8	1007.3	1007.3	1008.51
1007.0	1007.0	1006.8	1006.5	1006.4	1006.1	1006.5	1007.0	1007.1	1006.9	1007.0	1007.0	1006.96
1010.1	1010.4	1010.8	1011.0	1011.0	1011.1	1011.4	1011.8	1012.0	1012.1	1012.0	1012.0	1009.71
1009.7	1009.2	1008.9	1009.5	1009.5	1009.3	1009.7	1009.9	1010.0	1010.0	1010.3	1010.7	1010.05
1007.17	1007.06	1006.88	1006.85	1006.73	1006.72	1006.70	1006.87	1007.07	1007.15	1007.21	1007.21	1007.15

AUGUST — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	1010.6	1011.0	1011.0	1011.0	1011.1	1011.3	1011.9	1012.0	1012.1	1012.2	1012.5	1012.5
2	1011.1	1010.6	1009.8	1009.6	1009.1	1007.9	1006.5	1005.4	1003.7	1001.6	997.7	995.8
3	998.9	998.9	998.8	998.8	998.7	998.9	998.9	999.0	999.6	999.9	1000.0	1000.7
4	1007.0	1007.1	1007.4	1008.0	1008.1	1009.0	1009.5	1009.8	1009.9	1010.0	1010.1	1010.0
5	1010.9	1010.3	1010.0	1009.8	1009.3	1008.9	1008.7	1008.0	1007.5	1006.9	1006.6	1005.7
6	1001.7	1001.5	1001.6	1001.4	1001.7	1001.9	1002.0	1002.1	1002.1	1002.1	1002.2	1002.1
7	1000.2	1000.3	1000.3	1000.4	1000.4	1000.5	1000.9	1001.0	1001.4	1001.4	1001.5	1001.9
8	1005.3	1005.5	1005.6	1005.6	1006.0	1006.2	1006.6	1006.9	1006.8	1006.7	1006.6	1006.4
9	1004.7	1004.0	1003.8	1003.6	1003.4	1003.4	1003.5	1003.7	1003.6	1004.0	1004.1	1004.3
10	1011.1	1012.0	1012.8	1013.2	1014.1	1014.6	1015.2	1015.8	1016.3	1016.7	1017.1	1017.3
11	1019.2	1019.1	1019.2	1019.2	1019.3	1019.3	1019.3	1019.1	1019.0	1019.0	1019.0	1018.4
12	1016.2	1016.2	1016.1	1016.0	1015.7	1015.7	1016.0	1015.8	1015.7	1015.7	1015.6	1015.2
13	1012.7	1012.1	1011.1	1010.4	1010.2	1009.8	1009.8	1009.6	1009.6	1009.6	1009.2	1009.4
14	1008.3	1008.1	1008.0	1007.9	1007.5	1007.2	1007.2	1007.0	1007.0	1006.9	1006.6	1006.4
15	1003.1	1003.2	1003.3	1003.3	1003.3	1003.2	1003.4	1003.5	1003.5	1004.0	1004.1	1004.3
16	1004.8	1004.8	1004.8	1004.9	1004.8	1004.9	1004.9	1004.9	1005.0	1004.9	1004.6	1004.4
17	1003.6	1003.6	1003.3	1003.3	1003.2	1003.4	1003.8	1004.1	1004.3	1004.5	1004.6	1004.6
18	1008.6	1009.1	1009.1	1009.2	1009.6	1009.7	1010.0	1009.9	1009.7	1010.0	1010.2	1010.4
19	1013.5	1013.7	1013.7	1014.0	1014.2	1014.4	1014.9	1014.9	1015.0	1015.0	1015.1	1015.1
20	1014.7	1014.2	1014.3	1014.1	1014.2	1014.3	1014.0	1014.0	1014.0	1014.2	1014.2	1014.2
21	1013.8	1013.2	1013.0	1013.0	1013.2	1013.8	1013.9	1014.0	1014.1	1014.2	1014.3	1014.3
22	1014.7	1014.6	1014.5	1014.3	1014.2	1014.1	1014.4	1014.6	1014.5	1014.5	1014.7	1014.4
23	1012.5	1012.0	1011.9	1011.7	1011.5	1011.0	1011.0	1010.8	1010.7	1010.3	1009.7	1009.4
24	1001.7	1001.0	1000.5	999.9	999.6	999.1	998.7	998.5	998.6	998.3	998.2	998.2
25	995.5	995.5	994.9	994.8	994.8	994.9	995.0	995.2	995.8	996.2	996.7	996.6
26	998.3	998.2	998.2	998.1	998.1	998.6	999.0	999.4	999.9	1000.3	1001.0	1001.3
27	1006.0	1006.7	1007.0	1007.7	1008.2	1009.0	1009.9	1010.3	1011.4	1012.0	1012.7	1012.7
28	1017.8	1017.9	1018.2	1018.6	1019.0	1019.3	1019.6	1020.2	1020.4	1020.4	1020.3	1020.4
29	1021.1	1021.5	1021.6	1021.8	1022.0	1022.0	1022.9	1023.1	1023.4	1023.0	1023.1	1022.9
30	1022.9	1022.9	1022.9	1022.8	1023.0	1023.4	1023.8	1023.9	1024.0	1024.1	1024.0	1023.7
31	1024.4	1024.6	1024.7	1024.7	1024.9	1025.2	1025.3	1025.6	1025.9	1025.8	1025.8	1025.9
MEAN	1009.51	1009.46	1009.40	1009.39	1009.43	1009.51	1009.69	1009.75	1009.82	1009.82	1009.75	1009.64

AUGUST — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
1012.4	1012.3	1012.2	1012.3	1012.4	1012.5	1012.7	1012.9	1012.8	1012.7	1012.5	1011.9	1012.03
994.1	993.9	993.1	992.7	992.2	993.1	995.0	996.0	997.1	998.1	998.9	998.8	1000.49
1000.9	1001.2	1002.0	1002.8	1003.0	1003.7	1004.2	1005.0	1005.4	1006.0	1006.1	1006.4	1001.57
1009.9	1009.2	1010.0	1009.9	1010.0	1010.1	1010.2	1010.1	1010.8	1010.9	1010.9	1010.8	1009.53
1005.2	1004.7	1003.8	1003.7	1002.8	1002.4	1002.2	1002.0	1002.0	1002.0	1002.0	1002.0	1005.72
1002.1	1001.9	1001.5	1001.3	1001.0	1000.8	1000.6	1000.7	1000.5	1000.4	1000.3	1000.3	1001.41
1001.9	1001.9	1002.0	1002.2	1002.3	1002.7	1002.8	1003.5	1004.2	1004.4	1005.0	1005.2	1002.01
1006.0	1006.0	1006.2	1006.1	1005.9	1005.7	1005.6	1005.5	1005.4	1005.3	1005.0	1004.9	1005.91
1005.0	1004.7	1004.8	1005.0	1005.2	1006.0	1006.4	1007.2	1008.0	1008.7	1009.5	1010.5	1005.30
1017.4	1017.4	1017.2	1017.1	1017.6	1017.8	1018.3	1018.2	1018.8	1018.9	1019.0	1019.1	1016.38
1018.2	1017.6	1017.2	1016.6	1016.3	1016.2	1016.5	1016.4	1016.5	1016.3	1016.2	1016.2	1017.89
1014.9	1014.5	1014.6	1014.0	1013.8	1013.8	1013.8	1013.8	1013.4	1013.4	1013.2	1013.0	1014.84
1009.1	1008.7	1008.7	1008.9	1008.6	1008.6	1008.5	1008.4	1008.5	1008.5	1008.6	1008.6	1009.47
1006.0	1005.7	1005.3	1005.1	1004.5	1004.1	1004.0	1004.0	1003.9	1003.8	1003.3	1003.1	1005.87
1004.4	1004.3	1004.2	1003.9	1003.9	1004.0	1004.3	1004.7	1004.6	1004.8	1004.9	1004.9	1003.96
1004.5	1004.3	1004.0	1003.7	1003.4	1003.4	1003.5	1003.7	1003.5	1003.6	1003.7	1003.5	1004.27
1004.8	1005.1	1005.4	1005.9	1006.2	1006.3	1006.7	1007.3	1007.6	1008.2	1008.3	1008.4	1005.27
1010.8	1011.0	1011.1	1011.2	1011.2	1011.3	1011.4	1012.0	1012.3	1013.0	1013.1	1013.2	1010.71
1015.2	1015.2	1015.0	1014.9	1014.6	1014.3	1014.4	1014.8	1014.4	1014.5	1014.8	1014.8	1014.60
1014.0	1013.7	1013.4	1013.0	1012.9	1013.0	1013.2	1013.3	1013.8	1014.0	1014.0	1014.0	1013.86
1014.3	1014.3	1014.3	1014.2	1014.4	1014.4	1014.5	1014.5	1014.7	1014.8	1014.7	1014.7	1014.11
1014.1	1014.1	1013.9	1013.5	1013.2	1013.2	1013.2	1013.4	1013.3	1013.3	1013.0	1012.9	1013.94
1008.9	1008.5	1007.8	1007.5	1006.9	1006.1	1005.7	1005.1	1004.7	1003.9	1003.1	1002.5	1008.47
998.0	997.7	997.5	997.1	996.8	996.7	996.7	996.5	996.0	995.9	995.9	995.7	998.03
996.9	997.0	997.0	997.0	997.0	997.0	997.3	997.8	997.8	998.0	998.1	998.1	996.45*
1001.4	1001.7	1002.1	1002.3	1002.5	1002.7	1003.4	1004.1	1004.2	1004.7	1005.1	1005.4	1001.25
1013.1	1013.7	1013.8	1014.0	1014.3	1015.0	1015.6	1015.6	1016.2	1016.6	1017.2	1017.4	1012.34
1020.1	1020.1	1020.1	1020.1	1020.0	1020.1	1020.5	1020.5	1021.2	1021.2	1021.2	1021.3	1019.94
1022.8	1022.6	1022.0	1021.9	1022.0	1022.1	1022.4	1022.6	1022.8	1023.1	1023.3	1023.1	1022.46
1023.1	1023.0	1023.0	1023.0	1023.1	1023.0	1023.5	1023.6	1023.9	1024.0	1024.3	1024.2	1023.46
1025.8	1025.5	1025.2	1025.1	1024.8	1025.0	1025.6	1026.1	1026.3	1026.4	1026.6	1027.1	1025.51*
1009.53	1009.40	1009.30	1009.23	1009.12	1009.20	1009.44	1009.65	1009.83	1009.98	1010.06	1010.06	1009.58

SEPTEMBER — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	1027.0	1027.3	1027.2	1027.2	1027.3	1027.4	1027.4	1027.6	1027.8	1027.3	1027.0	1027.1
2	1027.2	1027.4	1027.5	1027.7	1028.0	1028.0	1028.0	1028.0	1028.1	1028.1	1028.2	1028.3
3	1028.8	1029.0	1028.9	1028.4	1028.6	1028.7	1028.8	1028.8	1028.8	1028.3	1028.1	1027.8
4	1025.2	1025.2	1025.1	1025.1	1025.1	1025.2	1025.3	1025.3	1025.3	1025.0	1024.9	1024.8
5	1021.9	1021.8	1021.4	1021.0	1021.0	1021.3	1021.3	1021.4	1021.4	1021.1	1020.8	1020.5
6	1020.0	1020.0	1020.1	1020.0	1020.1	1020.7	1021.0	1021.1	1021.2	1021.2	1021.0	1021.0
7	1019.0	1018.8	1018.7	1018.1	1017.9	1017.9	1017.7	1017.6	1017.4	1017.0	1016.6	1015.9
8	1010.6	1010.3	1009.7	1009.3	1009.0	1009.0	1008.9	1008.9	1009.1	1009.2	1009.0	1009.1
9	1011.0	1010.9	1010.7	1010.7	1010.7	1010.7	1010.8	1011.2	1011.6	1011.6	1011.7	1011.8
10	1013.9	1013.9	1014.0	1014.1	1014.6	1014.9	1015.0	1015.1	1015.0	1015.0	1014.8	1014.2
11	1011.0	1010.8	1010.2	1010.1	1010.1	1010.2	1010.3	1010.3	1010.3	1010.3	1010.0	1009.7
12	1015.0	1015.3	1016.0	1016.6	1017.4	1018.2	1019.3	1019.5	1020.5	1020.7	1020.6	1020.9
13	1022.5	1022.3	1022.4	1021.9	1021.8	1021.8	1021.6	1021.5	1021.1	1020.7	1020.2	1019.9
14	1017.9	1018.2	1018.0	1017.9	1017.8	1018.0	1018.1	1018.0	1018.0	1018.0	1017.8	1017.6
15	1017.5	1017.5	1017.4	1017.4	1017.2	1017.5	1017.9	1018.0	1018.3	1019.0	1019.0	1019.0
16	1019.5	1019.4	1019.4	1019.3	1019.2	1019.4	1019.5	1019.8	1019.9	1020.1	1020.4	1020.8
17	1024.2	1024.3	1024.8	1024.9	1024.9	1025.2	1026.0	1026.1	1026.4	1026.9	1027.1	1027.1
18	1027.0	1026.9	1026.9	1026.8	1027.0	1027.0	1027.0	1027.1	1027.0	1027.0	1026.6	1026.3
19	1023.8	1023.6	1023.5	1023.4	1023.2	1023.4	1023.6	1023.6	1023.6	1023.6	1023.0	1022.8
20	1022.5	1022.4	1021.8	1021.7	1021.4	1021.1	1020.8	1020.7	1020.6	1020.1	1019.7	1018.9
21	1010.9	1010.5	1009.8	1009.7	1009.1	1008.8	1008.3	1008.3	1008.0	1008.1	1007.9	1007.8
22	1007.9	1007.9	1007.8	1007.6	1007.2	1006.9	1007.0	1007.0	1007.0	1007.0	1006.5	1006.1
23	1005.0	1005.1	1005.0	1005.0	1005.1	1005.2	1005.4	1005.9	1005.9	1006.1	1006.2	1006.2
24	1007.0	1007.0	1006.5	1006.2	1006.1	1006.0	1005.9	1005.8	1005.3	1005.2	1005.0	1004.9
25	1000.0	999.1	998.1	997.5	997.0	996.1	995.2	994.9	994.3	994.0	993.2	993.2
26	992.8	992.9	993.1	993.2	994.0	994.5	995.4	996.5	997.4	998.4	999.4	1000.3
27	1010.0	1010.4	1010.4	1011.3	1012.1	1012.2	1013.2	1013.3	1014.2	1015.1	1015.3	1015.7
28	1019.3	1019.3	1019.3	1019.3	1019.2	1019.2	1019.1	1019.1	1019.1	1019.1	1018.8	1018.1
29	1014.9	1014.7	1014.2	1013.9	1013.7	1013.4	1013.4	1013.6	1013.5	1013.4	1013.5	1013.4
30	1011.7	1011.2	1010.9	1010.8	1010.0	1009.8	1009.8	1009.7	1009.3	1008.9	1008.8	1008.5
MEAN	1016.17	1016.11	1015.96	1015.87	1015.86	1015.92	1016.03	1016.12	1016.18	1016.18	1016.04	1015.92

OCTOBER — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	1005.9	1005.9	1005.6	1005.0	1004.9	1004.8	1005.1	1005.7	1005.7	1005.8	1005.7	1005.5
2	1006.4	1006.4	1006.2	1006.1	1006.2	1005.9	1006.4	1006.8	1006.3	1006.9	1006.9	1006.9
3	1008.7	1008.5	1008.1	1008.0	1008.0	1008.4	1008.9	1009.2	1009.2	1009.8	1009.8	1009.9
4	1011.4	1011.5	1011.7	1011.9	1012.0	1012.0	1012.3	1012.7	1012.8	1013.0	1013.1	1013.4
5	1013.4	1013.3	1013.3	1013.0	1012.9	1012.9	1013.1	1013.6	1013.3	1013.3	1013.3	1013.1
6	1014.4	1014.8	1014.9	1015.1	1015.2	1015.6	1016.2	1016.4	1017.0	1017.2	1017.3	1017.3
7	1019.0	1019.0	1019.1	1019.1	1019.1	1019.1	1019.4	1019.6	1019.7	1019.9	1019.2	1018.8
8	1015.9	1016.2	1016.2	1016.2	1016.1	1016.0	1016.1	1016.1	1016.1	1016.1	1016.0	1015.4
9	1008.0	1006.0	1004.4	1002.9	1002.2	1001.9	1002.6	1003.4	1004.6	1005.8	1007.0	1008.1
10	1012.9	1012.9	1012.6	1012.7	1012.8	1012.8	1013.0	1013.7	1013.8	1013.8	1013.8	1013.7
11	1007.9	1006.9	1005.8	1004.0	1002.8	1001.8	1001.4	1001.8	1003.0	1004.2	1004.8	1005.9
12	1012.6	1012.9	1012.7	1012.8	1012.7	1012.7	1012.8	1012.9	1012.9	1013.0	1012.9	1012.3
13	1008.5	1008.0	1007.9	1008.8	1008.8	1009.0	1009.9	1010.0	1010.7	1010.9	1011.1	1011.0
14	1011.0	1011.0	1010.5	1010.2	1010.1	1010.0	1010.0	1009.9	1009.7	1009.8	1009.5	1009.0
15	1004.0	1003.9	1002.9	1002.3	1001.8	1000.9	1000.3	1000.0	999.8	998.9	998.0	997.8
16	992.9	991.8	990.9	990.3	989.8	989.4	988.8	988.7	988.6	988.7	988.9	989.4
17	997.0	997.9	998.0	998.9	999.1	999.9	1000.6	1001.0	1001.2	1002.0	1002.1	1002.9
18	1006.8	1007.0	1007.7	1008.6	1008.8	1009.4	1009.8	1010.8	1011.6	1011.9	1012.5	1012.9
19	1014.6	1014.7	1014.5	1014.6	1014.3	1014.6	1014.8	1015.0	1015.1	1015.1	1015.0	1015.0
20	1013.4	1013.1	1013.3	1013.3	1013.4	1013.3	1013.7	1013.7	1013.6	1013.6	1013.6	1013.5
21	1015.0	1015.2	1015.5	1016.0	1016.1	1016.3	1017.2	1017.4	1017.5	1018.2	1018.2	1018.5
22	1019.3	1019.3	1019.1	1018.9	1018.8	1018.7	1018.7	1017.7	1017.2	1016.6	1014.9	1014.5
23	1015.6	1015.8	1016.8	1017.4	1017.8	1018.0	1018.9	1019.2	1019.0	1019.4	1019.4	1019.2
24	1016.9	1017.2	1016.8	1015.8	1015.6	1014.8	1014.6	1013.9	1012.8	1011.9	1010.8	1010.6
25	1008.0	1006.7	1005.4	1004.0	1002.7	1001.4	1000.9	1001.8	1002.3	1002.9	1003.2	1003.5
26	1013.9	1014.9	1015.7	1016.9	1017.5	1018.2	1018.9	1019.8	1020.8	1021.2	1021.3	1021.7
27	1014.8	1013.9	1013.0	1012.8	1012.0	1011.8	1010.9	1010.9	1011.0	1011.0	1010.8	1010.0
28	1011.9	1012.3	1012.7	1012.8	1013.6	1014.1	1014.6	1014.9	1015.5	1016.1	1016.6	1016.7
29	1016.1	1015.9	1015.9	1015.9	1015.8	1015.7	1015.9	1016.3	1016.3	1016.7	1016.7	1016.0
30	1015.3	1015.1	1015.0	1015.0	1014.9	1014.8	1014.9	1014.9	1014.8	1014.8	1014.7	1014.0
31	1009.6	1008.9	1008.0	1007.8	1007.1	1006.8	1006.5	1006.8	1006.1	1006.1	1005.9	1005.4
MEAN	1011.00	1010.87	1010.65	1010.55	1010.42	1010.35	1010.55	1010.78	1010.91	1011.12	1011.06	1011.03

SEPTEMBER — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
1027.2	1026.9	1026.9	1026.8	1026.2	1026.1	1026.2	1026.5	1026.8	1026.9	1026.9	1027.1	1027.00
1028.4	1028.1	1028.0	1027.9	1027.6	1027.9	1027.9	1028.0	1028.1	1028.4	1028.7	1028.7	1028.01*
1027.2	1027.0	1026.4	1025.9	1025.8	1025.5	1025.6	1025.5	1025.5	1025.4	1025.1	1025.2	1027.21
1024.4	1023.9	1023.8	1023.2	1023.2	1022.9	1022.8	1022.9	1022.9	1022.9	1022.7	1022.1	1024.13
1020.0	1019.8	1019.6	1019.1	1019.0	1018.9	1019.0	1019.1	1019.0	1019.8	1019.8	1019.9	1020.33
1020.9	1020.5	1019.8	1019.7	1019.2	1019.1	1019.4	1019.7	1019.7	1019.7	1019.3	1019.2	1020.15
1015.7	1014.8	1014.4	1013.6	1013.1	1012.7	1012.8	1012.7	1012.3	1012.0	1011.6	1011.0	1015.39
1009.4	1009.5	1009.6	1009.9	1010.0	1010.6	1011.2	1011.4	1011.6	1011.6	1011.8	1011.8	1010.02
1011.9	1011.9	1011.9	1012.0	1012.2	1012.6	1013.2	1013.8	1013.7	1013.9	1013.9	1013.9	1012.01
1014.0	1013.9	1013.1	1013.0	1012.8	1012.9	1013.0	1012.8	1012.4	1012.2	1012.0	1011.6	1013.67
1009.8	1009.6	1009.2	1009.6	1009.8	1010.0	1011.0	1011.7	1012.4	1013.0	1013.5	1014.2	1010.71
1021.3	1021.5	1021.6	1021.7	1021.9	1022.1	1022.0	1022.2	1022.4	1022.8	1022.9	1023.0	1020.23
1019.3	1019.2	1018.8	1018.7	1018.7	1018.7	1018.6	1018.8	1018.5	1018.7	1018.5	1018.0	1020.09
1017.3	1016.9	1016.8	1016.1	1016.2	1016.3	1016.6	1016.8	1016.9	1016.9	1017.0	1017.0	1017.34
1018.8	1018.5	1018.0	1018.0	1018.0	1017.9	1018.1	1018.8	1018.9	1019.2	1019.4	1019.4	1018.28
1020.9	1020.9	1021.0	1021.0	1021.1	1021.7	1022.2	1023.0	1023.1	1023.4	1024.0	1024.1	1020.96
1026.9	1026.9	1026.4	1026.1	1026.4	1026.7	1026.8	1027.0	1027.1	1027.2	1027.1	1027.2	1026.24
1025.9	1025.0	1024.8	1024.8	1024.6	1024.3	1024.4	1024.5	1024.3	1024.1	1024.0	1023.9	1025.72
1022.8	1022.7	1022.3	1022.0	1022.0	1022.0	1022.1	1022.7	1022.7	1022.7	1022.8	1022.7	1022.94
1018.0	1017.3	1016.7	1015.9	1015.5	1015.3	1015.2	1014.7	1013.9	1013.3	1012.6	1011.7	1017.99
1007.8	1007.7	1007.6	1007.7	1007.7	1007.8	1007.9	1007.9	1007.9	1008.1	1008.0	1007.9	1008.38
1005.8	1005.7	1005.1	1005.0	1005.1	1005.0	1005.1	1005.0	1005.1	1005.1	1005.1	1005.1	1006.17
1006.3	1006.3	1006.4	1006.5	1006.7	1006.9	1007.2	1007.2	1007.2	1007.2	1007.1	1007.1	1006.17
1004.2	1003.8	1003.3	1002.8	1002.3	1001.9	1002.0	1001.9	1001.5	1001.1	1000.9	1000.1	1004.03
993.1	992.9	992.8	992.4	992.1	992.1	992.1	992.1	992.2	992.2	992.5	992.6	994.24*
1001.4	1002.3	1003.1	1003.7	1004.8	1005.5	1006.4	1006.9	1007.5	1008.4	1008.8	1009.5	1000.68
1016.2	1016.5	1016.5	1016.8	1017.1	1017.7	1018.1	1018.2	1018.4	1019.1	1019.2	1019.2	1015.26
1018.0	1017.0	1016.7	1016.4	1015.9	1015.9	1016.0	1016.0	1015.9	1015.8	1015.5	1015.0	1017.63
1012.8	1012.5	1012.1	1011.9	1011.8	1011.8	1011.9	1011.9	1011.9	1011.8	1011.7	1011.8	1012.90
1007.8	1007.4	1006.7	1006.5	1005.9	1005.9	1006.4	1006.8	1006.8	1006.8	1006.1	1006.2	1008.28
1015.78	1015.56	1015.31	1015.16	1015.09	1015.16	1015.37	1015.55	1015.55	1015.66	1015.62	1015.54	1015.74

OCTOBER — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
1004.8	1004.7	1004.6	1004.8	1004.9	1005.3	1005.8	1005.8	1005.9	1006.0	1006.1	1006.2	1005.44
1006.9	1006.9	1006.9	1006.9	1006.8	1007.0	1007.5	1008.0	1008.0	1008.1	1008.1	1008.0	1006.94
1009.8	1009.8	1009.9	1010.0	1010.0	1010.2	1011.0	1011.2	1011.3	1011.5	1011.7	1011.4	1009.76
1013.4	1013.5	1012.9	1012.9	1013.1	1013.1	1013.1	1013.6	1013.5	1013.2	1013.1	1013.5	1012.78
1012.8	1012.6	1012.6	1012.5	1012.8	1013.0	1013.0	1013.1	1013.7	1013.8	1014.0	1014.1	1013.17
1017.2	1017.2	1017.2	1017.3	1017.4	1017.7	1017.9	1018.0	1018.0	1018.1	1018.3	1018.9	1016.86
1018.0	1017.6	1016.9	1016.2	1015.8	1015.1	1014.9	1014.8	1014.8	1015.0	1015.0	1015.4	1017.52
1015.0	1014.6	1014.1	1014.7	1013.9	1013.9	1013.2	1012.8	1012.6	1012.0	1010.9	1009.9	1014.58
1008.7	1009.6	1009.6	1009.7	1009.8	1010.6	1011.0	1011.9	1012.1	1012.1	1012.3	1012.6	1007.79
1013.6	1013.2	1013.0	1012.9	1012.8	1012.7	1012.1	1011.9	1011.7	1010.9	1010.0	1009.0	1012.60
1006.1	1006.8	1007.5	1008.2	1009.0	1010.0	1010.1	1010.9	1011.5	1011.9	1012.2	1012.3	1006.95
1012.0	1011.0	1010.8	1010.0	1009.9	1009.8	1009.7	1009.4	1009.1	1009.4	1009.0	1008.7	1011.33
1011.1	1011.7	1011.2	1011.5	1011.0	1011.4	1011.8	1011.5	1011.3	1011.1	1011.1	1011.0	1010.43
1008.4	1007.8	1007.7	1007.4	1007.2	1007.0	1007.0	1006.8	1006.2	1006.0	1005.3	1004.9	1008.43
997.1	996.7	996.2	996.0	995.9	995.9	996.0	995.6	995.1	995.0	994.1	993.4	998.23
989.8	990.6	990.9	991.6	992.0	993.0	993.9	994.9	995.3	995.8	996.0	996.9	991.62*
1003.1	1003.2	1003.3	1003.6	1003.9	1003.9	1004.0	1004.5	1004.8	1005.0	1005.6	1006.0	1002.15
1013.4	1013.5	1013.8	1013.9	1014.2	1014.4	1014.5	1014.5	1014.5	1014.6	1014.7	1014.5	1012.01
1014.8	1014.6	1014.3	1014.1	1014.4	1014.4	1014.2	1014.2	1014.1	1013.9	1013.9	1013.8	1014.50
1013.3	1012.9	1012.9	1012.9	1012.9	1012.8	1013.0	1013.5	1013.8	1013.9	1014.3	1014.8	1013.44
1018.3	1018.1	1018.1	1018.4	1019.1	1019.2	1019.2	1019.5	1019.6	1019.8	1019.9	1019.9	1017.92
1013.1	1012.0	1011.0	1011.4	1012.2	1011.7	1012.4	1012.6	1013.5	1014.1	1014.5	1014.7	1015.29
1018.1	1017.5	1017.1	1016.8	1015.9	1015.8	1015.2	1015.0	1015.9	1016.0	1016.1	1016.5	1017.18
1009.7	1009.5	1009.5	1009.7	1010.5	1010.6	1010.7	1010.7	1010.7	1010.0	1009.7	1009.3	1012.18
1003.7	1003.8	1004.0	1005.1	1006.0	1006.8	1007.1	1008.1	1009.4	1010.5	1011.7	1012.8	1005.49
1021.6	1021.4	1020.7	1020.7	1020.6	1020.0	1019.7	1019.1	1018.0	1017.4	1016.3	1015.8	1018.84*
1010.0	1010.0	1010.4	1010.9	1010.9	1011.0	1011.0	1011.0	1011.1	1011.3	1011.3	1011.6	1011.39
1016.4	1016.4	1016.3	1016.1	1015.8	1016.3	1016.2	1016.5	1016.8	1016.9	1016.9	1016.6	1015.38
1015.9	1015.8	1015.7	1015.7	1015.7	1015.6	1015.6	1015.5	1015.5	1015.6	1015.4	1015.3	1015.85
1013.7	1013.0	1012.8	1012.4	1012.5	1012.3	1012.2	1011.9	1011.9	1011.7	1010.7	1010.1	1013.47
1005.5	1005.3	1005.2	1005.3	1005.4	1006.0	1006.1	1006.3	1006.4	1006.2	1006.5	1006.5	1006.49
1010.82	1010.69	1010.55	1010.63	1010.72	1010.85	1010.94	1011.07	1011.16	1011.19	1011.12	1011.11	1010.84

NOVEMBER — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	HOUR (M.E.T.)											
	1	2	3	4	5	6	7	8	9	10	11	12
1	1006.6	1007.0	1007.0	1007.7	1007.9	1008.4	1009.0	1009.9	1010.8	1011.4	1012.1	1012.9
2	1018.0	1017.9	1017.0	1016.6	1015.9	1015.6	1015.1	1014.7	1013.0	1013.1	1012.2	1011.0
3	1004.6	1004.2	1004.2	1004.0	1003.9	1003.6	1003.6	1003.6	1003.6	1003.7	1003.7	1003.9
4	1011.0	1011.7	1012.1	1012.9	1013.4	1014.1	1015.1	1015.9	1016.3	1017.1	1017.9	1018.1
5	1020.8	1020.1	1020.0	1019.8	1019.6	1019.1	1019.2	1018.9	1018.7	1018.7	1018.0	1017.7
6	1018.9	1019.2	1019.7	1019.9	1019.9	1020.0	1020.3	1021.0	1021.1	1021.5	1021.6	1022.0
7	1025.9	1025.9	1025.8	1025.6	1025.5	1025.6	1025.7	1026.0	1025.7	1025.6	1025.1	1024.7
8	1017.2	1016.6	1015.7	1015.0	1014.5	1013.6	1013.5	1013.3	1012.3	1012.0	1011.5	1010.7
9	1004.9	1004.6	1003.8	1003.6	1003.0	1002.7	1002.5	1002.4	1002.2	1002.0	1001.9	1001.8
10	1004.0	1004.6	1004.8	1005.2	1005.8	1005.8	1006.7	1007.6	1008.3	1009.1	1009.7	1009.7
11	1015.9	1016.3	1016.7	1016.8	1016.8	1016.7	1016.8	1017.2	1017.1	1017.3	1017.0	1016.8
12	1013.5	1013.5	1013.6	1013.6	1013.6	1013.6	1014.2	1014.4	1014.7	1015.1	1015.9	1016.5
13	1020.9	1021.0	1020.9	1020.9	1020.4	1020.1	1020.1	1019.9	1019.8	1019.5	1019.2	1019.0
14	1014.9	1014.5	1014.0	1013.9	1013.7	1013.4	1013.4	1013.7	1013.5	1013.3	1013.2	1013.0
15	1015.0	1015.0	1015.3	1015.9	1016.1	1016.3	1017.0	1017.9	1018.1	1019.0	1019.0	1018.9
16	1017.5	1018.0	1018.2	1018.9	1019.3	1019.6	1020.4	1021.7	1022.8	1023.2	1023.6	1024.3
17	1030.6	1030.8	1030.8	1030.8	1030.4	1030.1	1030.7	1030.9	1030.7	1030.2	1030.0	1029.3
18	1030.2	1030.3	1031.0	1031.2	1031.7	1032.3	1033.3	1034.3	1034.5	1035.2	1035.9	1036.1
19	1040.3	1040.3	1040.7	1040.7	1040.8	1041.0	1041.3	1041.4	1041.3	1041.8	1041.8	1041.2
20	1041.0	1040.7	1040.6	1040.1	1039.8	1039.7	1039.6	1039.6	1039.5	1039.6	1039.4	1038.9
21	1036.8	1036.6	1035.8	1035.6	1035.0	1035.2	1035.2	1034.9	1034.7	1034.6	1033.7	1032.6
22	1023.0	1022.8	1022.6	1022.7	1022.9	1022.9	1023.7	1023.9	1023.9	1023.9	1024.6	1024.3
23	1023.3	1023.7	1023.8	1023.9	1024.6	1024.8	1025.3	1025.7	1026.1	1026.7	1026.9	1026.8
24	1024.8	1024.6	1024.4	1023.8	1023.6	1023.0	1023.0	1022.7	1022.2	1021.7	1021.0	1020.6
25	1010.5	1011.1	1010.2	1008.9	1008.4	1008.1	1007.3	1007.2	1006.6	1005.3	1004.7	1003.8
26	1005.8	1006.8	1007.1	1008.0	1008.8	1009.4	1010.0	1011.7	1012.4	1013.7	1014.9	1015.3
27	1027.9	1028.4	1028.9	1028.9	1029.0	1029.0	1029.0	1029.0	1029.0	1029.0	1028.2	1027.9
28	1022.7	1022.2	1021.6	1021.4	1020.7	1020.7	1020.7	1020.6	1020.0	1019.7	1020.0	1020.4
29	1022.1	1021.7	1020.7	1019.9	1019.1	1018.4	1017.7	1017.0	1016.6	1015.9	1014.7	1013.6
30	995.8	995.3	995.3	995.6	996.2	996.6	997.4	997.8	998.6	998.6	998.8	999.0
MEAN	1018.81	1018.85	1018.74	1018.73	1018.68	1018.65	1018.89	1019.16	1019.14	1019.25	1019.21	1019.03

DECEMBER — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	HOUR (M.E.T.)											
	1	2	3	4	5	6	7	8	9	10	11	12
1	1011.5	1012.5	1013.0	1013.7	1014.0	1014.2	1014.9	1015.3	1015.6	1015.8	1016.6	1016.7
2	1018.9	1018.9	1018.9	1019.0	1019.3	1019.6	1019.9	1019.9	1019.8	1019.7	1019.6	1019.7
3	1014.3	1014.2	1014.5	1014.1	1013.8	1013.5	1013.5	1013.3	1012.8	1012.6	1011.6	1010.7
4	1003.0	1002.6	1002.1	1001.4	1000.4	999.4	997.4	997.8	996.1	994.4	992.5	991.1
5	984.8	984.7	984.8	984.7	984.2	984.7	985.0	985.7	986.2	987.0	987.8	988.3
6	994.8	995.6	995.8	996.4	996.5	996.6	997.0	997.3	997.5	997.5	997.3	997.5
7	1004.8	1005.3	1005.7	1005.8	1006.6	1006.9	1007.5	1007.8	1008.3	1008.9	1009.0	1008.9
8	1007.9	1007.6	1006.6	1005.7	1004.6	1003.8	1002.8	1001.9	1001.2	1000.5	999.9	999.4
9	991.3	990.5	990.3	989.7	989.0	988.4	988.3	987.7	987.5	987.6	987.6	987.7
10	989.5	989.4	988.6	988.1	987.4	986.4	986.2	986.2	985.5	985.5	985.6	985.6
11	985.7	985.9	986.0	986.1	986.4	987.0	987.0	987.2	988.1	988.7	989.3	989.6
12	996.8	997.1	997.8	998.0	998.4	998.8	999.0	999.8	1000.0	1000.8	1000.8	1001.0
13	1002.2	1001.9	1001.7	1001.3	1001.0	1000.9	1000.8	1000.7	1000.7	1000.6	1000.3	999.8
14	998.0	998.2	998.0	997.5	997.5	996.8	996.9	997.0	997.0	997.1	996.7	996.1
15	991.4	991.3	990.6	990.2	989.7	989.2	988.5	988.3	988.2	987.5	987.3	986.7
16	991.5	992.0	992.7	993.2	993.7	994.0	994.3	994.9	994.9	995.6	995.6	995.6
17	993.3	992.7	992.3	991.4	991.1	990.4	990.3	990.1	989.7	989.5	989.5	989.3
18	989.0	988.9	989.3	989.3	989.4	989.5	990.3	990.7	991.5	992.1	992.5	992.8
19	1000.0	1000.9	1001.2	1001.5	1002.0	1002.9	1003.6	1004.0	1004.9	1005.7	1006.0	1006.6
20	1005.9	1005.2	1004.8	1003.4	1002.3	1002.0	1001.1	1000.9	1000.9	1001.2	1001.4	1001.3
21	1002.9	1002.9	1002.8	1002.9	1003.2	1003.6	1003.7	1004.4	1004.7	1004.9	1004.9	1005.4
22	1006.8	1006.8	1007.0	1006.6	1006.7	1006.8	1007.4	1007.5	1008.2	1008.3	1008.5	1008.2
23	1012.9	1013.0	1013.0	1013.1	1013.7	1014.1	1014.5	1015.1	1015.5	1016.2	1016.1	1016.1
24	1020.0	1020.1	1020.2	1020.0	1020.0	1020.1	1021.0	1021.2	1021.4	1022.0	1022.1	1022.0
25	1023.1	1023.1	1023.1	1022.8	1022.8	1022.7	1023.2	1023.6	1023.0	1023.0	1023.0	1022.8
26	1022.1	1021.8	1021.7	1021.2	1020.8	1020.4	1020.0	1020.0	1019.8	1019.8	1019.1	1018.8
27	1011.2	1010.4	1009.5	1008.9	1008.3	1007.6	1007.2	1007.5	1007.2	1006.7	1006.4	1006.4
28	1008.0	1008.7	1008.9	1009.2	1009.6	1009.9	1010.9	1011.3	1011.8	1011.9	1012.0	1012.1
29	1005.4	1004.9	1004.0	1002.8	1001.6	1000.3	999.0	997.9	996.6	995.6	994.5	993.6
30	997.0	997.0	997.0	996.7	996.8	996.0	995.4	995.6	995.3	995.0	995.0	995.5
31	998.4	998.3	998.5	998.6	998.7	998.8	999.0	999.7	999.7	999.7	999.7	999.6
MEAN	1002.66	1002.66	1002.59	1002.36	1002.24	1002.11	1002.12	1002.27	1002.24	1002.30	1002.20	1002.09

NOVEMBER — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

HOUR (M.E.T.)													MEAN
13	14	15	16	17	18	19	20	21	22	23	24		
1013.1	1013.9	1014.4	1015.6	1016.1	1017.2	1017.8	1017.9	1018.0	1018.0	1018.0	1017.9	1012.86	
1010.0	1009.1	1008.8	1007.9	1007.7	1006.9	1006.2	1005.7	1005.2	1004.9	1004.9	1004.8	1010.92	
1004.0	1004.2	1004.9	1005.0	1005.8	1006.3	1007.0	1007.9	1008.3	1009.1	1009.9	1010.1	1005.38	
1018.9	1019.0	1019.3	1019.8	1020.5	1020.8	1021.0	1021.7	1021.8	1021.7	1021.8	1021.0	1017.62	
1017.0	1016.7	1016.8	1016.7	1016.9	1016.9	1017.1	1017.1	1017.4	1017.8	1018.0	1018.4	1018.23	
1022.2	1022.5	1023.3	1024.2	1024.2	1024.8	1024.9	1024.9	1025.0	1025.4	1025.7	1025.9	1022.42	
1024.0	1023.0	1022.7	1021.8	1021.4	1020.9	1020.5	1019.9	1019.6	1018.8	1018.6	1017.7	1023.17	
1010.5	1009.9	1009.7	1009.6	1008.7	1008.5	1007.9	1007.7	1007.1	1006.6	1005.8	1005.4	1010.97	
1001.6	1001.3	1001.0	1001.0	1001.0	1001.1	1001.2	1001.6	1002.1	1002.8	1003.2	1003.9	1002.38	
1010.2	1010.8	1011.6	1012.0	1012.8	1013.2	1013.9	1014.3	1014.8	1014.8	1015.2	1015.8	1010.03	
1016.2	1015.7	1015.1	1014.8	1014.4	1014.0	1013.5	1013.4	1013.4	1013.5	1013.5	1013.5	1015.52	
1016.7	1017.3	1017.6	1018.0	1018.9	1019.2	1019.9	1020.4	1020.2	1020.5	1020.6	1020.9	1016.77	
1018.0	1018.0	1017.9	1017.5	1017.0	1016.8	1016.4	1016.1	1016.0	1015.9	1015.6	1015.4	1018.43	
1013.0	1013.1	1013.2	1013.7	1013.7	1013.8	1013.7	1013.8	1014.1	1014.4	1014.9	1015.0	1013.79	
1018.7	1018.1	1018.1	1018.8	1018.3	1018.1	1018.1	1018.1	1018.1	1018.0	1017.9	1017.3	1017.55	
1025.1	1025.8	1026.0	1026.8	1027.3	1027.6	1028.0	1028.8	1029.1	1030.0	1030.1	1030.3	1024.27	
1028.8	1028.7	1028.9	1029.1	1028.9	1029.0	1029.1	1029.2	1029.2	1029.1	1029.4	1030.0	1029.78	
1036.1	1036.9	1037.1	1037.8	1038.0	1038.2	1038.9	1039.2	1039.7	1040.0	1040.1	1040.3	1035.76	
1041.0	1041.5	1040.9	1041.0	1040.9	1041.0	1041.0	1041.0	1041.6	1041.7	1041.7	1041.4	1041.14*	
1038.8	1038.5	1038.5	1038.4	1037.9	1038.1	1037.9	1038.5	1038.2	1037.7	1037.6	1037.4	1039.00	
1031.8	1030.7	1030.0	1029.7	1028.8	1027.9	1026.8	1026.2	1025.3	1024.8	1024.3	1023.8	1031.28	
1024.1	1023.8	1023.9	1023.8	1023.7	1024.4	1024.5	1023.7	1023.7	1023.9	1023.6	1023.4	1023.65	
1026.7	1026.4	1026.7	1026.6	1026.5	1026.5	1025.9	1025.7	1025.6	1025.6	1025.4	1025.0	1025.59	
1019.7	1019.0	1018.6	1017.8	1017.4	1017.0	1016.4	1016.2	1015.3	1014.3	1013.5	1012.2	1019.70	
1002.8	1001.8	1001.4	1000.8	1001.0	1001.6	1001.7	1002.7	1003.1	1003.7	1004.8	1005.6	1005.13	
1016.8	1018.0	1019.7	1020.2	1021.0	1022.5	1023.3	1024.9	1025.3	1026.0	1026.9	1027.2	1016.49	
1027.2	1026.0	1025.0	1024.8	1022.2	1023.9	1023.8	1023.0	1022.9	1023.0	1023.0	1022.6	1026.32	
1020.8	1021.0	1021.8	1022.6	1023.2	1022.8	1023.7	1023.8	1023.8	1023.8	1023.7	1022.7	1021.85	
1012.5	1011.3	1009.9	1008.5	1006.6	1005.2	1003.7	1002.5	1000.9	1000.1	998.7	997.3	1011.44	
999.5	1000.0	1001.7	1001.3	1002.6	1003.8	1005.0	1006.5	1007.4	1008.8	1009.9	1010.7	1000.92*	
1018.86	1018.73	1018.82	1018.85	1018.78	1018.93	1018.96	1019.08	1019.07	1019.16	1019.21	1019.10	1018.94	

DECEMBER — PRESSURE AT STATION LEVEL — 1958

VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

HOUR (M.E.T.)													MEAN
13	14	15	16	17	18	19	20	21	22	23	24		
1016.8	1016.7	1017.2	1017.8	1017.8	1017.8	1017.9	1018.5	1018.8	1018.9	1018.9	1018.9	1016.24	
1018.8	1017.7	1016.9	1016.5	1015.7	1015.6	1015.1	1015.0	1014.8	1014.7	1014.7	1014.7	1017.64	
1009.9	1008.9	1008.3	1007.4	1006.5	1005.7	1004.9	1004.5	1003.8	1003.6	1003.4	1003.1	1009.54	
990.5	989.5	988.6	987.5	987.5	987.0	986.6	986.5	986.1	985.5	985.6	985.2	992.68	
988.9	989.7	990.2	990.9	991.7	992.0	992.7	993.0	993.4	993.9	994.6	994.7	988.90	
997.6	997.9	998.8	999.6	1000.0	1000.6	1001.0	1001.7	1002.1	1003.0	1003.8	1004.2	998.75	
1009.1	1009.2	1009.9	1009.9	1009.9	1009.9	1009.7	1009.6	1009.6	1009.3	1009.2	1008.6	1008.31	
998.8	998.0	997.4	997.2	996.4	995.8	995.2	994.3	994.1	993.3	992.5	991.8	999.45	
987.7	988.3	988.5	988.6	988.7	989.0	989.5	989.5	989.7	989.8	989.7	989.5	988.92	
985.5	985.5	985.7	985.6	985.6	985.6	985.6	985.5	985.7	985.7	985.8	985.8	986.32*	
989.9	990.1	990.9	991.2	991.9	992.7	993.1	994.0	994.8	995.0	995.8	996.0	990.10	
1001.3	1001.7	1001.8	1001.9	1002.0	1002.1	1002.2	1002.4	1003.0	1003.0	1003.1	1002.9	1000.65	
999.6	999.5	999.3	999.0	998.8	998.5	998.7	998.5	998.7	998.9	998.7	998.1	999.92	
995.6	995.5	995.5	995.6	995.1	994.9	994.4	994.2	994.0	993.6	993.3	992.4	995.87	
986.5	986.5	986.5	987.1	987.4	987.4	987.5	988.3	989.3	989.6	990.6	991.2	988.62	
995.6	995.7	995.7	996.2	996.4	995.5	995.4	995.3	995.0	994.6	994.3	993.5	994.63	
989.3	988.8	989.0	988.7	988.5	988.7	988.9	989.1	989.1	988.9	989.2	989.0	989.87	
993.6	993.9	994.8	995.0	995.7	996.0	996.5	997.1	997.9	998.1	999.0	999.5	993.43	
1006.8	1006.7	1007.0	1007.2	1007.9	1008.1	1007.3	1007.5	1007.9	1007.5	1007.1	1006.2	1005.27	
1001.2	1001.1	1001.4	1001.8	1001.9	1002.0	1002.1	1002.2	1002.6	1002.9	1002.8	1002.8	1002.30	
1005.9	1006.0	1006.2	1006.8	1006.9	1006.9	1006.8	1007.1	1007.3	1007.3	1006.9	1006.9	1005.30	
1008.7	1008.9	1009.0	1009.0	1009.3	1009.7	1010.0	1010.5	1011.0	1011.8	1012.0	1012.5	1008.80	
1016.4	1017.0	1017.2	1017.4	1017.9	1018.0	1018.4	1018.4	1019.1	1019.0	1019.6	1020.0	1016.32	
1021.9	1022.1	1022.1	1022.3	1022.6	1022.8	1022.8	1022.9	1023.0	1023.1	1023.0	1023.0	1021.74	
1022.8	1022.9	1022.9	1023.0	1023.1	1022.7	1023.0	1022.9	1023.0	1022.9	1022.9	1022.7	1022.96*	
1017.7	1016.9	1016.4	1015.7	1015.4	1014.6	1014.5	1014.0	1013.7	1013.2	1012.4	1012.0	1017.57	
1006.3	1006.2	1006.0	1005.9	1005.8	1006.0	1006.1	1006.6	1006.7	1006.9	1007.3	1007.8	1007.29	
1012.1	1012.0	1012.1	1012.0	1011.8	1010.8	1010.6	1009.6	1009.4	1008.5	1007.8	1006.6	1010.32	
992.8	992.7	992.8	993.0	993.8	994.0	994.7	995.1	995.4	995.9	995.9	996.8	997.05	
995.5	995.7	996.3	996.6	996.6	996.7	997.1	997.4	997.5	997.5	997.9	998.3	996.47	
999.5	999.5	999.6	999.5	998.8	998.6	997.8	997.5	996.7	995.1	993.6	991.6	998.19	
1002.02	1001.96	1002.06	1002.13	1002.17	1002.12	1002.13	1002.22	1002.35	1002.29	1002.30	1002.14	1002.24	

VALUES IN MB FOR EACH DAY 00H TO 24H(M.E.T.). HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	JANUARY MAXIMUM HOUR	JANUARY MAXIMUM MB	JANUARY MINIMUM HOUR	JANUARY MINIMUM MB	JANUARY DIFF. MB	FEBRUARY MAXIMUM HOUR	FEBRUARY MAXIMUM MB	FEBRUARY MINIMUM HOUR	FEBRUARY MINIMUM MB	FEBRUARY DIFF. MB	MARCH MAXIMUM HOUR	MARCH MAXIMUM MB	MARCH MINIMUM HOUR	MARCH MINIMUM MB	MARCH DIFF. MB
1	24.00	1001.3	0.10	991.3	10.0	0.00	1014.9	23.15	1005.4	9.5	0.00	1008.8	16.30	1006.8	2.0
2	24.00	1014.0	0.00	1001.3	12.7	11.10	1005.6	0.56	993.9	11.7	0.58	1020.8	1.00	1008.4	12.4
3	23.20	1028.5	0.00	1014.5	14.0	0.58	1006.7	4.10	992.4	14.3	12.00	1025.7	0.58	1019.8	5.9
4	2.35	1029.1	21.40	1019.3	9.8	8.10	1007.7	0.58	997.1	10.6	1.00	1019.7	0.57	995.0	24.7
5	3.18	1020.0	24.00	1007.8	12.2	1.00	997.0	21.00	988.1	8.9	1.00	994.8	0.58	981.0	13.8
6	0.00	1007.8	24.00	1000.8	7.0	23.08	996.3	1.00	988.1	8.2	0.59	998.9	8.00	976.9	22.0
7	24.00	1003.1	6.00	997.8	5.3	0.58	1004.6	4.55	995.7	8.9	0.58	1013.1	1.00	998.9	14.2
8	12.20	1006.9	0.30	1003.1	3.8	16.45	1009.7	0.00	1004.1	5.6	9.15	1015.0	17.45	1012.3	2.7
9	0.00	1004.9	22.35	989.2	15.7	0.56	1011.0	14.00	1000.5	10.5	1.00	1012.1	0.58	1006.6	5.5
10	19.50	994.3	0.00	989.7	4.6	11.50	1016.3	1.00	1011.0	5.3	1.00	1006.6	0.55	994.6	12.0
11	24.00	996.0	6.00	992.7	3.3	1.10	1015.0	0.58	999.3	15.7	1.00	994.6	7.00	992.7	1.9
12	24.00	1010.8	0.00	996.0	14.8	1.45	999.7	0.58	991.3	8.4	0.56	1004.1	4.52	993.2	10.9
13	24.00	1027.8	0.00	1010.8	17.0	0.58	1010.6	5.20	990.8	19.8	18.50	1009.5	0.00	1003.9	5.6
14	7.00	1028.2	24.00	1019.9	8.3	5.00	1011.1	0.56	999.9	11.2	1.00	1006.7	12.20	1004.4	2.3
15	17.00	1023.0	3.20	1019.3	3.7	14.25	1008.1	0.45	999.9	8.2	24.00	1017.4	0.10	1005.2	12.2
16	0.10	1021.1	24.00	1000.8	20.3	1.00	1001.2	0.56	981.4	19.8	19.30	1020.4	1.00	1017.8	2.6
17	0.00	1000.8	22.50	985.7	15.1	0.56	990.0	3.00	980.6	9.4	1.00	1020.0	16.00	1017.9	2.1
18	11.30	991.9	24.00	968.8	23.1	24.00	999.1	1.00	990.0	9.1	0.54	1025.3	3.24	1017.5	7.8
19	24.00	968.8	12.30	958.4	10.4	5.00	999.3	24.00	996.1	3.2	24.00	1028.5	1.00	1025.3	3.2
20	24.00	990.0	0.00	968.8	21.2	1.00	996.0	24.00	993.1	2.9	0.56	1028.9	14.10	1026.4	2.5
21	24.00	1004.0	0.00	990.0	14.0	24.00	997.8	2.00	993.8	4.0	0.45	1032.2	1.00	1028.9	3.3
22	23.05	1009.4	0.00	1004.0	5.4	24.00	1005.8	1.00	997.9	7.9	0.35	1032.3	22.00	1029.1	3.2
23	23.00	1012.2	6.50	1007.4	4.8	0.56	1008.3	1.00	1005.7	2.6	0.00	1029.4	24.00	1020.9	8.5
24	24.00	1015.7	12.00	1007.8	7.9	24.00	1013.5	1.00	1008.3	5.2	7.23	1021.3	24.00	1019.1	2.2
25	24.00	1028.4	0.00	1015.7	12.7	10.17	1013.8	24.00	1011.9	1.9	1.00	1018.9	16.55	1016.5	2.4
26	11.33	1031.1	0.00	1028.4	2.7	1.00	1011.9	16.30	1007.8	4.1	1.06	1017.5	17.00	1014.9	2.6
27	0.00	1029.6	24.00	1024.8	4.8	22.30	1018.4	1.00	1009.1	9.3	0.57	1019.7	1.00	1016.5	3.2
28	0.18	1024.9	18.10	1018.8	6.1	2.00	1018.3	24.00	1008.8	9.5	0.59	1024.5	1.00	1019.8	4.7
29	23.20	1023.8	1.20	1018.8	5.0						23.55	1028.2	0.00	1024.0	4.2
30	0.00	1023.1	20.49	1014.5	8.6						11.42	1032.4	1.00	1028.8	3.6
31	11.00	1017.4	0.57	1014.8	2.6						1.30	1031.8	18.00	1026.6	5.2
MEAN		1012.51		1002.61	9.90		1006.70		997.93	8.78		1018.04		1011.28	6.75

VALUES IN MB FOR EACH DAY 00H TO 24H(M.E.T.). HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	APRIL MAXIMUM HOUR	APRIL MAXIMUM MB	APRIL MINIMUM HOUR	APRIL MINIMUM MB	APRIL DIFF. MB	MAY MAXIMUM HOUR	MAY MAXIMUM MB	MAY MINIMUM HOUR	MAY MINIMUM MB	MAY DIFF. MB	JUNE MAXIMUM HOUR	JUNE MAXIMUM MB	JUNE MINIMUM HOUR	JUNE MINIMUM MB	JUNE DIFF. MB
1	1.00	1027.5	14.00	1025.3	2.2	10.00	1019.8	1.00	1016.8	3.0	1.00	1025.0	0.57	1020.0	5.0
2	0.50	1028.5	5.20	1025.3	3.2	1.00	1016.8	0.30	993.0	23.8	1.00	1022.0	24.00	1017.0	5.0
3	8.30	1029.2	23.10	1025.1	4.1	24.00	1000.6	4.00	992.8	7.8	1.00	1017.0	0.58	1012.5	4.5
4	1.25	1025.2	0.58	1014.7	10.5	21.26	1003.4	1.00	1000.8	2.6	1.00	1012.5	17.10	999.7	12.8
5	1.00	1014.7	0.55	1008.3	6.4	0.30	1008.7	2.00	1006.0	2.7	0.58	1018.7	1.00	1005.9	12.8
6	24.00	1010.0	4.00	1007.8	2.2	7.00	1008.8	24.00	1004.1	4.7	6.00	1019.9	0.58	1016.1	3.8
7	7.00	1011.1	18.00	1007.8	3.3	0.58	1007.4	11.00	1000.5	8.9	0.00	1016.7	18.25	1010.2	6.5
8	10.55	1014.7	0.57	1009.9	4.8	12.26	1013.6	1.00	1009.5	4.1	5.18	1013.3	0.58	1011.7	1.6
9	0.58	1017.1	6.30	1008.0	9.1	1.33	1009.0	19.50	1001.8	7.2	0.58	1007.5	10.00	1001.8	5.7
10	0.56	1029.2	1.00	1017.1	12.1	23.35	1004.9	2.30	1001.8	3.1	24.00	1011.7	1.40	1007.1	4.6
11	8.00	1030.8	0.58	1025.9	4.9	7.00	1005.6	0.57	1000.5	5.1	23.00	1015.6	1.00	1011.8	3.8
12	0.00	1026.5	24.00	1016.2	10.3	1.00	1000.4	9.00	999.0	1.4	23.00	1017.9	3.00	1015.5	2.4
13	1.00	1015.6	12.00	1012.5	3.1	0.58	1011.1	6.00	997.2	13.9	0.58	1022.4	1.00	1017.9	4.5
14	1.00	1013.9	0.55	1007.8	6.1	9.28	1014.3	1.00	1011.1	3.2	22.20	1024.5	0.00	1022.1	2.4
15	1.00	1007.8	0.56	997.2	10.6	1.24	1012.5	0.49	994.3	18.2	9.00	1026.1	0.40	1023.7	2.4
16	0.58	1000.9	5.00	996.3	4.6	0.55	1001.2	5.00	994.0	7.2	8.00	1023.7	17.20	1021.4	2.3
17	24.00	1011.7	1.00	1000.9	10.8	5.56	1002.1	0.58	991.9	10.2	21.30	1022.0	0.58	1016.6	5.4
18	9.20	1013.6	1.00	1011.8	1.8	0.57	997.7	1.00	991.8	5.9	1.00	1016.5	0.58	1005.9	10.6
19	1.00	1011.9	17.40	1004.4	7.5	0.58	1012.7	1.00	997.7	15.0	1.00	1005.9	0.55	1002.1	3.8
20	12.10	1009.5	0.58	1003.7	5.8	1.30	1012.7	17.20	1003.3	9.4	1.00	1002.1	0.57	997.6	4.5
21	24.00	1009.8	7.40	1001.2	8.6	13.10	1005.2	22.30	1002.9	2.3	1.00	997.5	11.10	995.8	1.7
22	21.10	1020.1	1.00	1009.8	10.3	0.58	1017.2	1.10	1003.5	13.7	0.45	1002.1	1.00	997.6	4.5
23	24.00	1023.6	1.00	1019.8	3.8	24.00	1019.4	1.00	1017.2	2.2	23.20	1005.5	2.00	1001.9	3.6
24	10.10	1025.1	17.50	1023.6	1.5	1.00	1019.4	0.30	1017.2	2.2	0.55	1009.2	1.00	1005.6	3.6
25	1.00	1023.9	0.58	1017.6	6.3	1.30	1017.6	15.00	1016.0	1.6	20.00	1010.0	1.00	1009.2	0.8
26	0.00	1017.8	23.25	1005.4	12.4	1.00	1017.1	0.12	1008.4	8.7	7.00	1010.0	17.30	1009.3	0.7
27	1.00	1005.6	16.00	1003.4	2.2	21.20	1017.3	0.08	1008.4	8.9	5.30	1011.0	16.15	1008.8	2.2
28	1.00	1006.7	5.50	1002.5	4.2	3.15	1016.9	22.00	1007.7	9.2	23.55	1010.6	15.25	1007.7	2.9
29	20.00	1014.5	1.00	1006.7	7.8	24.00	1018.4	1.15	1007.3	11.1	24.00	1014.8	7.35	1009.9	4.9
30	0.58	1016.7	4.00	1012.8	3.9	0.58	1025.0	1.00	1018.8	6.2	24.00	1019.7	0.20	1014.8	4.9
31						10.00	1026.5	0.00	1024.4	2.1					
MEAN		1017.11		1010.96	6.15		1011.78		1004.51	7.28		1014.38		1009.91	4.47

VALUES IN MB FOR EACH DAY 00H TO 24H(M.E.T.). HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	JULY MAXIMUM HOUR	JULY MAXIMUM MB	JULY MINIMUM HOUR	JULY MINIMUM MB	JULY DIFF. MB	AUGUST MAXIMUM HOUR	AUGUST MAXIMUM MB	AUGUST MINIMUM HOUR	AUGUST MINIMUM MB	AUGUST DIFF. MB	SEPTEMBER MAXIMUM HOUR	SEPTEMBER MAXIMUM MB	SEPTEMBER MINIMUM HOUR	SEPTEMBER MINIMUM MB	SEPTEMBER DIFF. MB
1	7.30	1020.7	19.20	1019.1	1.6	20.00	1012.9	1.00	1010.6	2.3	9.00	1027.9	18.00	1026.1	1.8
2	3.10	1019.9	19.00	1017.0	2.9	0.00	1011.9	17.00	992.2	19.7	24.00	1028.7	1.00	1027.2	1.5
3	0.00	1017.7	24.00	1009.9	7.8	0.55	1006.9	5.00	998.7	8.2	2.00	1029.0	23.00	1025.1	3.9
4	0.00	1009.9	17.45	1005.9	4.0	22.00	1010.9	1.00	1007.0	3.9	7.00	1025.3	0.58	1021.9	3.4
5	11.50	1008.1	24.00	1006.0	2.1	1.00	1010.9	0.55	1001.7	9.2	1.00	1021.9	17.30	1018.8	3.1
6	24.00	1009.3	2.50	1004.2	5.1	11.00	1002.2	0.55	1000.2	2.0	9.35	1021.4	17.25	1019.0	2.4
7	24.00	1013.7	0.00	1009.3	4.4	0.58	1005.3	1.00	1000.2	5.1	1.00	1019.0	0.58	1010.6	8.4
8	8.00	1015.6	22.15	1009.1	6.5	8.40	1006.9	0.55	1004.7	2.2	23.00	1011.8	7.52	1008.8	3.0
9	7.15	1009.8	24.00	1000.9	8.9	0.58	1011.0	5.00	1003.4	7.6	22.00	1013.9	3.00	1010.7	3.2
10	0.50	1000.9	13.38	995.7	5.2	0.58	1019.2	1.00	1011.1	8.1	8.00	1015.0	0.20	1011.1	3.9
11	24.00	1008.3	0.00	1000.4	7.9	6.20	1019.4	24.00	1016.2	3.2	0.59	1015.0	15.00	1009.2	5.8
12	10.30	1009.7	0.00	1008.3	1.4	1.20	1016.3	0.55	1012.6	3.7	24.00	1023.0	0.00	1014.2	8.8
13	0.30	1009.2	24.00	1000.3	8.9	1.00	1012.7	0.56	1008.3	4.4	0.00	1023.0	24.00	1018.0	5.0
14	0.00	1000.3	14.20	991.8	8.5	1.00	1008.3	24.00	1003.1	5.2	2.00	1018.2	16.00	1016.1	2.1
15	24.00	1010.3	0.00	996.2	14.1	24.00	1004.9	1.00	1003.1	1.8	24.00	1019.4	5.00	1017.2	2.2
16	10.30	1014.1	0.00	1010.3	3.8	9.00	1005.0	17.50	1003.3	1.7	0.10	1024.2	5.00	1019.2	5.0
17	5.00	1013.8	23.34	1004.0	9.8	0.58	1008.6	5.00	1003.2	5.4	22.00	1027.2	1.00	1024.2	3.0
18	24.00	1009.0	6.00	1000.1	8.9	0.55	1013.4	1.00	1008.6	4.8	8.00	1027.1	0.58	1023.8	3.3
19	24.00	1011.5	0.00	1009.0	2.5	13.07	1015.3	1.00	1013.5	1.8	1.00	1023.8	16.00	1022.0	1.8
20	2.00	1011.8	24.00	1003.8	8.0	1.00	1014.7	17.20	1012.7	2.0	0.30	1022.6	24.00	1011.7	10.9
21	1.00	1003.1	0.58	993.1	10.0	22.00	1014.8	3.00	1013.0	1.8	1.00	1010.9	3.00	1007.6	3.3
22	24.00	997.3	4.00	992.3	5.0	1.00	1014.7	0.55	1012.5	2.2	1.00	1007.9	16.00	1005.0	2.9
23	1.00	997.3	6.00	996.0	1.3	0.00	1012.9	24.00	1002.5	10.4	19.00	1007.2	1.00	1005.0	2.2
24	0.58	998.0	14.00	994.8	3.2	1.00	1001.7	0.55	995.6	6.1	1.00	1007.0	0.58	1000.0	7.0
25	0.58	1012.7	1.00	998.0	14.7	24.00	998.1	4.30	994.8	3.3	1.00	1000.0	17.00	992.1	7.9
26	1.50	1017.1	0.00	1012.1	5.0	0.58	1005.9	4.00	998.1	7.8	0.56	1009.9	1.00	992.8	17.1
27	1.50	1017.1	0.58	1010.0	7.1	0.55	1017.8	1.00	1006.0	11.8	24.00	1019.2	0.00	1009.5	9.7
28	1.00	1011.0	18.00	1007.2	3.8	24.00	1021.3	1.00	1017.8	3.5	1.00	1019.3	24.00	1015.0	4.3
29	1.45	1007.6	18.00	1006.1	1.5	9.00	1023.4	1.00	1021.1	2.3	1.00	1014.9	24.00	1011.8	3.1
30	22.00	1012.1	1.00	1006.9	5.2	23.25	1024.3	2.55	1022.8	1.5	1.00	1011.7	17.36	1005.8	5.9
31	1.00	1011.9	15.00	1008.9	3.0	24.00	1027.1	1.00	1024.4	2.7					
MEAN		1009.96		1004.09	5.87		1012.22		1007.19	5.02		1018.18		1013.32	4.86

VALUES IN MB FOR EACH DAY 00H TO 24H(M.E.T.). HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

DATE	OCTOBER MAXIMUM HOUR	OCTOBER MAXIMUM MB	OCTOBER MINIMUM HOUR	OCTOBER MINIMUM MB	OCTOBER DIFF. MB	NOVEMBER MAXIMUM HOUR	NOVEMBER MAXIMUM MB	NOVEMBER MINIMUM HOUR	NOVEMBER MINIMUM MB	NOVEMBER DIFF. MB	DECEMBER MAXIMUM HOUR	DECEMBER MAXIMUM MB	DECEMBER MINIMUM HOUR	DECEMBER MINIMUM MB	DECEMBER DIFF. MB
1	0.40	1006.5	15.00	1004.6	1.9	0.40	1018.2	1.00	1006.6	11.6	24.00	1018.9	0.10	1010.8	8.1
2	0.57	1008.6	6.12	1005.8	2.8	1.00	1018.0	0.58	1004.3	13.7	8.47	1020.0	24.00	1014.7	5.3
3	23.00	1011.7	4.20	1007.9	3.8	0.58	1011.0	6.40	1003.5	7.5	2.40	1014.5	24.00	1003.1	11.4
4	20.00	1013.6	0.00	1011.4	2.2	21.00	1021.8	1.00	1011.0	10.8	0.02	1003.0	24.00	985.2	17.8
5	24.00	1014.1	16.10	1012.4	1.7	1.00	1020.8	14.10	1016.7	4.1	24.00	994.7	5.00	984.2	10.5
6	24.00	1018.9	0.00	1014.1	4.8	24.00	1025.9	1.00	1018.9	7.0	24.00	1004.2	0.00	994.7	9.5
7	6.40	1019.9	20.25	1014.7	5.2	8.00	1026.0	0.58	1017.3	8.7	16.00	1009.9	0.07	1004.4	5.5
8	2.25	1016.5	0.58	1008.5	8.0	0.00	1017.7	24.00	1005.4	12.3	0.00	1008.5	24.00	991.7	16.8
9	0.55	1012.8	6.12	1001.8	11.0	1.00	1004.9	15.00	1001.0	3.9	0.05	991.6	9.00	987.5	4.1
10	10.50	1013.9	0.57	1008.0	5.9	0.57	1015.9	1.00	1004.0	11.9	1.00	989.5	9.10	985.4	4.1
11	24.00	1012.3	7.15	1001.3	11.0	8.20	1017.4	20.00	1013.4	4.0	24.00	996.0	0.30	985.7	10.3
12	9.20	1013.1	0.45	1008.2	4.9	24.00	1020.9	1.00	1013.5	7.4	22.50	1003.2	0.10	996.0	7.2
13	19.00	1011.8	2.40	1007.9	3.9	1.20	1021.0	0.58	1014.9	6.1	0.00	1002.9	24.00	998.1	4.8
14	1.00	1011.0	0.57	1004.2	6.8	23.58	1015.1	12.00	1013.0	2.1	2.25	998.5	24.00	992.4	6.1
15	1.00	1004.0	0.58	992.8	11.2	11.00	1019.0	0.35	1014.9	4.1	0.03	992.3	12.30	986.5	5.8
16	0.55	997.0	9.00	988.6	8.4	0.57	1030.6	1.00	1017.5	13.1	16.15	996.4	0.02	991.3	5.1
17	0.58	1006.7	1.00	997.0	9.7	8.00	1030.9	14.00	1028.7	2.2	0.02	993.5	17.00	988.5	5.0
18	23.00	1014.7	0.00	1006.0	8.7	24.00	1040.3	1.00	1030.2	10.1	24.00	999.5	2.00	988.9	10.6
19	10.30	1015.3	0.58	1013.6	1.7	10.00	1041.8	1.00	1040.3	1.5	17.32	1008.1	0.03	999.5	8.6
20	0.58	1015.0	14.00	1012.9	2.1	0.00	1041.4	24.00	1037.4	4.0	0.00	1006.2	8.08	1000.6	5.6
21	24.00	1019.9	1.00	1015.0	4.9	0.00	1037.4	24.00	1023.8	13.6	21.50	1007.6	2.40	1002.7	4.9
22	1.25	1019.4	15.27	1010.6	8.8	18.20	1024.7	3.25	1022.6	2.1	24.00	1012.5	4.00	1006.6	5.9
23	11.00	1019.4	19.36	1014.9	4.5	10.50	1027.0	1.00	1023.3	3.7	24.00	1020.0	0.10	1012.5	7.5
24	2.00	1017.2	0.57	1008.1	9.1	1.00	1024.8	0.56	1011.2	13.6	22.10	1023.2	1.00	1020.0	3.2
25	24.00	1012.8	7.00	1000.9	11.9	1.40	1011.4	16.10	1000.7	10.7	9.55	1023.4	6.00	1022.7	0.7
26	12.00	1021.7	1.00	1013.9	7.8	0.55	1027.9	1.00	1005.8	22.1	0.10	1022.7	24.00	1012.0	10.7
27	1.00	1014.8	12.00	1010.0	4.8	8.50	1029.1	23.42	1022.4	6.7	0.00	1011.9	17.00	1005.8	6.1
28	22.00	1016.9	1.00	1011.9	5.0	22.10	1023.9	10.00	1019.7	4.2	13.15	1012.3	24.00	1006.6	5.7
29	10.00	1016.7	24.00	1015.3	1.4	0.15	1022.7	24.00	997.3	25.4	0.02	1006.5	14.26	992.6	13.9
30	1.30	1015.5	0.58	1009.6	5.9	0.58	1011.1	3.00	995.3	15.8	24.00	998.3	10.45	994.8	3.5
31	1.00	1009.6	15.00	1005.3	4.3						8.00	999.7	24.00	991.6	8.1
MEAN		1013.59		1007.65	5.94		1023.29		1014.49	8.80		1006.11		998.62	7.50

JANUARY — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	-9.9	-9.4	-9.5	-9.4	-9.1	-8.5	-8.5	-8.1	-8.0	-7.2	-7.2	-7.5
2	-10.9	-10.8	-10.9	-11.2	-11.2	-11.0	-11.1	-10.9	-10.8	-11.7	-12.2	-10.3
3	-11.1	-11.7	-12.1	-12.3	-11.2	-10.1	-9.2	-8.7	-8.9	-8.5	-8.7	-8.3
4	-13.9	-14.5	-15.6	-16.1	-14.4	-13.3	-12.6	-11.9	-11.3	-9.7	-8.9	-7.7
5	-7.2	-7.4	-7.5	-7.6	-7.8	-8.2	-8.9	-9.2	-9.3	-8.8	-8.6	-7.4
6	-2.1	-2.9	-3.0	-3.3	-3.3	-4.2	-5.0	-5.2	-5.6	-5.7	-5.7	-5.7
7	-7.4	-7.5	-7.5	-7.6	-7.6	-9.5	-10.0	-10.7	-10.9	-11.3	-11.5	-11.8
8	-11.7	-11.5	-11.4	-11.0	-10.5	-10.5	-10.2	-10.2	-11.2	-11.5	-11.5	-11.9
9	-14.8	-15.9	-16.2	-15.2	-14.2	-14.7	-15.7	-16.2	-14.7	-12.9	-10.3	-10.0
10	-4.6	-5.2	-5.6	-5.9	-5.5	-5.3	-6.0	-7.9	-8.7	-8.0	-7.9	-8.0
11	-7.9	-7.9	-7.7	-7.5	-7.2	-6.8	-6.3	-6.2	-6.0	-5.7	-5.3	-4.4
12	0.2	0.0	0.0	0.1	0.0	0.3	0.5	0.4	0.2	0.6	0.7	0.8
13	-0.2	-0.1	-0.1	-0.1	-0.1	-0.3	-0.3	-0.5	-0.7	-0.7	-0.5	-0.6
14	-0.8	-1.0	-1.0	-1.2	-1.1	-1.0	-0.9	-0.7	-0.4	-0.1	0.0	0.1
15	0.9	0.9	1.0	1.3	1.0	0.1	-0.7	-1.5	-2.2	-2.4	-1.3	-0.1
16	-0.4	-0.7	-0.9	-0.6	-0.2	-0.1	0.1	0.3	0.7	1.0	1.2	1.3
17	1.5	2.0	1.7	1.2	0.8	1.3	1.6	1.5	1.4	1.6	2.0	2.3
18	-4.0	-4.6	-5.4	-5.7	-5.1	-5.0	-4.2	-4.3	-4.8	-4.2	-3.4	-1.9
19	-0.2	0.2	0.6	0.6	-0.8	-2.2	-2.3	-2.5	-3.1	-2.9	-3.7	-5.1
20	-7.7	-8.3	-9.4	-9.5	-10.2	-11.0	-11.9	-10.9	-10.7	-10.5	-9.3	-7.8
21	-12.0	-12.2	-11.8	-11.6	-11.0	-11.0	-11.4	-12.3	-13.3	-13.3	-12.6	-11.8
22	-6.9	-6.6	-6.1	-6.0	-6.0	-6.1	-6.4	-6.5	-6.6	-6.6	-6.8	-6.9
23	-4.9	-4.1	-3.8	-3.6	-3.1	-2.8	-2.3	-2.1	-2.0	-1.6	-0.7	-0.4
24	0.1	-0.6	-1.1	-0.9	-1.0	-1.3	-1.5	-1.6	-1.8	-2.0	-2.2	-2.5
25	-4.1	-4.8	-4.5	-4.0	-4.1	-4.3	-4.1	-4.0	-4.3	-4.4	-4.4	-4.5
26	-4.5	-4.1	-4.1	-4.4	-4.2	-4.0	-4.3	-4.3	-4.8	-4.8	-5.1	-5.3
27	-4.0	-4.0	-4.5	-4.9	-4.1	-3.2	-2.8	-2.3	-1.5	-1.1	-1.0	-0.8
28	0.6	0.6	0.4	0.3	0.3	0.7	0.8	0.8	0.9	1.3	2.1	2.1
29	1.8	1.2	0.8	0.7	0.7	0.7	0.9	1.1	1.0	1.1	1.1	1.0
30	-0.3	0.0	0.1	0.1	0.2	0.2	0.1	0.3	0.4	0.4	0.4	0.5
31	-0.8	-0.8	-0.7	-0.8	-1.1	-1.6	-1.8	-1.9	-1.8	-0.7	0.4	1.1
MEAN	-4.75	-4.89	-5.03	-5.04	-4.89	-4.93	-4.98	-5.04	-5.12	-4.85	-4.55	-4.24

JANUARY — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
-8.2	-9.1	-10.0	-10.5	-10.7	-10.4	-10.2	-10.2	-11.3	-11.2	-11.0	-11.4	-9.44
-9.7	-10.4	-10.8	-11.0	-10.9	-11.0	-11.2	-10.9	-10.9	-10.7	-10.2	-10.2	-10.87
-7.5	-8.0	-8.6	-10.1	-10.6	-11.1	-11.2	-11.3	-11.8	-12.3	-12.4	-13.2	-10.37
-7.3	-7.1	-7.1	-7.0	-6.6	-6.5	-6.5	-6.4	-6.3	-6.0	-6.4	-6.7	-9.58
-7.3	-7.1	-5.8	-5.0	-3.8	-3.4	-3.0	-2.1	-1.9	-1.9	-2.2	-1.8	-5.97
-5.9	-6.2	-6.0	-5.9	-6.0	-6.1	-6.5	-6.8	-7.0	-7.1	-7.3	-7.3	-5.43
-11.2	-11.4	-12.0	-11.6	-11.2	-11.2	-11.3	-11.2	-11.0	-11.0	-11.4	-11.5	-10.39
-12.3	-13.2	-13.5	-13.5	-13.9	-14.2	-14.1	-13.8	-13.7	-13.7	-13.7	-13.8	-12.35*
-10.0	-9.2	-8.8	-7.9	-6.8	-5.9	-4.6	-4.5	-4.2	-4.0	-3.9	-4.3	-10.20
-7.4	-7.6	-7.9	-7.9	-8.0	-8.3	-8.4	-8.4	-8.2	-7.9	-7.9	-7.8	-7.26
-3.7	-3.0	-2.4	-1.3	-0.8	-0.1	0.4	0.5	0.5	0.5	0.4	0.5	-3.64
0.8	0.8	0.8	0.7	0.5	0.2	0.0	-0.1	-0.1	-0.1	-0.2	-0.2	0.29
-0.5	-0.5	-0.4	-0.4	-0.7	-0.7	-0.6	-0.4	-0.5	-0.4	-0.7	-0.7	-0.45
0.3	0.0	0.0	-0.1	0.1	0.3	0.4	0.6	0.8	0.8	1.1	1.1	-0.11
0.5	0.2	0.1	-0.9	-2.4	-4.2	-5.6	-5.6	-4.9	-4.0	-2.0	-1.1	-1.37
1.4	1.7	1.8	2.1	2.2	2.2	2.2	1.9	1.8	2.0	1.9	1.3	1.01
2.2	2.2	2.2	1.8	1.4	-1.3	-1.2	-1.5	-2.0	-2.4	-3.2	-4.0	0.55
-2.4	-3.0	-3.3	-3.5	-3.7	-3.8	-3.0	-2.7	-1.7	-1.5	-1.8	-1.0	-3.50
-5.2	-5.3	-5.4	-5.4	-5.6	-4.9	-5.0	-5.1	-5.8	-6.6	-7.3	-7.5	-3.77
-6.8	-6.8	-7.2	-7.8	-8.9	-9.4	-11.0	-11.4	-11.5	-11.1	-11.2	-11.8	-9.67
-10.6	-10.1	-10.2	-11.6	-12.0	-11.8	-10.4	-9.9	-9.5	-8.9	-8.1	-7.5	-11.04
-6.9	-6.9	-7.0	-7.0	-7.0	-7.1	-7.3	-7.6	-7.6	-7.5	-7.1	-6.6	-6.80
-0.4	-0.1	-0.1	-0.1	-0.1	0.1	0.2	0.1	0.0	-0.4	-0.1	0.4	-1.33
-2.5	-2.6	-2.7	-3.0	-3.0	-3.0	-3.3	-3.7	-3.8	-3.8	-3.4	-3.9	-2.30
-4.5	-4.3	-4.3	-5.3	-4.6	-4.4	-4.0	-5.5	-7.3	-7.2	-6.1	-5.1	-4.75
-5.5	-6.0	-6.2	-6.5	-6.2	-5.9	-5.6	-5.0	-5.0	-4.5	-4.2	-4.1	-4.94
-0.4	-0.1	-0.1	-0.1	-0.2	-0.2	0.1	0.4	0.4	0.0	0.2	0.5	-1.40
2.1	2.4	2.7	2.8	2.7	2.6	2.6	2.7	2.7	2.5	2.3	2.0	1.71*
1.0	0.9	0.8	0.7	0.7	0.5	0.4	0.4	0.4	-0.1	-0.3	-0.3	0.72
0.0	-0.2	-0.2	0.0	0.0	-0.2	-0.1	0.4	0.5	0.1	-0.4	-0.8	0.06
1.3	1.5	1.7	1.3	0.9	0.6	1.0	1.1	1.4	1.1	0.7	0.7	0.12
-4.08	-4.15	-4.19	-4.32	-4.36	-4.47	-4.41	-4.39	-4.44	-4.43	-4.38	-4.39	-4.60

FEBRUARY — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	0.4	0.2	0.4	0.3	0.2	0.3	0.8	0.8	0.8	1.8	2.9	2.5
2	1.6	1.8	2.0	2.3	2.3	2.0	1.6	1.3	1.4	2.1	3.0	3.7
3	1.4	1.3	0.7	0.4	0.4	0.4	0.7	0.2	-0.5	0.2	1.1	1.9
4	-0.7	-1.2	-1.6	-2.1	-2.7	-2.9	-3.1	-3.4	-3.0	-2.5	-2.1	-1.5
5	-6.0	-5.9	-5.9	-5.9	-5.9	-6.3	-6.5	-6.6	-6.6	-7.0	-6.5	-5.4
6	-7.9	-8.1	-8.2	-8.3	-8.2	-9.4	-10.2	-10.8	-10.4	-10.3	-10.2	-10.1
7	-12.2	-12.3	-12.4	-11.9	-11.3	-11.3	-11.5	-11.8	-12.6	-12.5	-11.9	-11.2
8	-13.2	-13.7	-14.2	-14.8	-15.2	-15.8	-15.8	-15.9	-15.7	-15.0	-13.5	-12.5
9	-15.2	-15.5	-15.1	-15.2	-14.6	-12.3	-11.0	-10.4	-9.5	-8.5	-7.2	-6.7
10	-14.3	-15.1	-14.5	-15.3	-16.5	-17.2	-18.1	-18.5	-18.6	-18.0	-16.8	-15.1
11	-11.0	-10.4	-10.1	-10.2	-9.8	-9.8	-8.9	-8.2	-7.4	-5.7	-5.0	-4.8
12	-4.5	-4.2	-4.0	-3.9	-3.6	-3.3	-2.9	-2.3	-1.6	-0.9	-0.7	-0.5
13	1.9	1.7	1.7	1.8	1.9	2.0	1.9	1.9	2.0	2.3	2.9	3.4
14	-0.6	0.6	1.3	1.7	1.0	1.1	1.6	1.2	1.5	1.8	1.8	1.8
15	0.6	0.6	0.1	-0.7	-1.7	-2.0	-2.7	-2.8	-1.3	-0.6	2.0	2.9
16	-3.0	-2.9	-4.0	-4.0	-3.8	-4.1	-3.9	-3.6	-2.9	-2.2	-2.0	-1.5
17	-1.9	-2.8	-3.5	-4.0	-4.8	-4.8	-4.5	-4.5	-4.0	-3.4	-3.0	-2.9
18	-3.2	-3.7	-3.8	-3.9	-4.0	-4.0	-4.2	-4.4	-4.6	-4.8	-5.0	-5.0
19	-11.6	-13.0	-14.6	-12.9	-13.8	-14.1	-14.8	-14.1	-12.7	-9.7	-7.3	-5.5
20	-13.2	-12.5	-12.1	-11.5	-11.6	-10.6	-9.9	-9.5	-9.8	-9.6	-7.5	-5.8
21	-13.0	-13.7	-14.4	-14.6	-14.1	-13.6	-13.6	-13.6	-13.3	-13.0	-11.8	-9.6
22	-9.5	-9.6	-9.5	-9.1	-8.8	-8.6	-8.5	-8.2	-8.0	-7.9	-7.5	-6.9
23	-17.1	-17.8	-18.4	-18.1	-18.2	-18.3	-18.6	-18.3	-17.7	-16.8	-15.7	-13.6
24	-16.8	-17.0	-16.3	-15.8	-14.9	-14.8	-15.2	-15.4	-15.1	-14.8	-13.5	-12.9
25	-19.8	-20.3	-20.3	-20.1	-20.3	-20.4	-20.2	-19.8	-18.7	-16.8	-15.9	-13.9
26	-12.8	-12.9	-13.0	-13.1	-13.4	-13.5	-13.5	-13.2	-12.4	-11.9	-11.9	-12.0
27	-17.0	-17.6	-17.6	-17.6	-17.5	-17.0	-16.7	-17.1	-17.2	-15.3	-13.5	-11.4
28	-15.7	-16.5	-16.0	-15.2	-14.6	-14.3	-14.1	-14.2	-12.5	-10.2	-7.9	-6.5
MEAN	-8.37	-8.59	-8.69	-8.63	-8.70	-8.66	-8.64	-8.61	-8.23	-7.47	-6.52	-5.68

FEBRUARY — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
3.7	3.6	2.9	2.1	1.4	1.3	1.5	2.2	2.4	2.0	1.6	1.6	1.57
3.9	4.0	3.1	2.3	1.0	0.9	1.1	1.0	0.7	0.9	0.9	1.5	1.93
2.7	3.6	3.8	3.5	3.3	3.0	2.6	2.1	1.1	0.7	0.1	-0.4	1.43
-1.6	-1.9	-2.1	-2.6	-3.3	-4.0	-4.8	-4.5	-4.9	-5.0	-5.7	-5.9	-3.05
-6.6	-7.4	-8.8	-8.9	-8.9	-8.8	-8.4	-7.9	-7.6	-7.6	-7.6	-7.9	-7.12
-10.0	-10.2	-10.3	-10.1	-11.2	-11.9	-12.4	-12.7	-13.0	-13.3	-13.3	-12.8	-10.55
-10.1	-10.1	-10.4	-10.6	-11.2	-11.3	-10.8	-10.5	-10.8	-10.4	-11.2	-12.0	-11.35
-11.8	-10.7	-11.3	-11.9	-12.7	-12.5	-13.1	-13.9	-13.7	-14.3	-14.1	-15.0	-13.76
-6.9	-7.7	-8.5	-8.9	-9.0	-9.1	-9.0	-11.0	-11.1	-10.6	-11.3	-12.5	-10.70
-14.3	-13.0	-13.2	-13.4	-13.4	-13.8	-14.3	-14.4	-14.2	-13.9	-13.4	-12.4	-15.07
-4.9	-5.8	-6.1	-6.1	-6.1	-5.9	-5.1	-4.8	-4.5	-4.3	-4.2	-4.3	-6.81
-0.2	0.0	0.1	0.4	0.3	0.5	0.6	1.0	1.3	1.5	1.8	1.8	-0.97
3.1	3.2	3.6	3.8	3.4	2.7	2.4	1.8	1.3	0.8	0.5	-0.1	2.16*
2.1	2.4	2.1	1.9	2.1	2.0	1.4	1.0	1.0	0.9	1.0	0.9	1.40
4.5	5.0	4.7	3.6	2.1	1.2	-0.3	-0.5	-1.0	-1.2	-1.7	-2.0	0.37
-0.7	-0.7	-1.0	-0.5	-0.8	-0.8	-1.0	-1.0	-1.2	-1.3	-1.5	-2.0	-2.10
-2.7	-2.5	-2.5	-2.6	-2.8	-2.8	-3.0	-3.0	-3.1	-2.9	-3.1	-3.3	-3.27
-5.4	-4.8	-5.1	-5.9	-7.1	-9.6	-9.3	-8.6	-8.4	-8.6	-10.0	-11.5	-6.04
-4.1	-3.3	-3.3	-4.4	-6.8	-8.0	-9.2	-9.9	-10.6	-11.3	-13.1	-12.3	-10.02
-5.5	-5.6	-6.0	-6.5	-6.7	-7.7	-9.0	-9.6	-10.6	-11.5	-11.7	-12.4	-7.43
-9.3	-8.4	-8.1	-8.0	-9.4	-9.5	-9.2	-9.2	-8.9	-9.2	-9.1	-9.1	-11.07
-6.7	-6.6	-7.2	-8.0	-9.4	-11.3	-11.9	-13.3	-14.5	-15.0	-15.5	-16.5	-9.92
-12.3	-12.0	-12.0	-12.3	-12.9	-13.5	-12.6	-13.9	-15.2	-16.0	-16.9	-16.6	-13.62
-12.2	-12.0	-11.9	-12.4	-13.0	-14.1	-15.8	-17.8	-19.1	-19.8	-20.8	-20.3	-15.49
-13.1	-12.3	-11.8	-11.5	-12.2	-12.6	-12.8	-13.1	-13.1	-13.1	-13.0	-12.7	-15.74*
-12.5	-13.0	-13.1	-13.5	-13.9	-13.8	-14.2	-14.6	-15.2	-15.4	-16.3	-16.7	-13.58
-9.6	-9.2	-9.9	-11.3	-12.8	-14.7	-14.7	-15.9	-16.0	-16.6	-16.0	-15.7	-14.91
-6.0	-4.8	-4.1	-4.0	-4.5	-5.0	-4.7	-4.1	-4.1	-3.7	-3.3	-3.2	-8.72
-5.23	-5.01	-5.23	-5.56	-6.23	-6.75	-7.00	-7.33	-7.61	-7.79	-8.10	-8.28	-7.37

MARCH — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	-3.0	-3.0	-2.8	-2.8	-2.8	-2.4	-2.6	-2.3	-2.1	-1.7	-1.2	-0.8
2	-2.6	-3.8	-4.8	-5.3	-6.0	-6.6	-7.2	-7.6	-7.6	-7.5	-6.9	-6.4
3	-7.7	-9.9	-10.9	-11.7	-12.7	-13.4	-13.2	-12.8	-12.0	-9.9	-8.1	-6.3
4	-7.2	-6.7	-6.3	-5.8	-5.4	-4.6	-4.4	-4.0	-3.5	-3.0	-2.6	-2.2
5	2.6	2.5	2.3	2.2	2.3	2.4	2.0	2.4	3.5	4.5	5.2	6.1
6	0.3	0.3	0.0	0.2	0.0	-0.1	-0.5	-0.5	-1.0	-3.0	-2.5	-2.1
7	-11.1	-11.4	-11.4	-12.2	-12.8	-13.5	-13.2	-13.0	-13.0	-11.5	-11.0	-10.7
8	-13.7	-14.8	-14.8	-15.2	-15.6	-16.0	-16.5	-16.9	-14.5	-12.8	-11.3	-9.8
9	-18.9	-19.4	-20.3	-19.3	-19.4	-17.5	-14.9	-12.5	-12.9	-10.5	-10.5	-9.2
10	-11.4	-11.0	-11.4	-11.7	-11.6	-11.3	-11.2	-11.1	-10.7	-9.8	-9.1	-7.8
11	-9.6	-9.5	-9.6	-9.5	-9.4	-9.2	-9.3	-9.2	-8.9	-8.9	-8.5	-8.5
12	-8.3	-8.6	-8.6	-8.7	-8.5	-8.4	-8.0	-7.7	-7.2	-6.8	-6.3	-6.4
13	-6.9	-6.9	-7.4	-7.4	-7.5	-7.5	-7.3	-7.2	-6.9	-6.6	-6.1	-5.9
14	-4.6	-4.7	-4.7	-4.7	-4.2	-4.0	-4.7	-3.9	-4.9	-4.9	-3.2	-2.7
15	-0.8	-0.3	-0.7	-0.5	-0.6	-0.9	-0.9	-0.6	-1.0	-0.5	-0.2	-0.5
16	-2.8	-3.3	-4.2	-3.8	-3.9	-4.1	-4.6	-4.3	-3.5	-2.7	-1.5	-0.5
17	-3.1	-3.7	-3.6	-4.0	-3.9	-3.8	-3.8	-3.6	-3.2	-3.1	-3.4	-2.3
18	-3.4	-3.4	-3.5	-3.5	-4.1	-4.6	-5.2	-5.6	-4.8	-4.6	-3.5	-2.0
19	-7.2	-6.5	-6.5	-7.2	-7.4	-7.5	-7.5	-7.4	-7.7	-6.6	-2.6	-2.2
20	-12.5	-12.6	-12.6	-12.9	-13.3	-13.7	-12.6	-11.0	-7.8	-6.2	-4.5	-3.4
21	-6.7	-7.5	-8.3	-9.8	-11.8	-12.1	-12.5	-12.4	-10.9	-9.2	-6.8	-4.9
22	-16.8	-17.9	-18.9	-19.2	-20.4	-20.7	-19.7	-17.1	-11.6	-7.6	-5.6	-4.0
23	-16.1	-15.9	-16.1	-15.7	-13.2	-13.1	-12.4	-10.4	-7.9	-5.5	-3.0	-1.1
24	-10.7	-12.2	-12.6	-13.7	-14.6	-14.9	-13.2	-10.3	-6.0	-4.7	-2.5	-0.4
25	-8.6	-8.8	-9.8	-10.1	-10.4	-10.3	-10.2	-7.9	-6.4	-4.9	-3.7	-1.4
26	-5.8	-5.7	-5.7	-5.8	-6.3	-6.6	-6.6	-6.3	-6.4	-6.1	-5.0	-4.5
27	-12.9	-14.6	-15.0	-15.6	-15.6	-16.2	-16.0	-14.1	-10.3	-7.8	-3.4	-1.1
28	-11.0	-12.0	-12.7	-12.5	-13.5	-14.5	-14.1	-12.7	-11.1	-8.0	-4.0	-1.4
29	-11.6	-10.9	-10.9	-11.3	-12.1	-13.6	-12.8	-10.3	-7.0	-4.0	-1.1	0.0
30	-7.5	-8.7	-10.1	-11.0	-12.8	-12.5	-12.3	-9.9	-6.7	-3.0	0.0	0.5
31	-11.3	-12.0	-13.4	-14.2	-14.7	-14.8	-12.5	-7.0	-2.8	0.5	1.7	2.5
MEAN	-8.09	-8.50	-8.88	-9.12	-9.43	-9.55	-9.29	-8.30	-6.99	-5.69	-4.23	-3.21

APRIL — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	-8.4	-9.2	-10.0	-8.5	-9.9	-7.4	-7.0	-5.6	-2.1	-0.7	-0.2	0.6
2	-1.5	-1.6	-1.8	-1.9	-1.3	-1.2	-0.9	-0.2	0.8	1.3	2.1	2.4
3	-3.8	-4.1	-4.9	-5.2	-5.7	-5.4	-3.5	-1.5	-0.1	1.3	3.5	4.2
4	-4.3	-4.1	-3.3	-3.2	-2.9	-2.4	-1.4	-0.3	1.0	2.5	3.5	4.4
5	-0.1	-0.1	0.0	-0.1	-0.3	-0.3	-0.1	-0.2	0.0	0.1	0.7	1.2
6	-0.7	-1.2	-1.3	-1.3	-0.5	-1.3	-0.1	-0.5	0.2	0.7	1.2	1.2
7	-2.1	-2.3	-2.2	-2.9	-3.4	-3.0	-2.1	-1.0	1.0	1.7	2.8	3.7
8	-1.8	-2.5	-3.0	-3.9	-4.4	-4.5	-3.7	-2.1	-0.1	-0.2	1.5	2.1
9	-3.2	-3.6	-3.7	-3.7	-3.5	-3.1	-2.5	-1.1	0.9	3.0	3.9	4.3
10	-3.0	-3.0	-3.1	-3.6	-3.1	-3.0	-2.2	-2.0	-0.2	0.7	0.3	1.2
11	-4.1	-4.1	-4.6	-4.7	-4.6	-4.6	-4.4	-3.4	-1.3	0.0	2.3	3.6
12	-3.2	-3.5	-3.0	-2.8	-3.0	-2.1	-1.3	0.6	3.2	4.4	5.5	6.9
13	1.4	1.3	1.4	1.7	1.8	2.2	2.9	3.5	3.9	4.6	6.8	8.8
14	2.9	2.9	3.6	3.4	3.2	3.2	4.6	6.8	8.4	10.1	11.1	9.8
15	2.4	2.5	2.4	1.8	2.0	2.0	2.2	2.3	2.6	3.2	3.8	4.3
16	1.8	1.4	1.1	0.9	0.4	0.6	1.5	1.8	4.8	7.6	8.6	9.6
17	0.7	-0.8	-1.6	-1.8	-1.4	-0.2	2.1	4.0	5.5	6.7	8.8	8.3
18	1.7	1.5	1.2	0.6	-0.1	1.0	3.6	5.8	8.5	9.9	10.3	10.5
19	1.3	0.4	0.0	0.1	-0.1	0.8	1.7	3.1	4.1	5.0	6.2	4.8
20	0.1	0.0	-0.3	-0.4	-0.1	0.3	0.8	1.1	1.8	2.8	3.2	3.4
21	1.6	1.5	1.5	1.3	1.2	1.3	1.2	1.1	1.5	1.7	1.8	2.0
22	0.4	0.5	0.4	0.3	0.0	0.0	0.5	1.0	3.7	5.3	6.8	6.0
23	-1.6	-2.0	-2.2	-2.5	-2.5	-1.9	-0.7	1.1	3.4	4.8	6.2	5.6
24	-0.3	-0.7	-0.7	-0.7	-0.6	-0.5	-0.1	0.4	1.3	3.4	4.5	5.4
25	-0.2	-0.4	-0.7	-0.7	-0.5	-0.3	2.0	5.5	6.9	7.7	8.8	9.2
26	-2.5	-2.5	-2.6	-2.7	-2.4	-1.5	0.2	2.8	5.6	6.7	8.6	8.6
27	4.4	4.2	3.3	1.9	1.4	2.2	3.4	3.7	3.6	3.6	3.2	4.6
28	3.5	2.6	2.3	2.2	1.8	2.2	3.0	3.4	4.0	4.2	3.9	2.7
29	0.1	0.1	0.2	0.2	0.3	0.3	0.4	0.8	1.6	2.3	2.7	3.4
30	5.7	5.6	5.9	6.5	6.7	7.3	8.4	9.9	11.0	12.2	12.5	14.4
MEAN	-0.43	-0.71	-0.86	-0.99	-1.05	-0.64	0.28	1.36	2.85	3.89	4.83	5.24

MARCH — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
-0.6	-0.1	-0.3	-0.2	0.0	0.0	0.3	0.5	0.4	0.2	0.3	-0.6	-1.15
-6.0	-6.2	-6.7	-6.9	-7.1	-7.5	-7.9	-8.0	-8.1	-8.0	-7.5	-7.3	-6.65
-5.3	-4.6	-4.6	-5.0	-6.4	-7.4	-6.4	-6.2	-6.3	-7.0	-7.3	-7.4	-8.44
-1.5	-0.8	-0.3	0.2	0.5	0.6	0.9	1.2	1.4	1.6	1.9	2.4	-1.98
6.5	6.4	6.1	5.8	4.7	2.3	1.4	1.1	0.7	0.6	0.0	0.0	3.07*
-2.9	-3.0	-4.6	-5.9	-6.5	-7.0	-7.6	-8.4	-8.8	-9.8	-10.4	-10.6	-3.93
-10.6	-10.3	-10.5	-10.7	-11.6	-13.1	-13.5	-13.7	-13.5	-13.0	-12.7	-12.6	-12.11
-6.1	-5.8	-5.3	-5.3	-6.4	-7.8	-9.6	-10.2	-12.1	-14.8	-17.4	-18.5	-12.13
-7.3	-7.1	-7.3	-8.0	-8.7	-9.4	-10.4	-10.8	-11.4	-11.7	-12.3	-11.8	-12.56*
-8.2	-9.1	-9.0	-8.9	-9.1	-9.1	-9.1	-8.7	-9.3	-9.4	-9.4	-9.5	-9.87
-8.1	-8.1	-7.7	-7.8	-7.9	-7.5	-7.6	-7.7	-7.4	-7.5	-7.8	-8.3	-8.48
-5.7	-5.9	-5.7	-6.0	-6.4	-6.6	-6.5	-6.7	-6.7	-6.6	-6.7	-6.9	-7.08
-5.4	-5.3	-5.4	-5.5	-5.5	-5.5	-6.0	-5.8	-5.5	-5.4	-4.8	-4.6	-6.18
-2.7	-2.9	-3.0	-3.0	-2.7	-2.5	-2.2	-1.9	-1.7	-1.3	-1.2	-0.7	-3.23
-0.5	-0.7	-0.9	-1.2	-1.6	-1.7	-2.2	-2.2	-2.3	-2.4	-2.4	-2.5	-1.20
0.2	0.7	0.4	0.9	0.2	-0.2	-0.5	-0.8	-1.0	-1.0	-1.6	-2.0	-1.83
-1.4	-0.8	-1.0	-1.1	-1.1	-1.6	-2.3	-2.9	-3.4	-3.5	-3.5	-3.5	-2.82
-1.2	-0.5	-0.1	-0.4	-2.0	-2.7	-3.5	-3.7	-4.5	-5.6	-6.7	-7.4	-3.60
-1.1	-1.3	-1.0	-1.9	-3.0	-4.1	-6.0	-7.6	-9.0	-10.3	-11.0	-11.7	-6.01
-3.6	-3.9	-4.0	-4.6	-5.2	-5.6	-5.8	-6.3	-6.3	-6.4	-6.7	-6.6	-7.84
-3.6	-2.9	-2.8	-3.2	-3.7	-4.6	-5.5	-6.5	-8.3	-11.4	-14.5	-16.0	-8.15
-2.8	-2.8	-2.4	-2.4	-3.0	-4.0	-6.2	-9.0	-10.9	-12.3	-12.9	-15.3	-10.98
0.0	0.7	1.5	1.3	0.6	-1.1	-2.5	-2.8	-3.5	-4.0	-5.1	-7.5	-6.37
1.2	2.5	2.9	3.1	2.5	1.6	0.3	-1.5	-2.9	-4.7	-6.3	-7.6	-5.20
-0.6	0.0	0.8	0.4	-0.1	-1.4	-2.9	-3.8	-5.1	-5.9	-5.9	-5.8	-5.12
-4.2	-3.2	-3.1	-3.2	-2.8	-2.8	-4.2	-5.3	-7.4	-9.4	-9.5	-11.1	-5.71
0.0	1.0	1.9	1.9	1.8	-0.2	-1.8	-3.1	-3.8	-6.1	-8.6	-10.1	-7.07
0.6	0.8	0.6	0.7	0.3	-1.2	-2.9	-3.8	-4.5	-6.2	-7.6	-10.3	-6.71
1.1	1.2	1.6	1.8	1.2	-0.3	-2.3	-2.6	-2.2	-2.9	-4.0	-5.1	-4.92
0.7	1.2	1.3	1.1	0.7	-0.3	-2.2	-4.2	-4.0	-5.9	-7.0	-9.9	-5.10
3.2	3.6	3.8	3.7	3.4	1.9	-0.6	-1.9	-3.4	-4.2	-4.5	-6.9	-4.16
-2.44	-2.17	-2.09	-2.27	-2.74	-3.52	-4.36	-4.95	-5.51	-6.27	-6.87	-7.61	-5.92

APRIL — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
0.8	0.3	-1.3	-1.4	-1.5	-1.3	-1.3	-1.4	-1.4	-1.4	-1.2	-1.1	-3.36*
2.5	2.0	1.5	0.9	0.4	-0.2	-1.0	-0.9	-1.0	-1.8	-2.5	-3.2	-0.30
4.3	4.0	3.9	3.9	3.2	1.2	0.0	-1.1	-2.0	-2.7	-3.3	-4.0	-0.74
3.4	3.4	2.5	2.0	1.3	0.8	0.6	0.4	0.3	0.3	0.1	-0.1	0.19
1.5	1.8	1.5	1.4	1.3	1.1	0.5	0.3	-0.1	-0.3	-0.6	-0.7	0.35
2.4	2.3	2.9	3.1	3.2	3.1	1.7	-1.3	-2.5	-2.9	-3.1	-2.2	0.13
4.9	5.3	5.0	4.8	4.4	3.6	2.0	0.8	0.0	0.1	-0.1	-0.7	0.85
2.5	3.0	1.8	2.7	2.6	1.7	0.3	-0.4	-1.3	-2.4	-2.8	-2.9	-0.74
4.6	4.1	3.6	2.7	2.1	0.7	-0.3	-1.5	-2.2	-2.9	-3.0	-2.8	-0.30
1.4	2.6	2.9	3.1	2.3	0.6	-1.5	-2.5	-3.2	-3.8	-3.9	-4.4	-1.14
4.4	5.1	5.3	4.8	4.1	3.4	1.9	-0.9	-1.5	-2.2	-2.4	-2.9	-0.45
7.7	8.2	8.5	8.6	8.2	7.7	5.6	4.2	2.1	1.7	1.3	0.9	2.77
8.7	8.5	9.2	9.1	9.5	7.6	6.6	5.6	5.3	4.7	3.0	3.0	5.05
9.1	9.1	8.5	8.5	8.8	7.9	6.7	5.3	4.6	3.6	3.1	2.8	6.17
5.1	5.1	5.6	5.6	5.5	5.2	4.9	4.2	3.7	3.7	3.0	1.9	3.54
10.1	10.4	11.0	11.4	10.5	9.6	7.1	5.1	3.6	2.3	2.4	1.6	5.22
8.3	8.4	8.4	7.5	7.2	5.9	5.2	5.0	3.7	2.7	1.6	1.6	3.99
11.5	11.3	11.4	11.0	9.9	9.4	6.3	4.4	3.0	2.4	1.6	1.6	5.74
1.4	1.8	1.2	1.2	1.0	0.6	0.4	0.3	0.5	0.5	0.3	0.1	1.53
4.5	4.6	5.3	5.4	5.4	4.8	4.1	3.5	2.8	2.3	2.0	1.8	2.47
2.6	2.9	2.7	2.8	3.2	1.5	1.1	0.5	0.1	0.0	0.2	0.1	1.47
6.5	7.4	5.9	6.1	4.7	3.6	2.6	1.1	0.1	-0.8	-1.0	-1.4	2.49
4.6	3.5	3.1	3.0	2.3	1.6	1.2	0.9	0.6	0.4	0.0	-0.3	1.19
6.2	5.8	5.9	6.3	5.9	5.8	4.5	3.3	2.5	1.8	1.1	0.6	2.55
9.3	8.5	8.4	7.4	6.1	4.5	2.9	1.6	0.5	-0.4	-1.4	-2.0	3.45
8.7	7.6	7.0	5.5	4.5	3.6	3.3	3.5	3.3	4.4	4.8	5.0	3.31
5.7	6.6	6.9	6.3	5.3	5.2	4.6	4.4	4.1	3.7	3.7	3.7	4.15
1.1	0.5	0.3	0.0	0.0	0.0	0.0	0.3	0.2	0.2	0.2	0.1	1.61
5.4	5.9	7.2	8.1	7.5	7.0	6.8	5.7	4.7	4.6	4.8	4.7	3.53
15.9	15.2	16.2	14.8	14.7	14.9	13.0	11.0	10.0	8.7	7.3	7.4	10.63*
5.50	5.51	5.41	5.22	4.79	4.04	2.99	2.05	1.35	0.88	0.51	0.27	2.18

MAY — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.)												MEAN
	1	2	3	4	5	6	7	8	9	10	11	12	
1	5.8	6.0	4.8	2.9	2.4	5.7	8.3	9.9	11.0	11.9	13.2	13.5	
2	1.1	-0.3	0.6	1.5	2.5	2.5	3.1	3.9	6.7	8.2	9.4	10.0	
3	1.[illegible]	-0.1	-0.4	-0.5	-0.4	-0.1	0.2	2.0	2.4	4.0	5.8	5.7	
4	2.8	2.6	2.5	2.3	2.3	2.5	2.5	2.8	3.5	4.7	6.4	6.7	
5	3.8	2.[illegible]	1.7	1.0	1.7	2.7	4.3	5.6	7.1	8.0	9.0	9.0	
6	0.9	-0.9	-2.1	-2.4	-1.6	0.3	3.9	6.7	8.0	9.2	9.2	9.5	
7	0.5	0.4	0.2	0.4	0.5	1.2	1.9	2.3	2.3	2.4	2.4	2.5	
8	1.2	1.1	1.0	0.7	0.6	0.8	1.3	2.1	2.5	4.0	4.9	6.5	
9	5.1	4.0	3.7	3.4	3.5	3.8	4.4	4.8	5.3	6.6	8.2	10.6	
10	9.0	8.2	7.3	7.3	7.4	8.6	9.2	9.5	10.2	11.7	12.0	12.8	
11	4.5	3.8	2.6	2.0	2.4	4.7	7.3	10.0	11.8	12.8	12.9	13.4	
12	5.1	4.5	4.4	5.3	4.9	5.4	5.9	6.1	6.2	7.4	8.2	7.9	
13	5.6	5.6	5.4	5.5	4.7	4.7	5.0	5.5	6.0	5.5	7.5	8.1	
14	1.9	0.5	-1.5	-1.3	-0.4	3.3	6.4	8.8	9.7	10.9	11.4	11.7	
15	4.3	3.2	2.2	2.1	2.2	4.2	6.2	8.1	9.4	9.6	7.7	6.5	
16	4.8	4.6	4.5	4.5	5.0	5.6	6.4	6.9	8.6	8.4	9.3	9.9	
17	5.3	4.7	5.1	5.1	6.0	7.8	8.7	10.1	10.7	11.6	11.7	11.7	
18	3.1	2.6	2.6	3.1	3.4	3.5	4.4	4.6	5.1	7.5	9.0	10.9	
19	5.1	3.8	3.4	3.5	4.5	6.4	7.4	8.5	9.5	10.8	12.4	7.9	
20	0.4	-0.1	-0.7	0.2	3.3	5.4	7.9	9.1	9.9	10.8	10.7	11.0	
21	9.3	8.6	8.3	7.8	7.9	7.9	7.9	7.9	9.2	11.0	12.4	13.5	
22	8.8	8.3	7.4	6.7	6.9	7.4	8.1	8.9	10.4	11.9	12.0	13.2	
23	7.1	5.5	5.5	5.3	6.7	8.7	10.4	12.2	13.3	15.1	15.5	15.7	
24	3.3	2.3	1.8	2.3	5.2	7.1	10.3	13.2	14.0	14.2	13.6	13.6	
25	8.7	7.5	8.1	7.7	8.3	10.0	11.5	13.7	14.7	16.6	18.0	19.9	
26	10.2	9.7	8.9	8.2	9.3	11.2	14.0	17.1	20.0	22.9	26.0	26.8	
27	15.5	14.4	13.7	13.6	13.3	14.2	14.7	15.6	16.6	17.4	17.4	18.7	
28	10.7	11.0	10.7	10.6	11.4	12.4	12.4	13.7	14.5	15.6	15.7	16.0	
29	7.6	7.8	7.8	7.3	7.7	8.2	8.7	9.7	10.3	9.2	10.5	12.1	
30	5.1	5.5	5.4	5.8	7.1	8.7	10.2	12.1	14.0	15.4	16.6	17.4	
31	8.7	7.8	6.7	6.2	8.7	11.3	13.3	15.3	16.8	17.5	17.8	18.0	
MEAN	5.36	4.67	4.25	4.13	4.75	6.00	7.30	8.60	9.67	10.74	11.51	11.96	

JUNE — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.)												MEAN
	1	2	3	4	5	6	7	8	9	10	11	12	
1	7.4	6.9	6.2	7.4	8.8	11.0	13.6	15.6	16.6	17.3	17.7	18.3	
2	9.3	8.1	8.0	8.1	8.7	9.2	11.3	11.1	16.3	18.3	19.9	20.1	
3	10.4	9.9	9.1	9.2	10.9	12.7	13.3	14.8	15.3	17.7	18.2	19.4	
4	10.2	9.7	9.0	9.5	10.6	12.5	14.7	16.3	17.7	20.0	21.1	21.6	
5	8.2	8.0	6.3	6.7	7.3	7.8	7.7	7.2	6.9	8.5	9.3	8.5	
6	0.5	0.3	0.9	1.6	1.8	4.1	6.1	8.2	9.8	11.0	11.9	13.6	
7	6.0	6.1	6.2	7.5	10.0	12.6	15.2	17.0	18.4	19.6	20.8	21.6	
8	10.1	8.9	8.0	7.7	9.0	10.2	11.7	13.1	14.8	16.2	17.1	18.8	
9	11.4	11.2	11.1	10.9	11.2	12.2	13.3	14.1	15.3	16.7	14.0	12.9	
10	4.6	4.8	5.3	5.2	5.0	5.4	5.7	5.5	6.0	7.1	8.0	9.1	
11	0.3	0.0	-0.8	-0.2	2.8	7.0	10.1	11.4	12.5	12.0	11.7	12.4	
12	1.5	0.9	0.1	0.8	4.1	8.6	12.9	14.1	14.5	15.1	13.9	14.1	
13	4.1	3.6	2.9	3.4	4.6	6.0	8.0	9.3	9.5	9.5	8.9	12.5	
14	2.5	1.5	0.7	1.4	4.2	7.0	10.5	12.0	13.4	14.3	15.0	14.8	
15	6.6	5.5	5.4	6.5	7.5	8.4	9.9	11.4	12.7	13.3	14.4	14.2	
16	9.6	9.7	9.6	9.5	9.1	8.4	8.8	10.0	12.2	13.0	14.1	14.4	
17	8.9	8.5	8.4	8.6	9.3	11.5	13.2	14.7	16.8	18.9	19.7	20.5	
18	10.6	11.0	11.2	12.0	13.0	14.7	15.5	17.2	19.0	20.2	20.4	19.8	
19	11.6	11.8	11.6	11.2	11.1	11.1	11.5	11.9	12.8	15.0	14.8	15.2	
20	7.7	7.4	7.4	7.6	8.4	9.2	9.5	9.5	9.5	10.5	10.6	10.2	
21	9.3	9.2	8.8	8.4	8.7	9.3	10.1	10.7	11.2	12.4	13.4	13.6	
22	5.3	4.2	4.6	4.5	5.2	6.2	7.6	9.5	13.7	17.1	16.8	17.3	
23	10.8	10.7	10.6	10.7	11.2	11.7	12.3	12.6	13.9	15.6	16.8	18.0	
24	9.5	9.4	8.8	8.9	10.2	11.7	14.1	15.8	17.2	17.4	17.4	19.2	
25	10.7	10.1	9.1	8.2	10.5	11.2	12.8	15.2	16.8	18.3	18.9	19.8	
26	11.3	11.0	10.4	10.5	11.8	12.8	14.0	15.4	17.3	18.1	18.4	19.2	
27	10.2	9.5	9.2	9.3	9.4	11.4	15.9	19.0	19.9	21.4	21.7	22.3	
28	14.1	14.5	14.6	14.4	14.0	14.6	17.2	19.9	19.8	18.2	18.6	21.1	
29	16.2	16.0	15.3	14.2	13.8	14.5	16.1	16.7	16.7	16.8	16.7	16.3	
30	16.4	15.5	15.2	15.2	16.6	18.3	20.0	21.2	22.9	24.4	24.4	25.1	
MEAN	8.51	8.13	7.77	7.96	8.96	10.38	12.09	13.35	14.65	15.80	16.15	16.80	

MAY — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.)												MEAN
	13	14	15	16	17	18	19	20	21	22	23	24	
1	14.9	13.8	14.1	14.4	14.0	13.1	11.5	7.2	6.9	6.5	4.2	2.4	7.10
2	10.9	10.9	10.3	10.5	10.6	10.3	9.4	8.2	8.0	5.6	4.5	2.7	6.30
3	5.0	7.1	6.6	6.7	6.4	5.1	4.6	3.9	3.7	3.5	3.2	3.1	3.27
4	7.7	8.7	8.3	8.6	8.5	7.9	7.5	7.2	6.5	4.8	3.5	3.8	5.19
5	9.4	9.8	9.1	9.2	9.0	9.5	9.0	8.0	6.7	5.2	2.7	1.1	6.03
6	9.4	10.6	9.7	8.5	7.7	7.2	6.5	5.1	3.8	2.7	1.5	0.8	4.76
7	2.8	3.0	3.3	2.9	3.1	3.0	2.7	3.0	2.5	2.1	1.4	1.0	1.99*
8	8.0	9.1	9.3	10.2	9.0	8.1	6.9	6.6	5.5	5.0	4.7	5.0	4.75
9	11.6	11.7	11.8	11.9	12.6	11.8	10.9	9.9	10.8	10.5	10.1	9.6	8.19
10	13.2	14.5	15.4	15.0	14.9	14.4	13.3	11.1	9.5	8.2	7.0	6.0	10.65
11	15.0	14.5	15.0	14.9	14.8	14.2	13.3	10.5	9.3	7.7	6.7	5.6	9.57
12	7.8	8.8	9.4	8.9	8.0	7.0	7.2	6.7	6.5	6.5	6.2	5.2	6.65
13	8.5	7.5	10.7	9.1	10.7	10.2	9.3	8.0	7.2	5.6	4.4	3.3	6.82
14	13.6	13.6	13.9	13.7	14.0	13.5	13.2	11.2	9.3	7.9	6.7	5.3	8.22
15	6.2	6.6	6.3	6.5	5.9	5.4	5.5	5.5	5.4	5.9	5.7	5.0	5.65
16	10.8	11.9	12.2	12.6	12.2	12.1	11.6	9.7	8.9	8.0	7.4	6.2	8.42
17	10.3	10.2	10.3	9.2	7.6	6.6	6.0	4.6	4.2	4.0	3.3	2.7	7.40
18	11.0	10.0	8.8	9.8	10.0	9.0	7.8	6.9	6.4	6.8	6.9	6.3	6.65
19	8.2	12.5	13.2	13.2	13.5	12.0	12.2	10.4	7.2	5.0	2.8	1.1	8.10
20	11.7	11.6	11.5	12.7	13.0	12.4	12.5	12.5	12.1	11.3	11.0	10.2	8.77
21	14.3	15.7	16.0	16.1	16.1	15.5	14.7	12.2	11.0	10.4	9.8	8.7	11.34
22	13.8	14.9	14.6	14.4	13.8	13.6	12.8	11.8	10.1	9.2	8.3	8.0	10.64
23	16.0	15.8	14.8	14.6	14.5	13.6	11.5	10.2	9.0	8.3	6.7	5.7	10.90
24	14.5	15.0	13.9	13.4	13.1	12.8	12.3	11.6	10.8	10.2	9.3	8.6	10.27
25	21.0	20.8	22.2	22.3	22.3	21.9	19.8	17.5	16.4	14.4	13.3	11.7	15.35
26	26.4	27.1	27.1	26.5	25.1	23.6	22.3	20.7	19.0	17.2	17.0	16.3	18.86*
27	18.9	19.7	19.5	19.6	18.4	17.4	15.5	14.5	13.8	13.2	11.8	12.1	15.81
28	15.9	15.0	15.3	14.7	13.3	12.0	10.4	9.4	8.8	8.2	8.1	7.7	12.23
29	12.1	11.6	12.3	13.3	13.7	13.5	12.2	11.2	9.8	7.9	6.6	5.5	9.86
30	16.6	17.6	17.4	17.9	17.8	17.6	17.3	15.7	13.6	12.3	11.6	9.6	12.85
31	18.1	18.0	18.1	17.7	16.7	16.0	15.0	13.9	12.9	11.6	10.0	8.6	13.53
MEAN	12.37	12.83	12.92	12.87	12.59	11.95	11.12	9.84	8.89	7,93	6.98	6.09	8.97

JUNE — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.)												MEAN
	13	14	15	16	17	18	19	20	21	22	23	24	
1	17.9	17.8	16.8	17.2	16.5	15.3	14.6	13.8	12.5	11.6	10.7	9.8	13.39
2	20.6	20.8	21.0	21.0	20.6	20.1	19.3	17.8	15.0	13.7	12.3	10.9	15.06
3	18.4	14.9	14.0	15.7	17.0	16.9	16.0	15.0	13.3	12.3	11.6	10.6	14.02
4	22.6	23.6	23.0	22.5	21.1	18.7	15.5	13.4	12.1	11.2	10.8	9.9	15.72
5	8.1	9.0	8.4	7.7	7.9	8.2	6.9	6.2	4.8	3.4	2.4	1.5	6.95*
6	14.1	15.1	15.9	16.5	16.3	16.8	15.7	11.8	9.4	8.8	8.2	6.3	9.36
7	23.3	22.6	24.4	24.0	23.8	23.1	21.6	19.7	18.3	17.1	13.8	11.4	16.84
8	19.3	19.7	19.4	19.4	20.0	18.8	18.0	15.9	14.6	13.1	12.8	11.9	14.52
9	13.0	11.6	9.7	8.1	7.2	6.1	5.7	5.3	5.1	4.7	4.7	4.6	10.00
10	10.2	10.1	10.1	10.7	11.7	10.1	10.0	9.1	7.6	5.2	1.9	0.9	7.05
11	12.3	12.6	12.5	13.5	13.2	12.9	12.9	11.7	9.2	6.8	4.5	2.7	8.50
12	14.9	11.1	11.1	10.0	9.4	9.6	10.3	9.8	8.6	6.8	6.2	5.5	8.91
13	10.8	11.9	10.5	9.9	9.5	8.0	8.2	8.1	7.8	6.3	4.8	3.1	7.55
14	16.0	14.9	12.1	13.5	13.7	11.5	11.0	10.3	10.0	9.6	9.2	7.4	9.85
15	14.7	14.2	14.0	13.8	13.3	13.3	13.0	12.5	11.7	10.7	9.8	9.6	11.10
16	15.2	16.2	16.6	16.9	16.7	15.5	14.0	12.8	11.8	10.5	10.0	9.1	12.24
17	21.2	21.0	21.6	21.4	20.1	19.2	17.8	16.5	14.1	12.3	11.4	10.9	15.27
18	20.0	19.5	18.1	16.6	15.4	14.4	13.4	12.9	12.1	11.9	11.8	11.3	15.08
19	15.8	17.0	16.6	14.7	13.6	12.9	12.4	11.9	11.3	10.5	9.4	8.5	12.67
20	11.5	13.4	13.9	12.5	11.8	11.7	10.9	10.7	10.5	10.1	9.4	9.3	10.13
21	14.1	12.4	12.5	11.9	12.2	12.6	12.2	11.9	10.6	8.6	7.3	6.0	10.72
22	18.0	18.2	18.1	16.9	15.9	15.1	14.4	13.5	12.6	12.2	11.5	10.9	12.05
23	16.8	17.5	17.5	16.9	16.4	14.7	14.2	13.9	13.0	12.0	11.2	10.3	13.72
24	18.7	19.8	19.2	18.4	17.9	16.9	15.5	15.0	14.4	13.6	12.8	11.4	14.72
25	20.9	20.5	19.0	19.2	18.1	13.9	14.4	13.8	13.6	12.8	12.0	12.3	14.67
26	20.1	20.3	20.3	20.3	20.2	20.1	19.0	17.6	16.1	14.2	12.9	11.4	15.95
27	22.7	23.1	22.1	22.5	21.9	20.7	18.8	17.4	16.6	15.3	14.8	14.6	17.07
28	21.7	22.5	24.1	22.7	16.4	17.1	15.6	14.8	14.5	15.3	15.8	16.2	17.40
29	16.3	16.7	17.1	17.8	18.0	18.0	17.9	17.9	17.3	17.2	17.3	17.3	16.59
30	25.5	25.5	25.6	25.7	25.5	25.1	23.7	22.0	20.2	18.9	17.6	16.4	21.12*
MEAN	17.16	17.12	16.84	16.60	16.04	15.24	14.43	13.43	12.29	11.22	10.30	9.40	12.94

JULY — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.)												MEAN
	1	2	3	4	5	6	7	8	9	10	11	12	
1	15.4	14.4	13.4	13.4	14.5	16.4	18.5	20.5	22.2	24.3	25.4	26.4	
2	12.1	11.2	11.0	11.2	13.0	15.3	17.5	20.0	22.4	23.5	23.4	24.3	
3	14.0	13.3	12.7	12.4	13.4	15.6	18.8	20.3	24.2	24.5	26.1	25.4	
4	16.7	16.6	16.6	16.7	16.9	18.0	19.3	19.6	20.8	22.6	23.8	24.1	
5	13.6	13.0	12.7	12.9	12.6	13.9	14.6	16.1	17.8	18.5	19.5	19.8	
6	13.8	13.4	13.0	12.7	12.9	13.4	13.5	12.9	12.3	12.6	12.5	15.0	
7	7.0	6.3	7.4	7.7	9.5	11.1	13.0	14.8	15.9	17.2	17.5	17.7	
8	10.2	9.5	8.9	8.7	10.2	12.2	13.6	15.5	16.0	17.5	18.0	19.0	
9	19.2	14.6	14.2	13.6	13.4	14.5	16.5	17.4	18.3	20.1	21.3	21.6	
10	18.6	17.8	17.7	17.1	17.1	17.6	18.2	18.6	19.4	20.0	20.2	21.2	
11	10.6	10.8	11.2	10.9	10.9	11.6	13.4	14.1	15.1	15.7	16.5	18.0	
12	10.6	10.3	10.0	10.1	11.3	13.4	15.4	17.2	18.6	19.6	20.2	20.2	
13	14.4	13.3	11.8	12.1	13.2	14.8	16.6	17.2	17.6	20.0	20.5	20.3	
14	15.0	16.0	16.0	16.3	16.2	16.7	17.8	18.7	17.9	19.8	16.6	18.7	
15	13.9	13.8	13.4	13.4	12.3	11.3	10.5	10.3	10.1	10.2	10.1	11.9	
16	11.4	10.7	10.1	9.9	10.4	11.6	13.0	13.8	15.4	14.8	15.5	16.0	
17	11.2	10.4	10.2	11.0	11.9	13.5	14.2	15.1	15.5	15.8	15.6	15.5	
18	10.2	10.3	10.1	10.0	9.7	9.7	10.0	10.4	9.5	9.8	9.5	10.0	
19	9.7	9.3	10.2	9.3	10.0	11.1	12.7	13.3	13.3	13.1	14.3	15.2	
20	6.0	5.7	6.8	7.0	7.6	9.3	11.0	12.1	13.1	14.2	15.1	16.4	
21	8.0	7.3	7.0	7.7	9.0	11.3	13.6	15.6	17.0	17.9	18.5	18.5	
22	12.8	12.9	13.0	13.0	12.9	13.1	13.5	15.0	16.5	15.7	15.9	16.8	
23	13.3	13.2	12.9	12.9	12.8	12.8	13.0	12.9	13.8	14.1	15.0	16.6	
24	12.4	12.3	12.3	12.4	12.5	12.6	13.0	13.8	14.0	14.7	15.6	16.9	
25	12.0	11.4	11.3	11.1	11.1	11.0	11.0	11.7	11.8	12.2	12.8	13.5	
26	9.1	9.2	9.3	9.2	9.3	10.5	12.0	13.9	14.8	15.2	15.8	16.6	
27	6.2	7.2	6.7	6.6	7.5	10.0	12.0	13.5	15.0	15.3	15.5	16.5	
28	9.8	9.0	9.3	8.9	9.9	10.6	12.3	14.1	15.5	17.0	18.4	19.0	
29	10.3	9.7	9.8	8.7	11.0	12.8	12.7	13.1	14.0	14.1	14.6	15.4	
30	12.9	12.3	13.1	13.2	13.4	14.0	14.2	14.9	16.1	17.4	18.6	19.8	
31	12.5	11.5	10.9	10.9	11.3	13.7	15.4	15.6	14.8	15.4	15.9	18.0	
MEAN	11.96	11.55	11.39	11.33	11.86	13.01	14.22	15.23	16.09	16.86	17.36	18.20	

DATE	HOUR (M.E.T.)												MEAN
	13	14	15	16	17	18	19	20	21	22	23	24	
1	26.3	26.0	26.0	25.9	24.7	24.0	23.0	21.0	18.9	15.9	14.7	13.2	20.18
2	25.2	25.8	25.7	25.8	25.4	25.1	23.8	22.0	20.6	19.1	17.8	16.8	19.92
3	26.6	26.5	26.4	26.8	26.4	26.5	25.4	23.5	21.4	19.9	19.6	17.7	21.14*
4	24.2	23.8	24.5	23.9	22.9	22.3	20.9	19.5	17.9	16.6	15.5	14.3	19.92
5	20.7	21.3	20.5	20.1	19.3	19.2	18.7	17.8	16.2	14.6	13.9	14.2	16.73
6	15.3	15.6	16.5	16.4	16.0	15.0	14.3	13.4	12.5	10.7	8.7	7.4	13.33
7	18.1	17.8	17.1	17.1	16.5	16.5	16.3	14.5	13.1	11.7	11.2	11.1	13.59
8	20.3	20.0	20.0	20.0	19.5	18.0	15.4	16.0	16.5	16.5	16.2	16.0	15.57
9	23.2	24.5	24.6	24.6	25.0	25.0	24.3	23.0	21.6	20.5	19.5	19.4	19.83
10	22.0	20.8	22.1	19.6	19.3	19.0	18.2	17.9	16.6	15.9	14.4	11.6	18.37
11	17.0	18.8	18.9	17.5	18.0	18.0	18.5	16.6	14.8	13.8	13.0	12.3	14.83
12	21.4	21.7	22.5	22.1	22.0	21.6	20.8	19.6	17.6	16.1	15.3	14.8	17.18
13	20.5	20.8	21.1	22.2	20.7	19.9	18.1	15.9	15.4	15.4	14.1	14.0	17.09
14	20.2	19.1	19.2	17.0	16.7	17.6	16.1	15.7	15.5	14.4	14.0	14.3	16.90
15	12.5	13.5	14.9	15.6	16.6	16.6	16.7	15.4	14.1	13.6	13.0	12.0	13.15
16	17.6	18.2	18.5	17.7	18.3	18.0	16.7	14.9	14.0	13.3	12.5	11.8	14.35
17	15.7	15.6	15.3	14.5	13.9	13.5	13.0	12.7	12.0	11.3	10.4	10.0	13.24
18	11.6	12.4	13.3	13.8	13.3	13.1	13.6	12.0	11.7	10.8	9.9	9.5	11.01*
19	16.3	15.6	14.1	15.4	17.2	17.5	15.3	14.4	12.7	10.1	8.4	7.0	12.73
20	16.6	17.6	17.8	18.0	17.2	16.6	13.8	12.0	10.5	9.2	8.5	8.0	12.09
21	17.6	17.3	18.0	17.7	17.0	16.5	15.5	14.6	14.0	13.6	13.3	12.7	14.13
22	16.6	16.9	16.4	16.5	16.1	16.3	15.9	14.9	14.3	13.7	13.3	13.4	14.81
23	17.0	17.6	18.4	18.2	17.0	17.0	16.3	14.9	14.0	13.2	13.7	12.4	14.71
24	16.4	18.6	17.6	15.7	15.0	13.6	13.3	12.8	12.7	12.8	12.5	12.3	13.99
25	13.5	13.4	12.4	11.8	11.9	11.4	10.6	10.6	9.9	9.9	9.8	9.6	11.49
26	17.5	17.9	18.0	17.9	18.0	17.8	16.8	14.0	12.5	11.3	10.1	9.1	13.57
27	17.1	16.4	17.0	16.6	16.6	15.4	15.1	14.0	12.5	11.9	11.2	10.5	12.85
28	20.1	19.1	19.0	19.4	19.5	19.4	18.5	17.5	14.6	13.2	12.0	10.8	14.87
29	15.4	16.1	16.5	16.6	16.2	15.4	14.2	12.8	12.4	12.2	12.5	12.9	13.32
30	18.9	19.6	18.9	18.2	18.0	18.0	17.9	16.5	14.5	14.0	13.8	12.8	15.90
31	18.0	19.0	18.0	16.3	16.3	16.7	15.5	14.8	14.0	13.4	12.6	12.4	14.70
MEAN	18.69	18.95	19.01	18.67	18.40	18.08	17.18	15.97	14.81	13.83	13.08	12.40	15.34

AUGUST — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.)												MEAN
	1	2	3	4	5	6	7	8	9	10	11	12	
1	11.8	11.8	11.3	11.2	11.8	12.0	12.7	13.6	14.6	16.5	17.5	18.6	
2	12.6	12.5	12.3	12.5	11.8	11.5	12.8	12.9	13.0	12.1	12.1	12.7	
3	11.1	11.4	11.4	11.4	11.4	11.7	12.2	13.1	14.8	14.9	15.4	14.7	
4	10.5	9.5	8.8	8.6	9.3	10.0	11.3	12.4	13.4	16.0	16.0	15.7	
5	10.0	9.8	9.3	9.0	10.4	11.8	13.1	13.6	13.8	14.3	14.6	15.0	
6	14.8	13.7	13.4	12.9	12.5	12.4	13.8	14.7	15.6	15.9	16.5	17.5	
7	10.4	9.9	9.4	8.8	8.9	10.4	11.8	12.8	14.4	15.0	15.4	16.9	
8	9.4	9.5	9.0	8.5	8.9	11.1	12.8	13.5	14.6	15.4	16.6	17.6	
9	11.7	11.5	11.3	11.2	11.1	10.8	11.0	11.2	13.1	12.6	13.7	14.9	
10	9.9	9.6	9.6	9.8	9.3	10.3	12.0	12.7	13.9	14.8	16.6	17.5	
11	8.6	8.0	6.8	6.7	6.7	9.6	14.6	17.3	18.4	19.5	20.9	21.3	
12	12.0	11.1	9.8	8.8	9.9	12.1	14.6	16.2	18.3	19.1	19.9	20.5	
13	10.5	10.4	10.8	11.3	12.3	14.3	17.2	18.6	18.0	16.7	17.2	15.9	
14	13.8	13.7	13.7	13.7	13.9	14.4	14.8	15.5	15.4	16.1	16.6	16.9	
15	12.8	12.8	12.4	12.2	12.3	12.3	12.3	12.5	12.9	13.7	13.9	14.7	
16	10.0	9.2	7.6	7.9	8.0	10.5	12.5	13.5	15.0	16.4	17.7	17.7	
17	13.3	13.3	13.4	13.4	13.1	13.4	13.7	14.5	15.6	15.6	16.2	17.1	
18	12.7	12.7	12.8	12.5	12.2	12.1	12.2	13.5	14.3	15.4	15.3	15.5	
19	12.0	12.7	12.7	11.4	11.1	11.4	13.8	15.1	16.4	16.2	15.9	16.3	
20	8.9	7.9	7.4	7.7	8.0	8.7	10.3	11.3	12.5	14.4	16.3	16.7	
21	8.3	8.3	8.3	8.1	7.5	9.5	10.8	13.3	15.5	14.0	15.2	15.1	
22	11.2	11.3	11.4	11.6	12.1	12.4	12.6	12.8	13.1	13.0	12.6	12.6	
23	12.4	12.5	12.4	12.5	12.5	12.7	13.5	13.9	14.0	14.3	14.7	15.1	
24	13.6	13.7	13.8	13.7	13.6	13.5	14.1	14.2	14.6	15.0	15.5	16.5	
25	13.6	13.6	13.6	13.5	13.6	13.5	13.3	14.2	14.4	13.6	14.0	14.0	
26	12.4	12.3	12.1	12.1	12.1	12.4	12.4	12.4	12.9	13.4	14.2	14.6	
27	13.7	13.5	13.0	12.4	12.5	12.6	13.5	14.3	15.0	15.6	15.6	15.9	
28	8.5	8.3	7.3	7.2	7.4	9.4	11.1	15.4	16.4	17.7	18.9	19.3	
29	12.1	11.2	11.4	11.3	10.9	10.2	10.5	10.4	11.0	12.1	13.7	16.1	
30	10.4	8.7	8.3	8.1	7.8	9.0	10.7	12.4	13.9	14.8	16.0	17.0	
31	14.1	14.0	14.1	14.0	14.0	14.0	14.0	14.1	14.2	14.8	15.9	16.6	
MEAN	11.52	11.29	10.93	10.77	10.87	11.61	12.77	13.74	14.61	15.13	15.83	16.34	

AUGUST — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.)												MEAN
	13	14	15	16	17	18	19	20	21	22	23	24	
1	20.0	20.0	20.0	20.3	19.6	19.0	17.9	15.3	14.7	14.0	14.1	12.9	15.47
2	13.9	15.5	14.8	14.7	14.5	13.7	12.5	12.0	11.0	10.6	11.1	10.9	12.67
3	15.1	16.7	16.5	15.6	15.8	14.6	13.7	12.9	12.3	11.2	10.7	10.3	13.29
4	17.3	17.9	13.0	14.4	14.6	15.1	15.3	14.1	13.0	12.4	11.5	10.7	12.95
5	14.0	14.4	16.1	16.7	16.5	16.2	15.7	15.6	15.1	15.0	14.9	14.9	13.74
6	18.2	17.8	18.4	17.7	17.1	16.0	15.0	13.0	12.1	11.3	11.4	10.8	14.70
7	17.2	17.4	17.9	17.6	17.6	17.3	16.3	14.6	13.5	12.0	10.7	10.5	13.61
8	17.7	17.9	12.7	12.5	12.2	13.0	12.8	12.1	11.9	12.0	12.1	12.0	12.74
9	12.0	13.5	13.7	14.5	12.9	12.3	12.0	11.6	11.2	10.9	10.6	10.5	12.07*
10	18.8	19.7	20.1	19.9	19.8	18.9	18.2	15.2	12.6	11.7	10.0	9.6	14.19
11	21.6	21.5	22.0	21.8	21.5	21.0	18.9	16.7	14.5	14.6	14.3	13.2	15.83
12	20.6	20.6	20.6	20.2	19.8	18.6	17.1	15.3	13.8	11.6	11.1	10.4	15.50
13	15.5	15.5	15.6	15.4	15.0	14.7	14.5	14.5	14.5	14.4	14.0	13.9	14.61
14	17.0	16.9	16.8	16.2	16.8	16.7	16.1	15.3	14.9	14.1	14.2	13.5	15.29
15	15.2	15.5	17.0	17.4	17.5	17.3	16.3	13.7	12.7	11.3	11.0	10.3	13.75
16	17.1	18.1	18.6	17.8	18.1	17.3	16.6	15.9	15.5	14.9	14.3	13.6	14.33
17	18.3	14.8	14.6	16.3	14.7	15.3	15.1	14.5	13.6	12.7	11.7	12.5	14.45
18	15.7	15.2	14.4	15.0	15.2	15.6	15.4	14.8	13.7	13.1	12.4	11.6	13.89
19	17.0	17.3	17.9	18.2	18.1	16.9	15.4	14.0	11.6	10.9	10.0	9.1	14.22
20	18.6	19.5	19.4	19.5	19.1	18.1	15.7	14.1	12.0	10.7	9.3	9.4	13.15
21	14.9	15.3	14.9	14.6	13.6	12.5	12.5	12.0	11.8	11.7	11.5	11.1	12.10
22	13.5	14.0	14.0	13.7	13.2	13.2	12.4	12.7	12.6	12.5	12.5	12.5	12.65
23	15.0	14.4	14.0	13.0	12.4	12.5	12.6	12.8	13.1	13.3	13.4	13.6	13.36
24	17.6	16.1	16.1	16.2	15.4	14.9	14.8	14.2	14.0	13.7	13.6	13.6	14.67
25	15.2	14.8	15.0	15.0	15.1	15.0	14.5	14.4	14.0	13.4	13.0	12.6	14.04
26	15.2	16.4	17.0	15.9	14.9	14.9	14.5	14.4	13.9	13.8	13.7	13.7	13.82
27	16.2	16.1	17.1	17.0	17.8	17.3	15.3	12.7	11.9	10.6	9.8	9.2	14.11
28	19.2	19.4	20.0	20.4	20.0	18.9	16.6	15.4	14.5	13.4	13.0	12.2	14.58
29	18.1	18.8	19.7	20.0	19.2	18.1	16.1	14.8	13.7	13.0	12.2	11.2	13.99
30	18.5	19.0	19.2	19.0	19.0	18.0	16.0	14.7	14.8	14.3	14.3	14.3	14.09
31	20.0	21.3	21.6	22.2	22.0	20.3	18.0	16.4	15.1	13.7	11.8	10.3	16.10*
MEAN	16.91	17.14	17.05	17.05	16.74	16.23	15.28	14.18	13.34	12.67	12.20	11.77	14.00

SEPTEMBER — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	9.0	8.3	7.6	7.4	7.5	7.9	8.3	9.0	11.6	14.2	17.6	19.2
2	12.7	12.1	11.6	11.5	11.4	11.4	11.5	11.6	12.0	12.8	13.0	13.8
3	7.2	7.8	8.6	9.2	9.7	9.4	9.9	10.7	12.0	12.6	15.2	16.2
4	10.9	9.6	9.3	9.4	9.3	9.4	10.3	12.4	16.0	19.8	22.3	24.1
5	12.8	12.3	12.3	12.2	11.6	11.4	13.5	15.5	17.4	19.2	21.4	22.2
6	10.1	9.4	9.5	9.3	9.0	10.5	12.5	14.9	16.8	17.9	18.5	19.5
7	13.0	12.8	12.0	11.4	11.0	11.5	13.1	15.2	18.0	19.5	21.1	22.6
8	13.9	13.9	13.6	13.1	13.4	13.4	14.2	14.8	15.7	18.5	19.9	21.5
9	12.5	12.5	12.6	12.6	12.5	12.5	12.4	12.4	12.5	12.7	12.6	13.0
10	6.7	6.2	5.6	6.3	6.5	6.2	7.6	9.1	12.9	13.4	14.2	14.7
11	10.6	10.5	10.4	10.3	10.3	10.0	9.6	10.2	11.9	13.3	14.6	15.8
12	7.3	6.7	6.2	6.3	5.5	5.5	6.9	8.8	9.8	10.5	11.5	12.3
13	7.7	7.1	6.0	6.0	5.6	6.0	7.9	11.0	12.7	14.8	15.8	17.1
14	9.2	8.1	7.5	7.3	6.9	7.1	8.2	10.4	14.9	16.4	18.1	18.7
15	10.0	10.1	9.6	8.9	8.2	7.8	10.5	11.7	13.6	13.2	14.0	13.7
16	8.6	8.4	8.1	8.1	8.2	8.4	8.9	9.9	11.4	12.7	13.4	13.2
17	9.1	9.1	9.1	9.3	9.5	9.5	9.8	10.2	11.1	11.9	12.2	12.7
18	7.9	7.8	7.4	7.4	7.1	7.5	8.9	11.0	13.2	14.1	15.2	16.0
19	8.4	7.9	7.6	7.0	6.5	6.0	8.3	10.2	11.9	12.9	13.7	14.5
20	4.3	3.6	3.1	2.8	2.9	3.8	7.6	10.8	12.1	12.6	13.3	13.2
21	10.4	10.3	10.7	10.8	10.7	10.8	11.0	11.3	11.5	11.7	12.7	13.6
22	4.6	4.3	3.7	3.3	2.6	2.8	4.0	5.8	6.1	9.1	12.9	14.2
23	10.9	10.8	10.7	10.6	10.4	10.0	10.2	10.9	11.1	11.8	12.5	13.4
24	5.5	5.2	5.0	3.9	3.6	3.9	5.6	8.0	9.7	11.2	12.0	12.6
25	8.0	8.4	9.2	9.8	10.3	10.7	11.2	11.6	12.0	11.8	11.7	10.4
26	8.6	7.7	7.8	8.7	9.6	9.6	9.9	10.0	10.2	10.1	10.2	10.1
27	7.6	7.4	7.9	7.6	6.1	5.5	5.5	7.0	7.7	8.1	8.0	8.5
28	1.2	1.2	0.8	0.6	-0.4	0.8	1.9	4.4	7.4	10.6	12.1	12.4
29	9.4	9.3	9.4	9.5	9.5	9.4	9.6	9.9	11.0	11.6	13.1	13.4
30	7.7	7.5	7.0	6.9	6.9	6.6	7.3	9.0	11.3	12.3	13.5	15.0
MEAN	8.86	8.54	8.33	8.25	8.06	8.18	9.20	10.59	12.18	13.38	14.54	15.25

OCTOBER — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	8.8	8.3	8.1	8.2	7.5	9.5	9.4	10.0	11.7	12.4	14.5	15.8
2	10.9	10.9	10.1	10.1	10.1	10.2	11.0	11.5	12.4	13.0	13.2	13.3
3	12.3	12.3	12.3	12.4	12.6	12.6	12.6	12.8	13.3	13.8	14.5	14.7
4	13.2	13.2	13.1	13.1	12.6	12.5	12.6	12.7	12.8	13.2	13.1	13.9
5	11.9	11.2	11.1	10.8	10.9	11.0	11.3	11.5	11.9	12.4	13.2	13.2
6	12.2	12.2	12.1	12.1	11.9	11.8	11.9	12.1	12.2	12.5	12.7	13.0
7	10.3	10.1	10.1	10.1	10.2	10.2	10.6	10.7	10.8	11.6	13.6	13.5
8	7.8	6.6	5.6	5.3	5.6	6.0	6.6	7.9	8.3	8.5	9.8	10.5
9	8.2	8.9	10.0	10.9	11.4	12.2	12.5	12.5	12.9	13.0	13.7	14.1
10	6.6	6.3	6.6	6.9	6.3	6.4	7.6	8.0	8.7	10.0	11.8	13.0
11	9.8	9.9	10.9	11.0	12.1	12.9	13.6	13.7	13.1	12.6	13.0	13.1
12	7.9	7.3	7.1	6.8	6.9	7.0	7.1	8.2	9.4	10.5	12.0	12.2
13	6.4	6.4	6.2	5.8	5.2	5.0	5.0	5.6	5.7	7.0	7.0	7.9
14	-0.5	-0.1	-0.2	0.0	-0.2	-0.1	0.0	1.3	3.5	4.8	5.9	7.2
15	0.1	-0.2	-0.1	0.4	0.2	-0.1	0.3	2.3	4.6	7.0	9.3	10.0
16	4.3	4.4	4.4	4.6	4.2	4.1	4.1	4.4	5.1	5.3	5.2	5.3
17	3.3	2.5	1.6	0.9	1.0	1.3	1.5	1.6	2.7	2.8	3.5	3.4
18	4.6	5.0	5.6	5.6	5.8	5.1	4.6	4.9	4.9	5.4	5.2	5.1
19	4.1	3.2	3.0	2.2	2.4	2.2	1.8	1.7	2.1	2.8	3.5	3.9
20	-2.5	-2.7	-2.7	-2.6	-2.6	-3.3	-3.0	0.1	1.4	2.6	3.1	3.3
21	0.9	0.4	-0.2	-0.6	-0.7	0.3	-0.7	1.0	1.7	2.3	3.2	3.2
22	4.2	3.9	4.3	3.8	4.1	3.0	2.0	2.4	4.3	5.0	6.9	7.7
23	3.5	3.1	4.1	4.1	4.1	4.8	5.0	5.6	6.9	8.1	8.3	9.1
24	3.9	4.5	4.7	3.5	2.3	2.9	2.8	4.3	5.3	6.7	8.2	8.4
25	5.2	5.8	5.9	6.1	6.9	7.2	8.8	9.6	10.1	9.5	9.2	9.2
26	3.4	3.6	4.4	4.3	4.1	3.7	3.1	3.1	4.5	6.6	6.8	7.4
27	5.2	5.1	4.9	4.3	3.3	3.0	2.5	3.8	6.4	10.3	11.3	13.2
28	7.7	8.0	7.3	5.8	6.1	5.8	5.9	5.5	6.2	7.0	7.3	8.0
29	9.0	8.6	8.7	8.7	8.7	8.8	8.8	8.5	8.7	9.2	9.3	9.6
30	7.3	6.4	6.3	7.6	8.3	8.4	8.5	8.8	9.4	9.7	9.9	10.0
31	5.3	5.2	4.8	4.1	4.0	4.3	4.7	5.0	5.2	5.5	5.5	5.9
MEAN	6.30	6.14	6.13	6.01	5.98	6.09	6.21	6.81	7.62	8.42	9.15	9.62

SEPTEMBER — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
1	20.1	20.3	20.5	20.2	20.0	18.5	15.8	14.4	14.0	13.7	12.5	12.5	13.75
2	14.3	14.6	14.9	16.6	16.7	15.8	14.0	13.2	12.0	11.2	8.5	8.3	12.73
3	18.4	19.5	20.5	20.7	20.4	19.4	17.4	16.4	15.8	14.4	13.5	11.5	14.02
4	24.9	25.1	25.2	25.1	24.3	22.3	20.8	17.6	16.5	15.6	13.9	13.2	16.97*
5	22.3	22.7	22.3	22.0	21.0	20.0	17.5	15.3	14.5	12.9	12.0	11.0	16.47
6	20.9	21.2	21.9	21.9	21.7	19.6	17.1	15.8	14.0	12.9	12.7	13.2	15.45
7	23.0	23.4	23.2	22.6	21.8	19.1	17.0	15.7	14.5	14.1	14.2	14.2	16.83
8	21.5	19.7	20.5	18.3	16.6	15.6	15.0	14.0	13.5	13.5	13.2	12.7	15.83
9	13.4	13.6	13.4	13.6	12.9	12.0	10.5	9.5	8.9	8.3	8.0	7.1	11.75
10	15.4	16.0	15.8	15.8	15.0	15.0	12.5	10.2	8.6	7.7	7.9	10.0	10.80
11	16.3	15.8	16.5	15.4	14.9	14.0	12.2	11.6	10.1	9.3	8.4	7.9	12.08
12	13.2	14.2	14.6	15.1	14.0	12.6	11.6	10.3	9.2	9.3	9.2	8.2	9.95
13	17.9	18.2	17.5	16.8	16.0	14.5	13.0	11.8	11.3	11.5	10.6	9.4	11.93
14	19.5	20.0	20.2	19.0	19.0	16.4	14.4	13.6	11.5	10.1	10.4	10.1	13.21
15	13.7	13.0	13.1	12.6	12.2	11.3	10.4	10.1	9.6	9.4	9.2	9.0	11.04
16	12.4	12.1	11.8	12.0	11.2	11.3	10.5	10.1	9.9	9.7	9.4	9.3	10.38
17	13.0	12.8	12.8	13.3	12.7	11.9	11.3	10.5	10.0	9.2	9.4	8.5	10.79
18	16.9	16.5	16.2	14.9	14.5	14.2	13.5	12.3	11.3	10.5	9.8	8.6	11.78
19	15.0	14.7	14.5	13.0	13.0	10.5	8.6	7.6	6.8	6.7	5.7	5.4	9.85
20	14.6	14.6	14.0	13.1	12.9	11.2	10.4	10.7	10.4	10.2	10.3	10.4	9.70
21	14.0	15.4	15.8	15.8	14.3	12.8	11.4	10.3	9.4	8.3	6.5	5.4	11.45
22	15.2	16.1	15.2	14.6	12.9	12.3	11.0	11.1	10.6	10.4	10.4	11.0	9.34
23	13.8	14.0	13.5	13.6	12.8	11.6	10.6	9.4	8.6	8.6	8.6	7.5	11.08
24	13.2	12.8	12.7	13.3	12.6	10.2	10.3	9.4	9.0	8.9	8.2	7.6	8.93
25	10.4	11.7	12.5	12.4	11.5	10.9	10.1	9.3	9.0	8.9	8.5	8.2	10.35
26	10.3	10.3	10.0	9.9	9.5	8.6	8.2	8.2	7.3	8.0	8.6	8.8	9.17
27	9.2	9.7	10.0	10.1	9.0	6.0	4.4	3.3	2.7	1.6	1.5	1.5	6.50*
28	12.1	12.4	12.2	11.9	10.9	9.6	10.0	10.3	10.3	10.0	9.8	9.4	7.58
29	13.9	13.5	14.2	14.0	12.7	11.1	10.5	9.0	8.4	8.4	8.3	8.1	10.72
30	14.8	14.6	14.5	14.2	13.4	12.6	12.3	12.1	11.7	11.5	11.2	10.3	11.01
MEAN	15.79	15.95	16.00	15.73	15.01	13.70	12.41	11.44	10.65	10.16	9.68	9.28	11.71

OCTOBER — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
1	16.1	18.3	18.2	16.8	14.7	13.1	12.1	11.0	10.9	10.4	10.5	10.8	11.96
2	13.4	13.1	13.0	13.0	13.0	13.0	13.0	13.0	12.8	12.7	12.6	12.3	12.15
3	14.7	15.0	14.9	14.7	14.2	13.8	13.5	13.1	13.1	13.2	13.3	13.2	13.45*
4	13.9	14.5	14.5	14.3	13.6	12.5	11.8	12.5	12.2	12.1	12.0	11.3	12.97
5	13.4	13.5	13.6	13.4	13.1	12.8	12.7	12.5	12.7	12.2	12.1	12.1	12.27
6	13.0	13.6	13.4	13.1	13.0	12.5	12.4	12.0	11.8	11.8	11.7	11.3	12.35
7	13.4	12.6	12.1	11.9	12.0	12.0	11.9	12.2	12.0	11.4	10.8	10.4	11.44
8	10.9	11.6	11.2	7.6	7.4	6.8	6.4	6.4	6.4	6.8	7.2	7.7	7.70
9	14.5	14.5	14.3	13.1	11.7	10.4	10.3	9.5	9.1	8.6	7.8	7.0	11.30
10	12.9	12.9	12.0	12.0	10.0	9.0	9.2	9.1	8.3	8.1	9.0	9.5	9.18
11	14.0	14.0	13.8	12.9	11.7	11.2	10.5	10.3	9.3	9.3	9.2	8.5	11.68
12	12.2	12.0	11.3	10.5	10.0	9.6	9.4	9.0	8.7	8.2	7.9	7.2	9.10
13	8.1	6.9	6.6	6.8	5.5	4.3	3.3	3.2	1.6	1.3	0.7	0.0	5.06
14	8.1	9.8	9.5	8.1	6.2	4.9	4.2	4.2	3.5	1.6	0.8	0.6	3.46
15	10.1	9.3	9.0	8.3	7.3	6.6	6.4	5.9	5.4	4.6	4.6	4.3	4.82
16	5.6	5.6	5.4	5.4	5.0	4.4	4.2	3.5	3.5	3.5	3.6	3.2	4.51
17	3.4	4.6	4.8	4.3	2.6	2.1	2.9	2.0	2.5	3.1	4.4	4.6	2.81
18	4.6	5.1	4.5	4.3	4.8	4.6	4.3	5.0	4.9	4.8	4.6	4.5	4.91
19	3.8	3.5	3.2	3.1	2.6	2.3	2.3	2.2	1.8	1.5	-0.5	-1.8	2.37
20	3.4	3.7	3.7	3.4	2.9	2.9	2.6	2.7	2.1	2.0	2.3	1.6	1.02*
21	3.5	3.8	4.0	3.5	3.4	3.4	2.9	2.8	3.2	3.4	3.4	3.5	2.15
22	7.9	7.9	7.9	7.8	7.3	7.0	6.7	5.8	5.1	4.6	4.6	4.1	5.35
23	9.2	9.1	7.5	6.7	6.4	6.2	5.9	4.9	3.6	4.1	4.3	4.7	5.80
24	8.6	9.0	9.5	8.9	8.5	8.6	8.6	9.6	7.9	7.1	5.1	5.1	6.42
25	9.2	9.1	8.4	7.5	7.0	7.0	6.6	6.3	6.0	5.4	5.3	4.1	7.31
26	7.8	8.0	7.4	6.2	5.1	4.3	4.8	5.3	5.5	5.6	5.5	5.4	5.25
27	13.4	12.8	12.5	10.6	10.3	10.2	9.8	9.4	9.8	9.7	8.9	8.3	8.29
28	8.6	9.0	9.0	8.2	7.5	7.1	7.4	7.8	8.3	8.8	8.9	8.9	7.50
29	9.7	9.9	9.5	9.3	9.3	8.9	9.1	9.0	8.9	9.1	8.4	7.7	8.97
30	10.1	9.6	9.1	8.4	7.4	6.8	6.5	5.0	5.8	5.4	5.3	5.3	7.72
31	6.1	6.5	6.5	6.4	6.3	6.4	6.4	6.2	5.9	5.8	5.8	5.8	5.57
MEAN	9.79	9.96	9.69	9.05	8.38	7.89	7.68	7.46	7.18	6.97	6.78	6.49	7.58

NOVEMBER — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	5.8	5.9	6.1	6.1	6.0	6.0	6.0	5.8	6.0	6.7	6.8	7.4
2	-0.5	-0.3	0.3	1.4	1.4	2.4	2.4	2.7	3.4	4.0	4.7	5.4
3	5.6	4.9	4.1	4.1	4.3	4.6	5.0	5.6	6.5	6.8	7.0	7.0
4	6.6	6.6	6.5	6.6	6.6	6.6	6.6	6.7	6.6	6.5	6.9	6.9
5	5.1	5.8	5.8	6.0	6.0	6.0	5.9	5.8	5.4	5.6	5.7	5.9
6	7.1	7.0	6.8	6.6	6.6	6.7	6.8	7.1	7.4	7.5	7.8	8.1
7	4.9	4.6	4.0	3.5	4.3	4.7	4.8	5.2	5.3	5.5	5.9	6.2
8	5.4	5.2	5.1	5.1	5.4	5.4	5.3	5.6	5.8	6.1	6.6	6.9
9	6.1	6.1	5.9	5.8	5.7	5.8	5.8	5.8	5.9	6.0	6.0	6.1
10	0.8	0.4	0.2	0.1	0.1	0.0	-0.6	-1.0	0.0	1.1	2.3	3.9
11	0.0	-0.1	-1.3	-2.3	-2.7	-3.0	-3.1	-2.9	-2.7	-2.2	-1.2	-0.2
12	3.4	3.3	3.2	2.9	2.4	2.4	2.7	3.0	3.9	3.3	3.0	3.0
13	1.4	1.0	0.9	0.9	1.1	1.6	1.9	1.9	2.6	3.0	3.6	4.5
14	3.9	3.8	3.8	3.9	4.0	4.1	4.4	4.5	4.6	4.7	4.6	4.7
15	4.4	4.5	4.6	4.7	4.0	3.7	3.5	3.1	3.0	3.2	3.9	4.2
16	3.9	3.6	2.6	1.5	0.8	0.3	0.3	0.4	0.6	1.0	3.2	4.0
17	-1.5	-1.4	0.3	0.5	1.0	0.8	1.5	0.5	1.7	2.2	3.6	4.1
18	6.3	6.1	5.1	4.6	3.6	3.2	2.7	2.3	2.5	3.4	4.6	6.3
19	-2.1	-2.3	-2.4	-2.6	-2.7	-3.5	-3.7	-3.4	-3.2	-3.0	-2.5	-2.2
20	0.1	0.2	0.2	0.3	0.4	0.6	1.4	2.2	2.9	3.5	4.1	4.0
21	-0.5	-0.3	-0.6	0.0	0.1	0.1	-0.1	-0.1	0.4	1.1	1.3	2.3
22	3.3	3.5	3.2	3.4	3.6	2.0	1.4	0.9	0.6	0.9	1.4	2.5
23	7.1	6.8	6.1	6.4	7.2	8.1	7.2	6.3	6.2	6.5	8.1	9.1
24	-0.6	-0.7	-0.9	-1.0	-1.5	-2.0	-1.9	-1.5	-0.4	0.6	1.3	1.1
25	3.9	4.6	4.8	4.4	4.2	4.0	4.0	3.8	3.7	3.6	4.2	4.4
26	1.4	1.1	1.9	2.3	2.2	1.7	1.7	1.5	1.3	1.9	2.6	3.4
27	-0.5	-0.6	-1.0	-1.2	-1.2	-1.2	-1.1	-0.5	-0.5	-0.5	-0.2	0.0
28	0.1	-0.4	-0.4	-0.9	-0.8	-0.1	0.6	0.7	1.0	1.6	1.8	3.3
29	0.4	0.2	-0.1	-0.7	-0.7	-0.8	-0.7	-0.8	-0.4	0.1	1.0	0.9
30	3.0	2.0	-0.1	0.7	1.5	1.5	1.0	0.9	0.7	1.0	1.4	1.4
MEAN	2.81	2.70	2.49	2.44	2.43	2.39	2.39	2.40	2.69	3.06	3.65	4.15

DECEMBER — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

DATE	HOUR (M.E.T.) 1	2	3	4	5	6	7	8	9	10	11	12
1	-3.9	-5.4	-5.3	-5.4	-5.9	-6.7	-7.0	-6.8	-7.0	-6.9	-6.4	-5.9
2	-7.9	-7.2	-7.3	-7.7	-7.9	-8.1	-8.0	-7.5	-7.4	-7.1	-6.6	-5.3
3	-5.0	-5.5	-6.0	-6.5	-6.5	-6.0	-5.7	-5.4	-5.0	-4.3	-3.0	-2.5
4	0.9	0.7	0.6	0.3	0.2	0.1	0.1	0.1	-0.1	0.0	2.0	3.0
5	-1.2	-1.4	-1.6	-2.2	-2.5	-2.8	-3.2	-2.7	-2.0	-1.8	-1.4	-1.2
6	-2.6	-2.5	-2.2	-1.9	-2.5	-2.7	-2.2	-2.5	-2.3	-2.0	-0.8	-0.6
7	-6.4	-7.3	-7.8	-8.0	-8.0	-8.2	-8.8	-8.9*	-9.2	-8.8	-7.5	-6.7
8	-6.0	-5.3	-4.5	-3.3	-2.5	-2.2	-2.4	-2.7	-2.6	-1.9	-1.7	-1.3
9	-0.1	-0.2	0.1	0.6	0.5	0.6	0.5	0.4	-0.3	-2.4	-3.0	-4.3
10	-11.8	-12.8	-13.0	-12.9	-12.3	-11.4	-11.1	-9.8	-9.5	-9.1	-10.1	-10.9
11	-13.3	-11.3	-12.6	-11.1	-12.0	-12.1	-11.6	-11.7	-12.1	-11.7	-11.2	-10.9
12	-16.0	-16.9	-16.4	-17.9	-17.9	-18.4	-18.9	-19.5	-19.4	-18.5	-16.0	-15.7
13	-11.0	-10.7	-11.7	-11.8	-12.7	-12.8	-12.8	-13.6	-14.1	-14.4	-14.5	-12.9
14	-4.3	-4.4	-4.5	-4.6	-4.8	-4.6	-4.5	-4.4	-4.3	-4.3	-4.2	-4.0
15	-3.4	-3.5	-3.3	-3.3	-3.5	-3.5	-3.4	-3.3	-3.4	-3.4	-3.2	-3.1
16	-6.5	-6.2	-5.6	-5.8	-5.7	-5.6	-5.5	-5.5	-5.4	-5.4	-5.0	-4.3
17	-2.4	-1.4	-0.5	0.7	0.7	0.8	1.2	1.5	1.4	1.1	0.7	0.7
18	1.4	1.5	0.4	1.4	1.5	1.6	1.6	1.4	1.5	1.4	1.4	1.5
19	-2.8	-3.0	-4.5	-4.9	-5.1	-6.2	-6.8	-7.6	-8.2	-8.3	-8.0	-7.6
20	-1.2	0.5	1.4	2.1	2.2	2.4	2.5	2.5	2.6	3.0	2.9	2.9
21	1.7	2.3	2.2	1.8	1.7	1.8	2.0	2.0	1.9	1.8	2.0	2.0
22	1.1	1.2	1.1	1.0	1.2	1.4	1.5	1.2	1.8	1.6	1.6	1.4
23	2.9	2.7	2.5	1.9	1.7	1.1	1.5	2.2	2.8	2.9	2.8	2.7
24	0.6	0.7	0.7	0.8	0.9	1.0	1.1	1.1	1.1	0.9	0.8	0.9
25	-0.3	-0.4	-0.4	-0.5	-0.6	-0.5	-0.5	-0.4	-0.5	-0.3	-0.1	0.0
26	-1.0	-1.4	-1.7	-2.0	-2.3	-2.7	-3.0	-3.1	-3.5	-3.5	-3.6	-3.6
27	-1.7	-1.4	-0.8	-0.2	0.2	0.4	0.6	0.7	0.6	0.4	0.7	0.8
28	0.3	0.5	0.6	0.3	0.2	0.4	0.0	-0.2	-0.7	-0.8	-1.3	-2.0
29	-3.2	-3.0	-2.9	-2.9	-2.7	-2.8	-2.5	-1.9	-1.0	-0.3	0.1	0.2
30	-1.0	-1.2	-1.4	-2.0	-2.2	-2.4	-2.0	-1.9	-1.4	-1.4	-1.2	-1.1
31	0.1	0.1	0.1	0.6	0.6	0.7	0.8	0.8	0.9	1.0	0.9	1.0
MEAN	-3.35	-3.30	-3.36	-3.34	-3.42	-3.46	-3.44	-3.40	-3.38	-3.31	-3.00	-2.80

NOVEMBER — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
7.4	7.4	7.0	5.1	3.8	3.1	2.5	1.6	0.5	-0.3	-0.5	-0.4	4.66
6.2	6.5	6.6	6.5	6.1	5.7	5.8	5.8	5.9	5.9	6.1	5.7	4.17
7.1	7.1	7.2	7.0	7.1	7.1	7.1	7.1	7.0	7.0	6.8	6.7	6.24
7.2	7.4	7.6	6.8	6.1	5.4	5.2	5.3	5.4	5.3	5.0	4.9	6.30
6.0	6.4	6.5	6.6	6.6	6.7	6.8	6.8	7.0	7.1	7.2	7.1	6.24
8.0	8.2	7.2	6.2	6.1	6.0	5.3	4.2	3.7	3.4	4.5	4.4	6.36*
7.1	6.8	5.9	5.8	5.8	5.9	6.1	6.2	6.3	6.4	6.4	6.0	5.57
6.9	6.9	7.0	6.5	6.4	6.7	6.8	7.0	7.0	6.4	6.5	6.2	6.17
6.9	6.6	5.6	4.6	5.0	4.6	4.4	4.6	3.9	3.0	2.2	1.2	5.15
4.5	4.5	3.6	3.2	2.0	1.1	1.2	0.5	0.9	-0.2	-1.2	-0.4	1.13
0.9	1.4	0.8	0.7	1.4	1.9	2.5	2.7	3.1	3.3	3.4	3.4	0.16
2.8	2.7	2.3	2.1	2.0	2.1	2.2	2.3	2.1	1.4	1.5	1.6	2.57
5.0	5.0	4.9	4.7	4.5	4.5	4.4	4.0	4.0	3.9	4.0	3.8	3.21
4.9	4.5	4.5	4.3	4.2	4.1	4.0	4.0	4.2	4.3	4.4	4.3	4.28
4.7	5.1	4.7	3.8	3.2	2.4	2.7	3.5	3.4	4.1	4.1	3.8	3.85
5.9	4.7	4.3	3.2	2.6	2.3	1.3	1.2	0.4	0.0	-0.6	-0.3	1.97
5.1	4.4	3.1	3.5	4.5	5.3	5.7	5.9	6.3	6.4	6.2	6.0	3.15
6.5	6.4	5.0	4.1	3.2	1.7	1.5	0.5	-0.5	-1.5	-1.6	-1.8	3.09
-1.6	-1.0	-0.8	-0.8	-1.0	-0.7	-0.6	-0.6	-0.6	-0.2	-0.1	0.0	-1.73*
4.1	3.8	3.5	3.1	3.1	2.9	3.0	2.7	1.8	0.8	0.3	-0.3	2.03
2.4	2.1	2.2	2.5	2.4	2.5	2.9	3.1	3.2	3.2	3.4	3.1	1.53
3.5	3.8	3.9	3.4	2.9	2.9	3.7	4.0	4.0	3.4	3.3	4.9	2.93
8.0	6.9	6.1	4.8	4.3	3.3	2.6	3.0	1.9	1.8	0.5	0.1	5.35
1.2	1.8	2.2	2.4	2.5	2.3	2.4	2.5	2.5	2.6	2.6	3.2	0.86
4.5	4.5	4.5	4.6	4.3	3.3	3.0	2.8	2.7	2.4	2.4	2.1	3.78
3.6	2.1	1.4	1.1	0.7	0.9	0.8	0.4	0.3	0.0	-0.4	-0.4	1.40
0.0	0.0	-0.1	0.2	0.4	0.8	1.0	0.8	1.1	1.2	1.2	0.4	-0.06
3.9	3.2	3.4	3.4	3.9	4.0	3.9	3.5	3.4	2.3	1.4	0.9	1.82
1.6	1.5	2.0	2.5	3.1	3.6	4.0	4.0	3.2	3.1	2.6	2.5	1.34
1.0	0.8	0.5	0.4	-0.5	-0.7	-0.5	-1.0	-1.0	-0.8	-1.6	-2.9	0.36
4.51	4.38	4.09	3.74	3.56	3.39	3.39	3.28	3.10	2.86	2.67	2.53	3.13

DECEMBER — TEMPERATURE — 1958

VALUES IN DEGREES CELSIUS AT EXACT HOURS

HOUR (M.E.T.) 13	14	15	16	17	18	19	20	21	22	23	24	MEAN
-5.5	-5.5	-6.0	-6.4	-7.1	-7.0	-7.1	-7.3	-6.7	-7.2	-7.1	-7.3	-6.37
-4.5	-4.6	-5.3	-6.0	-6.2	-5.9	-4.9	-4.1	-3.6	-3.8	-4.3	-4.3	-6.06
-2.0	-2.0	-1.7	-1.1	-0.5	0.0	0.6	0.7	1.2	1.2	1.0	1.1	-2.62
3.6	3.4	3.0	3.4	3.4	2.2	1.2	1.2	1.0	0.4	0.0	-0.4	1.26
-1.0	-1.3	-2.3	-2.9	-2.3	-2.9	-2.7	-2.5	-3.5	-3.4	-3.4	-3.3	-2.31
-0.5	-0.9	-1.3	-1.6	-2.5	-3.4	-3.8	-4.1	-4.7	-5.4	-5.2	-5.9	-2.67
-6.5	-6.5	-7.5	-8.2	-9.2	-9.3	-9.7	-9.9	-9.6	-8.8	-7.7	-7.0	-8.15
-0.6	-0.1	0.0	0.3	0.4	0.4	0.6	0.7	1.0	0.9	0.8	0.9	-1.30
-5.1	-5.7	-5.8	-6.2	-7.0	-7.1	-7.4	-7.9	-8.2	-8.1	-8.1	-9.1	-3.89
-11.9	-12.3	-11.8	-12.8	-13.1	-14.5	-15.3	-14.7	-14.9	-15.0	-15.4	-14.2	-12.53
-10.5	-10.3	-11.2	-11.3	-11.6	-11.5	-11.6	-12.3	-13.0	-13.8	-14.8	-16.0	-12.06
-14.0	-13.7	-13.8	-12.5	-12.6	-11.9	-11.7	-12.1	-12.4	-11.9	-11.6	-11.5	-15.05*
-10.7	-10.9	-10.0	-10.2	-6.9	-6.8	-6.5	-4.6	-4.3	-4.3	-4.3	-4.5	-7.87
-4.0	-3.5	-3.4	-3.5	-3.4	-3.5	-4.0	-4.3	-4.4	-3.9	-3.5	-3.5	-4.08
-2.9	-3.0	-3.0	-3.2	-3.2	-2.5	-2.5	-4.6	-5.8	-6.0	-6.1	-6.2	-3.72
-3.9	-4.5	-4.6	-4.7	-5.2	-5.2	-5.1	-5.4	-5.3	-5.2	-4.5	-3.6	-3.15
1.3	1.5	1.5	1.4	1.4	1.4	1.5	1.5	1.4	1.5	1.4	1.5	0.91
1.5	1.4	1.0	0.7	0.0	-0.3	-0.7	-0.5	-0.7	-0.8	-1.0	-1.5	0.65
-6.2	-7.2	-8.3	-9.4	-9.5	-7.6	-6.5	-5.9	-5.4	-4.4	-3.2	-1.9	-6.19
3.0	2.8	2.6	2.4	2.3	2.2	2.1	2.2	1.9	2.1	1.9	2.0	2.14*
2.0	2.1	1.7	1.7	1.4	1.4	1.4	1.3	1.4	1.3	1.3	1.3	1.74
1.2	1.4	1.3	1.5	1.5	2.0	1.9	2.0	2.2	2.3	2.4	2.7	1.60
2.5	2.6	2.2	1.6	1.1	0.6	0.5	0.4	0.6	0.6	0.6	0.6	1.73
0.9	0.9	0.9	0.8	0.5	0.3	0.4	0.4	0.1	-0.1	-0.2	-0.3	0.63
0.1	0.4	0.7	1.0	0.8	0.6	0.4	0.1	-0.3	-0.5	-0.5	-0.8	-0.10
-3.0	-2.6	-2.1	-1.9	-2.0	-2.0	-1.9	-1.8	-1.7	-1.9	-2.1	-2.1	-2.35
0.8	0.7	0.6	0.6	0.5	0.5	0.6	0.4	0.4	0.4	0.3	0.3	0.27
-2.6	-2.9	-3.0	-3.4	-3.5	-3.5	-3.3	-3.1	-3.5	-3.3	-3.4	-3.3	-1.73
0.3	0.4	0.1	0.1	0.0	0.1	0.0	0.1	0.0	-0.2	-0.4	-0.6	-0.96
-1.0	-0.7	-0.9	-0.9	-0.8	-0.7	-0.4	0.0	0.1	0.1	0.2	0.1	-1.00
1.0	1.1	1.6	1.5	1.5	1.4	1.5	1.7	1.7	1.5	1.4	1.7	1.05
-2.52	-2.56	-2.74	-2.88	-2.96	-2.98	-2.98	-2.98	-3.06	-3.09	-3.08	-3.07	-3.10

DAILY MAXIMUM AND MINIMUM TEMPERATURE

VALUES IN DEGREES CELSIUS FOR EACH DAY 00H TO 24H (M.E.T.)

DATE	JANUARY MAXIMUM HOUR	JANUARY MAXIMUM DEG C	JANUARY MINIMUM HOUR	JANUARY MINIMUM DEG C	JANUARY DIFF. DEG C	FEBRUARY MAXIMUM HOUR	FEBRUARY MAXIMUM DEG C	FEBRUARY MINIMUM HOUR	FEBRUARY MINIMUM DEG C	FEBRUARY DIFF. DEG C	MARCH MAXIMUM HOUR	MARCH MAXIMUM DEG C	MARCH MINIMUM HOUR	MARCH MINIMUM DEG C	MARCH DIFF. DEG C
1	10.50	-7.1	22.50	-11.5	4.4	13.30	4.2	4.40	0.1	4.1	20.00	0.5	0.00	-3.2	3.7
2	13.00	-9.7	10.50	-12.3	2.6	14.00	4.0	21.00	0.7	3.3	1.30	-2.5	20.25	-8.3	5.8
3	13.00	-7.5	24.00	-13.2	5.7	14.57	3.9	9.00	-0.5	4.4	14.32	-4.1	6.10	-14.0	9.9
4	22.30	-5.9	3.45	-16.3	10.4	1.00	-0.7	0.56	-6.0	5.3	0.58	2.6	1.00	-7.2	9.8
5	24.00	-1.8	9.00	-9.3	7.5	12.00	-5.4	16.25	-9.2	3.8	13.14	6.7	24.00	0.0	6.7
6	0.10	-1.7	24.00	-7.3	5.6	1.00	-7.9	21.58	-11.4	3.5	1.00	0.3	24.00	-11.1	11.4
7	0.00	-7.3	15.17	-12.4	5.1	13.46	-10.0	9.37	-12.7	2.7	14.15	-10.3	20.20	-13.8	3.5
8	7.30	-10.1	17.40	-14.4	4.3	14.00	-10.7	8.20	-16.0	5.3	15.28	-3.4	24.00	-18.5	15.1
9	22.30	-3.9	2.40	-16.8	12.9	12.00	-6.7	2.43	-15.5	8.8	13.35	-6.7	3.00	-20.3	13.6
10	0.00	-4.3	9.13	-8.8	4.5	0.58	-11.0	9.20	-18.7	7.7	12.00	-7.8	4.15	-12.0	4.2
11	21.30	0.6	1.00	-7.9	8.5	23.00	-4.2	1.00	-11.0	6.8	21.00	-7.4	1.00	-9.6	2.2
12	14.00	0.8	24.00	-0.2	1.0	0.58	1.9	1.00	-4.5	6.4	15.00	-5.7	4.00	-8.7	3.0
13	2.00	-0.1	18.15	-0.8	0.7	16.00	3.8	0.58	-0.6	4.4	23.45	-4.4	5.45	-7.6	3.2
14	23.35	1.1	4.00	-1.2	2.3	14.25	2.4	1.00	-0.6	3.0	0.56	-0.8	2.00	-4.9	4.1
15	4.00	1.3	19.12	-6.8	8.1	15.20	5.7	8.00	-2.8	8.5	10.45	0.3	24.00	-2.5	2.8
16	18.48	2.4	3.10	-0.9	3.3	15.45	-0.5	5.45	-4.2	3.7	16.00	0.9	6.50	-4.6	5.5
17	12.30	2.6	24.00	-4.0	6.6	1.00	-1.9	5.00	-4.8	2.9	14.36	-0.7	4.49	-4.0	3.3
18	24.00	-1.0	3.45	-5.9	4.9	1.00	-3.2	24.00	-11.5	8.3	15.32	0.3	24.00	-7.4	7.7
19	3.25	0.7	24.00	-7.5	8.2	14.50	-3.0	7.30	-15.0	12.0	14.31	-0.9	0.56	-12.5	11.6
20	13.10	-6.4	22.45	-12.0	5.6	12.30	-5.4	1.00	-13.2	7.8	13.16	-3.4	5.52	-13.7	10.3
21	24.00	-7.5	9.23	-13.7	6.2	15.30	-7.6	3.48	-14.7	7.1	15.30	-2.8	0.57	-16.8	14.0
22	4.30	-6.0	19.45	-7.7	1.7	13.30	-6.6	0.58	-17.1	10.5	14.33	-2.0	6.17	-21.1	19.1
23	24.00	0.4	0.00	-6.6	7.0	14.00	-12.0	5.37	-19.1	7.1	15.40	1.6	2.10	-16.8	18.4
24	0.15	0.5	24.00	-3.9	4.4	15.20	-11.7	23.22	-21.1	9.4	14.35	3.4	5.45	-15.2	18.6
25	0.00	-3.9	21.45	-7.6	3.7	15.50	-11.4	5.44	-20.6	9.2	14.23	3.1	4.15	-10.7	13.8
26	6.00	-4.0	16.10	-6.6	2.6	1.00	-12.8	24.00	-17.1	4.3	14.18	-2.2	0.56	-12.6	10.4
27	24.00	0.5	4.05	-4.9	5.4	13.47	-8.4	2.30	-17.8	9.4	15.35	2.0	6.09	-16.3	18.3
28	16.00	2.8	4.30	0.3	2.5	24.00	-3.1	1.58	-16.6	13.5	13.47	2.1	6.19	-14.6	16.7
29	0.00	2.0	23.30	-0.3	2.3						15.17	2.0	6.25	-13.7	15.7
30	21.20	0.6	24.00	-0.8	1.4						14.07	1.8	6.33	-13.4	15.2
31	15.00	1.7	8.00	-1.9	3.6						16.34	4.3	5.30	-15.2	19.5
MEAN		-2.26		-7.20	4.94		-4.23		-10.77	6.54		-1.07		-11.30	10.23

DAILY MAXIMUM AND MINIMUM TEMPERATURE

VALUES IN DEGREES CELSIUS FOR EACH DAY 00H TO 24H (M.E.T.)

DATE	JULY MAXIMUM HOUR	JULY MAXIMUM DEG C	JULY MINIMUM HOUR	JULY MINIMUM DEG C	JULY DIFF. DEG C	AUGUST MAXIMUM HOUR	AUGUST MAXIMUM DEG C	AUGUST MINIMUM HOUR	AUGUST MINIMUM DEG C	AUGUST DIFF. DEG C	SEPTEMBER MAXIMUM HOUR	SEPTEMBER MAXIMUM DEG C	SEPTEMBER MINIMUM HOUR	SEPTEMBER MINIMUM DEG C	SEPTEMBER DIFF. DEG C
1	11.25	26.5	24.00	13.2	13.3	15.42	20.7	3.17	11.0	9.7	15.32	21.7	4.00	7.4	14.3
2	16.05	26.2	3.15	10.9	15.3	14.13	16.2	22.00	10.6	5.6	16.30	17.4	0.55	7.2	10.2
3	15.40	27.4	3.38	12.3	15.1	14.15	17.4	24.00	10.3	7.1	15.47	21.1	1.00	7.2	13.9
4	15.00	24.5	24.00	14.3	10.2	14.20	18.6	3.40	8.5	10.1	14.38	25.9	2.45	9.0	16.9
5	14.30	21.4	3.02	12.7	8.7	15.41	16.9	3.48	8.9	8.0	14.03	22.8	0.56	10.1	12.7
6	15.25	16.8	24.00	7.4	9.4	14.47	16.8	0.55	10.4	8.4	15.47	22.5	4.47	8.6	13.9
7	12.55	18.6	1.55	6.3	12.3	15.30	18.4	4.30	8.6	9.8	14.06	23.5	5.00	11.0	12.5
8	13.48	21.0	3.15	8.7	12.3	13.17	18.8	4.10	8.1	10.7	13.00	21.5	0.58	12.5	9.0
9	16.41	25.6	4.19	13.2	12.4	12.03	15.1	0.58	10.0	5.1	14.28	14.0	0.56	6.7	7.3
10	14.36	22.5	24.00	11.6	10.9	15.00	20.1	5.00	9.3	10.8	15.56	16.1	3.00	5.6	10.5
11	15.05	19.7	1.00	10.6	9.1	15.17	22.4	4.35	6.4	16.0	13.26	17.1	0.43	7.1	10.0
12	15.14	23.4	3.30	9.4	14.0	13.47	21.0	4.27	8.5	12.5	16.00	15.1	5.25	5.1	10.0
13	15.52	22.7	3.45	11.5	11.2	8.00	18.6	1.35	10.3	8.3	13.47	18.8	4.23	5.4	13.4
14	13.00	20.2	22.30	13.7	6.5	13.00	17.0	0.58	12.8	4.2	13.45	20.6	5.25	6.6	14.0
15	18.09	18.0	11.03	9.8	8.2	17.10	18.1	0.58	10.0	8.1	11.00	14.0	5.45	7.6	6.4
16	17.21	20.1	4.00	9.9	10.2	15.15	18.9	3.05	7.5	11.4	11.10	13.8	3.00	8.1	5.7
17	10.43	15.9	2.20	9.9	6.0	13.06	18.6	23.00	11.7	6.9	15.59	13.4	0.55	7.8	5.6
18	18.45	18.9	24.00	9.5	9.4	12.58	15.9	24.00	11.6	4.3	14.30	17.9	5.30	6.9	11.0
19	18.30	17.7	3.50	9.2	8.5	16.17	18.4	0.55	8.9	9.5	13.00	15.0	0.59	4.3	10.7
20	16.45	18.6	1.25	5.4	13.2	15.29	20.1	2.47	7.2	12.9	14.07	15.2	4.00	2.8	12.4
21	12.12	19.4	3.00	7.0	12.4	9.00	15.5	5.00	7.5	8.0	16.10	16.1	0.58	4.6	11.5
22	12.32	17.2	1.00	12.8	4.4	14.43	14.4	1.00	11.2	3.2	14.10	16.2	5.10	2.5	13.7
23	15.46	19.0	24.00	12.4	6.6	12.10	15.6	0.40	12.3	3.3	13.40	14.8	0.59	5.5	9.3
24	14.00	18.6	0.58	12.0	6.6	13.00	17.6	1.00	13.6	4.0	12.15	14.0	5.28	3.3	10.7
25	13.21	13.7	0.40	9.1	4.6	13.07	15.5	0.58	12.4	3.1	15.32	15.2	1.00	8.0	7.2
26	17.10	18.8	24.00	9.1	9.7	14.35	18.1	3.00	12.1	6.0	13.33	10.4	21.00	7.3	3.1
27	13.12	18.0	3.30	6.1	11.9	17.34	18.4	0.55	8.6	9.8	15.30	10.2	24.00	1.5	8.7
28	18.05	20.5	4.00	8.9	11.6	16.05	20.6	4.30	6.9	13.7	14.17	12.8	5.05	-0.5	13.3
29	14.43	16.7	4.00	8.9	7.8	15.47	20.1	0.55	10.4	9.7	15.20	14.2	0.45	7.8	6.4
30	13.40	20.4	0.45	12.2	8.2	15.15	19.3	4.40	7.4	11.9	12.15	15.5	6.00	6.6	8.9
31	14.10	19.2	3.25	10.6	8.6	16.29	22.3	0.58	9.7	12.6					
MEAN		20.23		10.28	9.95		18.30		9.76	8.54		16.89		6.45	10.44

DAILY MAXIMUM AND MINIMUM TEMPERATURE

VALUES IN DEGREES CELSIUS FOR EACH DAY 00H TO 24H (M.E.T.)

DATE	APRIL MAXIMUM HOUR	APRIL MAXIMUM DEG C	APRIL MINIMUM HOUR	APRIL MINIMUM DEG C	APRIL DIFF. DEG C	MAY MAXIMUM HOUR	MAY MAXIMUM DEG C	MAY MINIMUM HOUR	MAY MINIMUM DEG C	MAY DIFF. DEG C	JUNE MAXIMUM HOUR	JUNE MAXIMUM DEG C	JUNE MINIMUM HOUR	JUNE MINIMUM DEG C	JUNE DIFF. DEG C
1	12.55	1.1	3.25	-10.5	11.6	12.57	15.0	0.58	1.2	13.8	13.10	18.7	3.00	6.2	12.5
2	12.29	2.9	0.58	-3.8	6.7	12.40	11.3	2.15	-0.4	11.7	15.45	21.5	2.46	7.9	13.6
3	12.49	4.8	5.30	-5.9	10.7	14.05	7.4	4.00	-0.5	7.9	11.47	19.8	3.00	9.1	10.7
4	11.34	4.8	1.15	-4.4	9.2	15.35	9.3	4.05	2.2	7.1	14.17	23.9	3.10	8.8	15.1
5	14.18	1.9	24.00	-0.7	2.6	13.10	10.5	4.15	0.9	9.6	10.47	10.2	0.58	0.5	9.7
6	17.33	3.6	23.10	-3.3	6.9	14.05	10.4	4.00	-2.4	12.8	17.27	17.4	2.10	0.3	17.1
7	13.30	5.3	5.10	-3.5	8.8	14.45	3.4	1.37	0.1	3.3	14.47	24.9	1.20	5.9	19.0
8	13.48	3.6	5.35	-4.6	8.2	16.00	10.2	5.00	0.6	9.6	16.40	20.6	3.06	7.3	13.3
9	12.57	4.9	4.00	-3.7	8.6	17.12	13.0	4.00	3.4	9.6	10.10	17.3	24.00	4.6	12.7
10	15.40	3.3	24.00	-4.4	7.7	15.00	15.4	24.00	6.0	9.4	17.00	11.7	0.28	0.3	11.4
11	14.47	5.6	3.30	-4.8	10.4	14.56	15.7	4.00	2.0	13.7	16.09	14.6	3.09	-1.0	15.6
12	16.50	9.0	1.47	-3.6	12.6	15.00	9.4	2.23	4.1	5.3	9.13	15.2	3.10	0.0	15.2
13	17.09	9.7	2.00	1.3	8.4	17.45	11.0	0.58	2.0	9.0	11.58	12.8	3.15	2.6	10.2
14	11.29	11.3	0.55	2.4	8.9	13.55	14.3	3.40	-1.7	16.0	12.48	16.4	3.20	0.5	15.9
15	15.15	5.6	4.30	1.8	3.8	10.00	9.6	3.20	1.5	8.1	13.15	14.9	1.40	5.3	9.6
16	15.07	11.5	4.47	0.2	11.3	15.25	13.2	3.00	4.5	8.7	15.18	17.2	6.00	8.4	8.8
17	12.39	9.5	3.27	-2.0	11.5	11.16	11.8	0.10	2.5	9.3	14.19	22.2	3.00	8.4	13.8
18	14.25	12.3	5.00	-0.1	12.4	12.45	12.0	2.30	2.5	9.5	10.48	20.8	1.00	10.6	10.2
19	11.00	6.2	1.00	0.1	6.1	17.29	13.6	0.58	0.8	12.8	13.47	17.2	23.58	8.4	8.8
20	15.45	5.6	3.30	-0.5	6.1	17.30	13.3	3.10	-0.8	14.1	14.59	14.0	1.40	7.3	6.7
21	17.00	3.2	22.00	-0.0	3.2	14.45	16.4	4.03	7.7	8.7	11.18	14.5	0.57	5.3	9.2
22	11.35	8.0	0.58	-1.6	9.6	14.55	15.2	4.05	6.6	8.6	13.46	18.8	2.00	4.2	14.6
23	11.45	6.3	4.10	-2.6	8.9	13.00	16.0	3.29	5.0	11.0	14.35	18.9	0.59	9.6	9.3
24	16.45	6.3	2.25	-0.8	7.1	13.25	15.2	3.32	1.6	13.6	12.30	20.7	3.30	8.2	12.5
25	12.58	9.6	0.57	-2.4	12.0	17.10	22.8	2.03	7.4	15.4	13.15	21.8	3.40	7.8	14.0
26	11.45	9.2	4.00	-2.7	11.9	14.35	27.4	4.00	8.2	19.2	14.14	20.8	2.47	10.3	10.5
27	14.40	7.2	4.17	1.4	5.8	15.05	19.9	0.50	10.9	9.0	14.20	23.3	3.00	9.2	14.1
28	10.00	4.2	17.00	0.0	4.2	12.35	16.2	24.00	7.7	8.5	15.05	24.4	5.00	14.0	10.4
29	17.10	8.3	1.00	0.1	8.2	15.50	13.8	24.00	5.5	8.3	18.00	18.0	4.45	13.8	4.2
30	15.25	16.4	1.47	5.4	11.0	16.25	18.9	1.00	5.1	13.8	16.03	25.8	3.30	15.1	10.7
31						14.25	18.8	3.40	6.1	12.7					
MEAN		6.71		-1.77	8.48		13.88		3.24	10.65		18.61		6.63	11.98

DAILY MAXIMUM AND MINIMUM TEMPERATURE

VALUES IN DEGREES CELSIUS FOR EACH DAY 00H TO 24H (M.E.T.)

DATE	OCTOBER MAXIMUM HOUR	OCTOBER MAXIMUM DEG C	OCTOBER MINIMUM HOUR	OCTOBER MINIMUM DEG C	OCTOBER DIFF. DEG C	NOVEMBER MAXIMUM HOUR	NOVEMBER MAXIMUM DEG C	NOVEMBER MINIMUM HOUR	NOVEMBER MINIMUM DEG C	NOVEMBER DIFF. DEG C	DECEMBER MAXIMUM HOUR	DECEMBER MAXIMUM DEG C	DECEMBER MINIMUM HOUR	DECEMBER MINIMUM DEG C	DECEMBER DIFF. DEG C
1	14.00	18.3	5.47	7.4	10.9	12.10	7.7	0.30	-0.5	8.2	0.15	-1.8	8.25	-7.2	5.4
2	12.30	13.5	3.12	9.9	3.6	15.00	6.6	1.00	-0.5	7.1	21.25	-3.3	6.37	-8.2	4.9
3	14.43	15.1	1.00	12.3	2.8	15.00	7.2	4.00	4.1	3.1	22.15	1.9	4.00	-6.2	8.1
4	14.05	14.6	24.00	11.3	3.3	14.48	7.7	24.00	4.9	2.8	13.26	3.9	23.35	-0.4	4.3
5	15.00	13.6	4.30	10.8	2.8	22.40	7.3	1.00	5.1	2.2	0.05	-0.2	7.08	-3.2	3.0
6	14.00	13.6	24.00	11.3	2.3	13.45	8.4	22.00	3.4	5.0	12.40	0.0	24.00	-5.5	5.5
7	11.32	13.8	3.30	9.9	3.9	13.30	7.5	3.55	3.4	4.1	12.40	-5.4	20.25	-10.0	4.6
8	14.10	12.0	3.39	5.0	7.0	20.30	7.1	4.00	5.1	2.0	23.55	1.5	0.00	-6.7	8.2
9	13.14	14.8	0.58	6.6	8.2	13.07	7.0	0.55	0.8	6.2	6.45	1.8	24.00	-9.0	10.8
10	12.45	14.0	2.04	6.1	7.9	13.39	5.0	8.00	-1.0	6.0	9.40	-8.8	23.10	-15.4	6.6
11	13.40	14.1	24.00	8.5	5.6	23.00	3.4	7.00	-3.1	6.5	13.52	-10.2	24.00	-15.9	5.7
12	12.09	12.8	5.00	6.8	6.0	9.00	4.9	22.09	1.3	3.6	23.37	-11.3	9.20	-19.5	8.2
13	12.49	8.7	0.57	-0.5	9.2	13.30	5.2	3.00	0.9	4.3	22.10	-4.0	9.30	-15.1	11.1
14	14.40	10.0	1.00	-0.5	10.5	13.00	4.9	2.00	3.8	1.1	14.40	-2.8	6.35	-4.5	1.7
15	12.30	10.5	2.00	-0.2	10.7	14.10	5.2	18.20	2.0	3.2	19.10	-2.0	23.50	-5.7	3.7
16	13.00	5.6	23.35	2.7	2.9	13.00	5.9	23.00	-0.6	6.5	12.55	-3.5	0.55	-6.0	2.5
17	15.00	4.8	4.30	0.8	4.0	21.40	6.4	1.49	-1.9	8.3	19.30	1.8	0.00	-3.5	5.3
18	4.47	6.0	16.15	4.3	1.7	13.30	6.5	24.00	-2.2	8.7	8.30	1.8	24.00	-0.7	2.5
19	11.55	4.3	0.58	-2.5	6.8	0.59	0.1	6.45	-3.9	4.0	0.00	-0.8	17.00	-8.9	8.1
20	14.20	4.8	6.42	-3.4	8.2	13.10	4.2	24.00	-0.3	4.5	13.00	3.3	0.00	-1.5	4.8
21	14.49	4.1	4.30	-1.3	5.4	23.25	3.5	3.00	-0.6	4.1	2.25	2.8	24.00	1.8	1.0
22	15.47	8.0	7.09	1.9	6.1	23.40	5.0	9.25	0.5	4.5	23.35	3.7	3.30	1.5	2.2
23	12.40	9.4	2.10	3.0	6.4	12.00	9.1	0.58	-0.5	9.6	0.20	3.9	20.00	0.3	3.6
24	19.28	10.7	4.58	2.1	8.6	0.58	3.9	6.00	-2.0	5.9	8.30	1.3	24.00	-0.3	1.6
25	8.28	10.4	24.00	4.1	6.3	16.20	4.8	0.57	1.4	3.4	16.05	0.9	24.00	-0.8	1.7
26	14.20	8.1	7.20	2.9	5.2	13.17	3.7	23.00	-0.4	4.1	0.00	-0.8	11.55	-3.6	2.8
27	12.58	13.5	7.00	2.5	11.0	22.30	1.4	3.30	-1.2	2.6	12.50	0.9	0.00	-2.0	2.9
28	14.15	9.1	8.00	5.5	3.6	17.30	4.1	3.58	-1.0	5.1	2.50	0.5	17.45	-3.6	4.1
29	14.00	9.9	0.58	7.3	2.6	19.15	4.1	6.15	-0.9	5.0	14.15	0.4	24.00	-3.3	3.7
30	13.40	10.3	22.30	5.3	5.0	1.00	3.0	0.58	-3.8	6.8	23.10	0.2	5.45	-2.6	2.8
31	14.00	6.5	5.00	4.0	2.5						19.35	1.8	1.00	0.0	1.8
MEAN		10.48		4.64	5.84		5.36		0.41	4.95		-0.73		-5.35	4.62

JANUARY — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 1		2		3		4		5		6		7		8		9		10		11		12	
	MB	RH	MB	RH	Mb	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	2.5	87	2.6	87	2.6	87	2.6	87	2.6	86	2.7	85	2.7	85	2.8	85	2.9	88	3.1	88	3.1	88	3.1	89
2	2.3	85	2.3	85	2.2	84	2.2	84	2.2	84	2.2	83	2.2	83	2.2	83	2.3	84	2.1	84	2.0	84	2.3	83
3	2.2	83	2.1	83	2.0	83	2.0	83	2.2	83	2.4	85	2.6	85	2.7	85	2.6	84	2.7	83	2.6	83	2.7	82
4	1.8	84	1.7	84	1.6	86	1.5	86	1.7	86	1.9	86	2.0	86	2.1	86	2.2	84	2.5	84	2.7	85	3.0	87
5	3.2	90	3.2	90	3.1	90	3.1	90	3.1	90	3.0	90	2.8	91	2.8	91	2.7	90	2.8	90	2.8	89	3.1	89
6	4.2	81	3.7	76	3.7	76	3.7	77	3.6	77	3.5	79	3.5	82	3.5	84	3.4	85	3.4	85	3.3	82	3.1	78
7	2.4	68	2.2	64	2.3	65	2.3	66	2.3	66	2.4	81	2.3	82	2.2	82	2.2	82	2.1	82	2.1	82	2.0	81
8	1.9	77	2.0	77	2.0	80	2.2	82	2.3	82	2.3	82	2.3	83	2.3	83	2.1	82	2.1	83	2.1	83	2.0	82
9	1.6	84	1.5	85	1.5	85	1.6	85	1.7	85	1.7	85	1.5	84	1.5	84	1.7	85	2.0	86	2.3	84	2.4	83
10	3.6	84	3.5	85	3.4	85	3.4	86	3.5	86	3.5	85	3.4	86	2.9	87	2.7	86	2.9	86	2.9	86	2.8	85
11	3.0	88	3.0	88	3.0	88	3.1	88	3.2	89	3.3	89	3.4	90	3.5	90	3.5	90	3.7	92	3.8	92	4.1	93
12	5.4	87	5.3	86	5.3	86	5.3	86	5.3	86	5.4	87	5.6	88	5.7	91	5.5	89	5.7	91	5.4	84	5.3	82
13	5.6	93	5.6	93	5.6	92	5.5	91	5.4	91	5.4	91	5.4	91	5.3	90	5.3	91	5.3	91	5.4	91	5.3	91
14	4.7	81	4.7	82	4.7	82	4.6	83	4.7	84	4.8	85	4.9	85	4.9	85	5.0	84	5.2	85	5.3	86	5.3	86
15	5.6	86	5.9	90	5.9	90	6.0	90	5.9	90	5.5	90	5.3	91	5.0	92	4.9	94	4.8	94	5.2	94	5.6	92
16	5.5	93	5.3	92	5.2	91	5.3	91	5.5	91	5.4	89	5.4	88	5.4	87	5.7	89	5.8	89	5.9	88	5.9	88
17	6.4	94	6.6	94	6.5	94	5.9	89	5.4	84	5.0	75	5.0	73	5.0	73	4.8	71	4.7	69	4.6	65	4.4	61
18	3.2	70	3.1	71	2.9	71	2.9	72	3.0	72	3.1	74	3.4	75	3.4	76	3.2	75	3.4	75	3.6	75	3.3	62
19	5.7	94	5.8	94	5.9	92	5.2	82	4.6	79	4.1	79	4.1	80	4.2	82	4.0	83	3.8	78	3.5	75	3.6	65
20	2.8	82	2.7	82	2.5	84	2.5	85	2.4	86	2.3	88	2.2	88	2.3	88	2.2	82	2.3	82	2.3	77	2.4	71
21	2.1	86	2.1	86	2.1	86	2.1	85	2.2	85	2.2	84	2.2	84	2.0	83	1.9	86	1.9	86	2.0	84	2.0	82
22	3.4	94	3.5	94	3.6	94	3.7	94	3.6	93	3.6	93	3.5	93	3.5	93	3.6	97	3.6	97	3.6	97	3.5	97
23	4.1	97	4.4	97	4.5	98	4.6	98	4.7	97	4.7	95	4.8	94	5.0	95	4.8	91	4.8	89	5.2	89	5.3	90
24	5.2	84	4.9	84	4.7	83	4.7	83	5.0	88	4.9	88	4.8	88	4.8	88	4.7	88	4.6	88	4.6	88	4.4	86
25	4.2	93	4.0	94	4.1	94	4.3	94	4.2	94	4.2	94	4.2	94	4.3	94	4.0	91	4.0	91	4.0	91	4.0	92
26	4.0	92	4.1	92	4.1	92	4.1	92	4.1	92	4.2	92	4.1	92	4.1	92	3.9	91	3.9	91	3.8	91	3.7	91
27	3.6	79	3.6	79	3.5	79	3.4	79	3.6	79	3.8	79	3.9	79	4.1	79	4.0	74	4.2	74	4.1	73	4.2	73
28	4.8	76	5.1	80	5.2	82	5.2	84	5.3	85	5.5	85	5.5	85	5.6	86	5.7	88	6.0	89	6.3	89	6.2	87
29	6.3	91	6.1	92	6.0	93	6.0	93	6.0	94	6.0	93	6.1	93	6.1	93	6.1	93	6.1	93	6.1	92	6.0	91
30	5.6	94	5.7	93	5.7	93	5.8	95	5.9	95	5.9	95	5.9	96	6.0	96	5.8	93	5.8	93	5.8	92	5.4	86
31	5.4	93	5.4	94	5.5	95	5.5	95	5.3	94	.0	92	4.9	91	4.8	90	4.7	88	4.9	84	5.2	82	5.2	78
MEAN	3.95	86.1	3.92	86.2	3.90	86.5	3.88	86.3	3.89	86.2	3.87	86.4	3.87	86.6	3.87	86.9	3.82	86.4	3.88	86.1	3.92	85.2	3.93	84.0

JANUARY — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

HOUR (M.E.T.) 13		14		15		16		17		18		19		20		21		22		23		24		MEAN	
MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
2.9	89	2.7	89	2.5	87	2.4	86	2.2	82	2.3	82	2.3	81	2.3	82	2.2	86	2.2	86	2.3	86	2.2	85	2.59	86.0
2.4	81	2.2	80	2.1	80	2.1	81	2.2	82	2.2	82	2.1	82	2.2	82	2.2	82	2.2	82	2.3	83	2.3	83	2.21	82.8
2.9	84	2.8	85	2.7	84	2.4	83	2.3	83	2.2	82	2.1	82	2.1	84	2.0	84	2.0	84	1.9	84	2.34	83.5
3.2	90	3.3	91	3.2	90	3.2	88	3.2	87	3.3	88	3.3	89	3.4	90	3.4	90	3.5	90	3.4	90	3.3	90	2.68	87.4
3.2	90	3.3	91	3.5	89	3.6	86	3.8	83	4.1	86	4.5	91	4.7	89	4.5	85	4.6	86	4.5	87	4.7	87	3.53	88.8
3.1	78	3.0	78	3.0	77	3.0	76	2.9	74	2.8	72	2.6	70	2.6	70	2.5	70	2.5	70	2.4	67	2.4	68	3.14	76.3
2.1	81	2.1	82	2.0	81	2.1	82	2.1	79	2.1	80	2.1	82	2.2	83	2.2	82	2.0	76	1.9	76	1.9	76	2.15	77.5
2.0	83	1.8	83	1.8	83	1.8	84	1.8	84	1.7	84	1.7	84	1.8	84	1.8	84	1.8	85	1.8	84	1.8	84	1.97*	82.6
2.4	83	2.5	82	2.6	82	2.9	85	3.2	87	3.5	88	3.8	87	3.8	87	3.8	86	3.9	85	3.9	86	3.7	84	2.54	84.9
3.0	85	2.9	85	2.9	85	2.9	86	2.9	88	2.9	88	2.8	87	2.8	87	2.9	87	3.0	88	3.0	88	3.0	88	3.07	86.2
4.4	94	4.7	95	4.9	95	5.3	95	5.5	95	5.8	95	5.9	94	6.0	94	5.9	93	5.9	93	5.7	91	5.5	87	4.40	91.6
5.4	84	5.5	85	5.4	83	5.4	84	5.4	85	5.5	89	5.6	92	5.6	93	5.7	94	5.7	94	5.6	93	5.6	93	5.48	87.9
5.4	91	5.2	89	5.3	90	5.3	90	5.3	91	5.2	89	5.0	85	4.9	83	4.9	84	4.7	80	4.6	80	4.6	80	5.25	88.7
5.4	86	5.3	86	5.3	86	5.3	87	5.4	88	5.6	90	5.9	94	6.0	94	5.6	86	5.5	85	5.6	85	5.6	85	5.21	85.8
5.8	92	5.7	92	5.7	92	5.3	93	4.8	94	4.2	93	3.7	92	3.7	93	3.9	93	4.2	93	4.9	93	5.2	93	5.12	91.9
6.0	89	6.2	90	6.2	89	6.3	89	6.3	88	6.3	88	6.3	88	6.3	90	6.5	93	6.6	94	6.6	94	6.3	94	5.93	90.1
4.1	57	4.1	57	4.0	56	3.9	56	3.9	58	4.9	89	4.8	86	4.7	85	4.2	80	3.6	70	3.4	70	3.2	70	4.71	74.0
2.8	54	2.7	55	2.7	56	2.7	57	2.7	58	2.8	60	3.0	62	3.2	64	3.6	67	4.9	90	5.3	99	5.6	98	3.34	70.3*
3.5	85	3.5	84	3.4	84	3.5	86	3.5	86	3.5	83	3.4	81	3.4	81	3.3	84	3.1	83	2.9	82	2.9	82	3.93	83.5
2.5	67	2.5	68	2.5	71	2.5	74	2.5	79	2.4	81	2.2	85	2.2	86	2.2	87	2.3	86	2.2	86	2.1	86	2.38	81.3
2.3	83	2.3	81	2.3	83	2.1	85	2.1	87	2.2	87	2.4	86	2.6	90	2.8	95	3.0	95	3.1	94	3.3	94	2.30	86.5
3.5	97	3.5	97	3.5	97	3.5	96	3.5	96	3.4	96	3.4	97	3.3	97	3.3	97	3.4	97	3.4	96	3.6	96	3.51	95.6*
5.3	90	5.6	92	5.6	92	5.6	92	5.6	92	5.5	90	5.5	89	5.4	88	5.3	87	5.2	87	5.2	86	5.4	86	5.09	91.7
4.4	86	4.3	86	4.3	86	4.4	90	4.5	91	4.5	92	4.4	92	4.3	92	4.2	92	4.2	92	4.4	92	4.2	92	4.56	88.3
4.0	91	4.0	90	4.0	90	3.7	90	4.0	91	3.9	89	4.0	89	3.6	88	3.2	91	3.3	92	3.6	92	3.8	92	3.95	91.7
3.7	91	3.6	91	3.5	91	3.3	89	3.4	88	3.3	84	3.2	80	3.3	79	3.3	79	3.5	79	3.5	79	3.6	79	3.73	87.9
4.2	71	4.1	68	4.2	69	4.2	70	4.5	74	4.5	74	4.6	74	4.7	75	4.7	75	4.6	76	4.7	76	4.8	76	4.16	75.2
6.3	88	6.4	88	6.5	88	6.6	88	6.5	88	6.6	89	6.6	90	6.7	90	6.7	90	6.6	90	6.5	90	6.4	91	6.03*	86.9
6.0	92	6.1	93	6.0	93	6.0	93	6.0	94	6.0	94	5.9	94	5.9	94	5.9	94	5.7	94	5.6	94	5.6	94	5.99	93.1
5.3	86	5.4	89	5.4	90	5.5	90	5.7	93	5.6	93	5.6	93	5.8	92	5.8	91	5.5	90	5.3	90	5.2	91	5.65	92.0
5.4	80	5.6	82	5.7	82	5.6	83	5.6	86	5.6	88	5.8	88	5.8	88	5.9	87	5.8	88	5.7	89	5.7	89	5.41	87.8
3.96	83.8	3.96	84.0	3.96	83.9	3.95	84.3	3.97	84.9	4.00	86.0	4.03	86.0	4.04	86.2	4.02	86.3	4.03	86.5	4.05	86.5	4.05	86.4	3.95	85.7

FEBRUARY — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 1		2		3		4		5		6		7		8		9		10		11		12	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	5.6	89	5.5	88	5.3	85	5.3	85	5.2	84	5.2	84	5.4	83	5.4	83	5.4	83	5.7	82	5.9	79	5.7	78
2	6.0	87	6.1	88	6.2	88	6.3	88	6.3	88	6.1	87	6.0	88	6.0	89	5.8	86	5.8	82	5.8	77	5.7	71
3	5.9	87	6.0	89	5.9	92	5.8	93	5.7	90	5.1	81	4.7	73	4.0	65	3.8	64	3.8	61	3.8	57	3.9	55
4	4.0	69	3.9	70	3.7	69	3.6	69	3.6	72	3.6	72	3.5	72	3.5	74	3.6	74	3.8	74	3.8	73	3.9	72
5	3.5	90	3.4	86	3.3	83	3.1	80	3.0	77	2.9	75	2.8	74	2.9	79	3.0	81	3.1	85	3.2	84	3.4	83
6	2.9	87	2.9	86	2.8	85	2.8	86	2.8	86	2.6	85	2.4	85	2.3	85	2.4	86	2.4	86	2.4	86	2.4	86
7	1.9	80	1.9	80	1.9	81	2.0	81	2.1	82	2.1	83	2.1	83	2.1	84	1.9	80	1.9	80	2.0	80	2.1	79
8	1.8	82	1.7	82	1.7	82	1.6	82	1.5	82	1.5	83	1.5	84	1.5	84	1.4	78	1.5	77	1.7	77	1.8	77
9	1.6	87	1.6	87	1.6	86	1.6	86	1.7	86	2.0	86	2.2	85	2.3	83	2.5	83	2.7	85	3.0	84	2.9	79
10	1.7	85	1.6	85	1.7	84	1.5	83	1.4	83	1.3	82	1.2	82	1.2	82	1.2	82	1.2	82	1.3	80	1.5	77
11	2.2	85	2.4	85	2.4	85	2.4	85	2.5	85	2.5	85	2.7	85	2.8	85	2.8	79	2.9	73	2.7	65	2.7	63
12	3.9	89	4.0	90	4.2	92	4.2	92	4.3	92	4.4	92	4.5	92	4.7	92	5.1	94	5.4	94	5.5	95	5.7	96
13	6.7	95	6.6	95	6.6	95	6.6	95	6.7	95	6.7	95	6.7	96	6.7	96	6.8	96	6.8	94	6.8	90	6.2	80
14	5.2	89	5.9	92	6.1	91	6.1	88	5.8	88	5.8	88	6.0	88	5.9	88	6.0	88	6.0	87	5.9	85	5.9	85
15	6.0	94	5.9	93	5.7	93	5.3	91	4.8	89	4.5	85	4.1	82	4.1	82	4.3	78	4.0	68	4.7	66	4.8	64
16	4.5	92	4.6	93	4.3	94	4.3	94	4.4	95	4.3	95	4.3	95	4.4	95	4.6	94	4.9	94	5.1	96	5.3	96
17	4.9	92	4.6	92	4.3	92	4.1	90	3.9	90	3.8	89	3.9	89	3.9	87	4.0	89	4.2	89	4.3	87	4.3	87
18	4.1	86	4.0	86	4.0	86	3.9	86	3.9	85	3.8	84	3.8	84	3.7	84	3.5	81	3.5	81	3.4	80	3.3	79
19	2.0	80	1.9	83	1.7	84	1.9	84	1.8	84	1.7	83	1.6	83	1.7	83	2.0	85	2.4	83	2.8	78	3.0	73
20	1.9	88	2.1	88	2.2	89	2.3	90	2.3	90	2.5	90	2.6	89	2.6	89	2.7	93	2.7	93	3.2	91	3.5	88
21	2.0	88	1.9	88	1.7	87	1.7	87	1.8	88	1.9	88	1.9	87	1.8	86	1.9	86	1.9	86	2.1	86	2.5	86
22	2.6	87	2.6	87	2.6	87	2.7	89	2.8	89	2.8	89	2.8	88	2.8	85	2.8	84	2.8	83	2.9	83	3.0	82
23	1.4	90	1.4	90	1.3	90	1.3	89	1.3	89	1.3	89	1.3	89	1.3	89	1.2	81	1.3	81	1.5	81	1.7	80
24	1.3	81	1.3	81	1.4	81	1.4	81	1.6	81	1.6	81	1.5	81	1.5	81	1.5	81	1.6	81	1.7	80	1.7	77
25	1.0	77	0.9	77	0.9	77	1.0	77	0.9	77	0.9	77	0.9	76	1.0	76	1.2	83	1.4	83	1.5	82	1.7	82
26	1.9	82	1.9	82	1.8	81	1.8	81	1.8	81	1.7	80	1.7	80	1.8	80	1.9	82	2.0	81	2.0	81	2.0	81
27	1.3	81	1.2	81	1.2	81	1.2	81	1.3	81	1.3	81	1.3	81	1.3	81	1.2	73	1.4	73	1.6	73	1.8	70
28	1.4	79	1.4	81	1.4	81	1.5	81	1.6	81	1.6	81	1.7	82	1.7	83	1.9	83	2.3	80	2.5	75	2.7	72
MEAN	3.19	85.6	3.18	85.9	3.14	85.8	3.13	85.5	3.09	85.4	3.06	84.6	3.04	84.1	3.03	84.0	3.09	83.1	3.19	82.1	3.32	80.4	3.39	78.5

FEBRUARY — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

HOUR (M.E.T.) 13		14		15		16		17		18		19		20		21		22		23		24		MEAN	
MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
6.2	78	6.1	77	5.8	77	5.6	79	5.3	79	5.4	81	5.6	82	5.8	81	5.8	80	5.7	81	5.6	82	5.8	84	5.60	81.8
5.8	72	5.9	73	5.7	75	5.8	80	5.3	81	5.5	84	5.4	82	5.3	81	5.3	83	5.5	84	5.6	86	5.9	86	5.80	82.8
4.1	55	4.3	55	4.3	54	4.2	53	3.8	49	4.0	53	4.5	61	4.5	64	4.6	69	4.4	69	4.2	69	4.1	69	4.56	67.8*
3.9	72	3.8	72	3.8	73	3.8	75	3.8	79	3.5	78	3.6	83	3.6	82	3.6	84	3.7	87	3.7	92	3.6	91	3.70	76.2
3.0	81	3.0	85	2.8	90	2.8	90	2.8	89	2.8	90	3.0	92	3.1	91	3.2	92	3.1	89	3.0	88	3.0	88	3.05	85.1
2.5	86	2.4	86	2.4	87	2.5	87	2.3	88	2.1	86	2.0	84	1.9	82	1.8	80	1.8	80	1.8	81	1.9	81	2.35	84.9
2.2	77	2.1	75	2.1	76	2.1	77	2.1	79	2.1	80	2.1	79	2.2	81	2.2	82	2.3	82	2.1	81	2.0	81	2.06	80.1
1.9	77	2.1	76	2.0	79	2.0	81	2.0	86	2.0	86	1.9	86	1.8	86	1.8	87	1.8	87	1.8	87	1.7	87	1.75	82.3
2.9	79	2.8	81	2.5	79	2.5	79	2.4	79	2.4	79	2.4	79	2.1	79	2.3	88	2.4	89	2.2	87	2.0	85	2.29	83.3
1.5	74	1.6	70	1.6	71	1.6	73	1.7	79	1.8	83	1.7	85	1.7	85	1.7	85	1.8	85	1.9	85	2.0	85	1.55	81.1
2.7	63	3.3	82	3.4	87	3.4	89	3.5	90	3.5	89	3.7	89	3.8	89	3.8	87	3.9	87	3.9	87	3.9	87	3.07	82.8
5.7	95	5.7	93	5.8	94	6.0	95	6.0	96	6.1	96	6.1	96	6.3	96	6.3	94	6.4	94	6.5	94	6.6	95	5.39	93.7
5.9	77	6.4	83	6.7	85	6.6	82	6.5	83	6.3	85	6.1	84	5.8	84	5.7	85	5.6	87	5.6	88	5.3	88	6.34*	88.9
5.9	83	5.9	81	5.7	80	5.6	80	5.7	80	5.9	83	5.9	88	6.0	91	6.1	93	6.1	94	6.1	93	6.1	94	5.90	87.4
4.9	58	4.6	53	4.4	52	4.2	53	4.2	59	4.2	63	5.0	84	5.0	85	4.9	87	5.0	89	4.9	90	4.8	91	4.76	77.0
5.6	96	5.6	97	5.5	97	5.7	96	5.4	94	5.4	94	5.4	95	5.4	95	5.3	95	5.3	95	5.1	94	4.9	93	4.98	94.6*
4.3	85	4.3	84	4.3	84	4.2	84	4.2	84	4.2	84	4.2	85	4.2	85	4.2	87	4.3	87	4.2	87	4.2	88	4.20	87.5
3.1	77	3.2	74	3.1	74	3.0	76	2.9	80	2.5	84	2.5	84	2.7	83	2.6	80	2.6	80	2.3	80	2.0	80	3.22	81.4
3.2	70	3.3	68	3.2	67	3.0	68	2.9	78	2.8	83	2.7	88	2.5	87	2.3	85	2.2	86	2.0	88	2.1	88	2.35	80.8
3.5	86	3.4	84	3.4	87	3.2	86	3.2	86	3.1	91	2.9	93	2.7	90	2.4	88	2.2	88	2.2	86	2.1	88	2.70	88.9
2.5	84	2.7	82	2.7	82

MARCH — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 1		2		3		4		5		6		7		8		9		10		11		12	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	4.0	81	4.1	83	4.2	84	4.2	85	4.4	88	4.6	89	4.5	90	4.7	91	4.8	91	5.0	92	5.2	93	5.4	94
2	4.9	98	4.3	94	4.0	93	3.8	93	3.6	93	3.5	93	3.3	92	3.2	92	3.0	87	3.0	86	3.0	81	2.7	72
3	2.6	76	2.4	82	2.3	87	2.2	87	2.0	85	1.9	85	1.9	84	1.9	83	2.0	84	2.4	83	2.7	80	2.8	74
4	3.2	89	3.3	89	3.4	90	3.5	89	3.6	89	3.9	89	3.9	88	4.0	88	4.2	90	4.5	91	4.6	92	4.8	93
5	6.8	93	6.8	93	6.7	93	6.7	93	6.6	92	6.6	91	6.3	90	6.5	89	6.7	85	6.7	80	6.4	72	5.3	56
6	5.9	94	5.9	95	5.8	95	5.9	95	5.9	96	5.8	96	5.7	96	5.7	96	5.4	96	4.7	96	4.8	95	4.9	94
7	2.2	84	2.2	84	2.2	84	2.0	84	1.9	84	1.8	84	1.8	83	1.9	83	1.8	82	2.0	78	1.7	64	1.6	60
8	1.6	87	1.7	89	1.7	89	1.7	90	1.6	90	1.6	91	1.5	91	1.5	92	1.8	91	2.1	91	2.2	87	2.4	82
9	1.3	92	1.2	91	1.1	91	1.2	91	1.2	90	1.4	90	1.7	89	2.1	89	2.0	88	2.4	88	2.3	85	2.5	81
10	2.2	87	2.3	86	2.2	86	2.1	86	2.1	85	2.1	82	2.1	80	2.1	79	2.1	78	2.2	75	2.3	75	2.3	67
11	2.6	87	2.6	87	2.6	88	2.6	89	2.7	89	2.7	89	2.7	89	2.7	89	2.5	81	2.6	82	2.6	82	2.6	82
12	2.7	84	2.7	84	2.7	83	2.6	83	2.7	83	2.7	83	2.7	82	2.8	82	2.9	82	3.0	82	3.1	82	3.1	83
13	3.1	86	3.1	86	3.0	86	3.0	85	3.0	85	3.0	86	3.1	87	3.1	87	3.2	87	3.2	87	3.3	85	3.2	81
14	3.8	87	3.7	88	3.8	89	3.9	90	4.0	90	4.0	89	3.8	89	4.1	90	3.8	90	3.8	89	4.2	88	4.2	84
15	5.4	93	5.4	93	5.4	93	5.2	89	5.0	86	4.9	85	5.1	89	5.0	86	5.1	89	4.8	81	4.5	74	4.5	77
16	3.8	76	3.7	78	3.7	83	3.9	85	3.9	85	3.9	87	4.0	92	4.1	93	4.5	95	4.8	95	5.3	96	5.7	96
17	4.4	90	4.2	90	4.2	90	4.1	90	4.2	91	4.2	91	4.2	90	4.2	90	4.4	91	4.4	90	4.2	89	4.3	84
18	4.4	92	4.4	92	4.3	91	4.2	90	4.1	90	3.9	90	3.7	90	3.6	90	4.0	93	4.0	93	4.4	93	4.5	86
19	3.2	90	3.1	83	3.0	81	2.9	81	2.8	81	2.8	80	2.7	79	2.8	79	2.7	78	2.9	78	3.9	77	3.8	74
20	2.2	92	2.1	92	2.1	92	2.1	92	2.0	92	1.9	91	2.1	91	2.4	92	3.2	93	3.6	93	3.6	82	3.2	68
21	3.3	88	3.1	89	2.9	90	2.7	92	2.3	92	2.2	92	2.2	92	2.2	92	2.5	94	2.8	91	3.2	87	3.4	79
22	1.5	94	1.4	93	1.3	92	1.2	91	1.1	90	1.1	89	1.1	88	1.4	86	2.0	79	2.5	73	2.7	66	2.6	57
23	1.5	88	1.6	90	1.6	91	1.7	92	2.0	92	2.1	92	2.2	91	2.5	89	2.4	71	2.5	62	2.7	55	3.0	54
24	2.1	78	2.0	85	2.0	87	1.9	88	1.7	88	1.7	88	1.9	88	2.3	84	2.8	71	2.9	67	3.2	63	3.4	57
25	2.9	70	2.8	90	2.6	90	2.6	90	2.5	89	2.5	89	2.5	89	3.0	90	3.3	88	3.7	87	3.7	80	3.7	67
26	3.8	95	3.8	94	3.7	93	3.7	93	3.5	92	3.4	91	3.4	91	3.4	90	3.5	92	3.6	92	3.7	87	3.6	83
27	2.1	93	1.8	91	1.7	90	1.6	88	1.6	87	1.5	86	1.5	86	1.7	85	2.5	90	3.1	90	4.4	92	2.9	51
28	2.2	84	2.1	86	2.0	87	2.1	91	2.0	91	1.8	90	1.8	88	2.0	87	2.2	85	2.5	76	3.0	67	3.1	56
29	2.2	87	2.4	91	2.5	92	2.3	91	2.2	90	1.9	88	2.0	86	2.4	86	3.1	86	3.2	71	2.8	50	2.5	41
30	2.6	76	2.8	87	2.6	90	2.4	92	2.1	93	2.2	92	2.2	92	2.5	87	3.0	80	3.5	71	2.9	47	2.7	42
31	2.1	80	2.0	82	1.9	85	1.8	86	1.7	86	1.7	87	2.0	86	2.7	74	3.0	60	2.9	46	2.9	42	3.1	42
MEAN	3.12	87.5	3.06	88.3	3.01	88.9	2.97	89.1	2.90	88.9	2.87	88.5	2.89	88.3	3.05	87.4	3.24	85.4	3.39	82.5	3.53	77.7	3.48	71.5

MARCH — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

HOUR (M.E.T.) 13		14		15		16		17		18		19		20		21		22		23		24		MEAN
MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB RH
5.6	95	5.7	94	5.5	92	5.6	93	5.6	92	5.7	93	5.9	94	6.0	95	6.1	97	6.1	98	6.1	98	5.7	98	5.19 91.7
2.8	72	2.9	76	3.0	81	2.7	75	2.6	73	2.5	73	2.5	74	2.5	76	2.7	81	2.7	80	2.8	80	2.8	80	3.12 83.1
2.8	69	2.7	63	2.7	63	2.7	64	2.5	66	2.4	69	2.7	72	2.7	71	2.7	70	2.7	76	3.0	86	3.1	88	2.50 77.0
5.1	94	5.4	93	5.5	92	5.6	90	5.6	88	5.7	90	5.9	91	6.1	92	6.3	93	6.4	94	6.6	94	6.8	94	4.92 90.9
4.3	44	5.2	54	5.6	60	5.1	55	4.5	53	4.3	60	4.3	64	4.6	70	4.7	73	5.4	84	5.4	88	5.4	89	5.70* 75.9
4.6	94	4.6	94	4.0	93	3.6	92	3.4	91	3.3	90	3.0	88	2.8	87	2.7	85	2.4	84	2.3	84	2.3	84	4.40 92.1*
1.7	61	1.8	63	1.8	64	1.8	66	1.7	67	1.6	73	1.7	79	1.8	84	1.8	83	1.9	84	1.9	84	2.0	86	1.85* 77.0
2.8	71	2.8	70	2.8	68	2.7	65	2.7	70	2.6	77	2.5	86	2.6	91	2.3	93	1.8	93	1.4	92	1.3	92	2.08 84.9
2.5	72	2.4	68	2.5	70	2.4	73	2.4	77	2.4	80	2.3	83	2.3	86	2.3	88	2.2	89	2.1	89	2.2	88	2.02 84.5
2.3	69	2.4	79	2.5	82	2.6	82	2.5	81	2.5	82	2.6	84	2.7	86	2.6	86	2.6	86	2.6	86	2.6	87	2.36 81.5
2.8	83	2.8	83	2.8	83	2.8	83	2.8	83	3.0	85	3.0	86	2.9	85	2.9	84	2.9	84	2.9	84	2.8	85	2.75 85.1
3.2	80	3.1	79	3.2	80	3.2	81	3.1	83	3.2	85	3.2	85	3.1	85	3.1	85	3.2	85	3.1	85	3.1	85	2.99 83.0
3.3	80	3.2	78	3.2	78	3.2	78	3.3	82	3.4	83	3.1	79	3.3	82	3.4	84	3.5	86	3.7	86	3.7	86	3.23 83.8
4.2	83	4.1	83	4.2	85	4.2	85	4.4	87	4.6	90	4.8	92	4.9	92	5.0	93	5.2	93	5.3	94	5.4	94	4.30 88.7
4.5	77	4.8	82	4.1	71	4.1	73	3.7	68	3.7	70	4.0	77	4.0	77	4.1	79	4.0	79	4.0	78	3.9	77	4.54 81.0
5.6	91	5.4	84	5.4	86	5.4	83	5.7	92	5.4	90	5.4	91	5.4	93	5.3	93	5.2	92	5.0	92	4.7	90	4.80 89.1
4.5	81	4.6	79	4.4	78	4.5	79	4.5	79	4.3	79	4.3	84	4.5	91	4.4	92	4.4	93	4.4	93	4.4	93	4.33 87.4
4.7	84	4.8	82	5.0	82	4.6	78	4.4	83	4.3	86	4.2	90	4.2	91	4.0	91	3.8	94	3.5	94	3.2	92	4.18 89.0
3.8	68	3.6	65	3.7	65	3.5	66	3.3	68	3.1	68	2.8	71	2.7	79	2.7	86	2.5	91	2.4	92	2.3	92	3.05 78.0
3.2	68	3.1	68	3.1	68	3.2	73	2.9	70	3.2	79	3.2	80	3.2	84	3.3	86	3.3	88	3.3	88	3.3	88	2.87 83.8
2.9	61	2.7	54	2.7	54	2.6	53	2.5	53	2.4	56	2.5	61	2.4	64	2.3	69	2.0	78	1.8	88	1.6	92	2.54 77.5
2.5	51	2.5	50	2.4	47	2.4	47	2.4	48	2.3	50	2.3	59	2.1	67	2.1	77	2.0	83	2.0	86	1.6	86	1.93 72.9
3.1	51	3.2	50	3.3	49	3.2	48	3.0	47	2.6	47	2.5	50	2.5	51	2.5	53	2.5	55	2.4	58	2.2	64	2.46 66.3
3.7	56	3.9	54	3.9	52	4.0	52	3.8	52	3.6	52	3.6	58	3.5	64	3.5	71	3.5	81	3.2	83	3.1	89	2.97 71.2
3.4	59	3.3	54	3.8	59	3.7	59	3.6	59	3.4	62	3.9	80	4.0	87	3.8	90	3.7	95	3.8	96	3.8	95	3.34 80.6
3.7	82	3.8	78	3.4	70	3.4	71	3.6	72	3.6	73	3.6	80	3.3	81	3.0	86	2.7	90	2.7	92	2.4	93	3.43 85.9
3.0	49	3.2	48	2.9	41	2.8	40	2.6	38	2.3	39	2.4	45	2.4	49	2.5	54	2.4	61	2.3	73	2.2	79	2.39 68.5
2.7	42	2.7	41	2.6	40	2.5	39	2.4	38	2.3	41	2.4	49	2.6	57	2.7	62	2.6	68	2.7	78	2.4	86	2.39 67.9
1.9	29	1.8	27	1.8	26	2.2	31	2.5	37	2.3	39	2.1	41	3.0	59	3.1	60	3.0	61	2.8	62	2.7	65	2.45 62.3
2.5	39	2.5	38	2.4	36	2.4	36	2.2	35	2.1	35	2.1	40	2.0	45	2.2	48	2.0	52	2.2	60	2.1	74	2.42 62.0
3.1	41	3.0	38	3.0	37	2.9	36	2.7	35	2.5	36	2.4	41	2.3	44	2.2	46	2.1	48	2.1	48	2.0	55	2.42 56.7*
3.45	67.6	3.48	66.7	3.46	66.2	3.40	66.0	3.32	66.7	3.25	68.8	3.27	72.7	3.31	76.3	3.29	78.6	3.26	81.5	3.22	83.6	3.14	85.4	3.22 79.3

APRIL — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 1		2		3		4		5		6		7		8		9		10		11		12	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	2.1	64	2.0	65	2.0	69	2.3	71	2.0	71	2.5	70	2.5	70	2.8	69	2.8	54	2.8	49	2.9	48	3.2	50
2	5.0	91	4.8	88	4.7	88	4.7	88	4.4	79	4.4	78	4.3	78	4.7	78	4.9	75	4.7	70	4.7	66	4.5	62
3	3.7	80	3.8	84	3.7	88	3.7	89	3.6	91	3.8	92	4.1	87	4.4	81	4.5	75	4.7	70	4.7	60	4.5	55
4	3.7	83	3.8	85	4.1	85	4.1	85	4.2	85	4.4	85	4.6	84	4.8	80	4.8	73	4.8	65	4.8	61	4.8	58
5	5.0	83	5.0	83	5.1	83	5.0	83	5.1	85	5.3	88	5.5	91	5.5	92	5.6	91	5.6	91	5.7	88	5.5	83
6	5.5	95	5.4	96	5.3	96	5.3	96	5.7	96	5.3	95	5.7	94	5.4	91	5.3	85	5.3	83	5.2	78	5.2	78
7	3.0	57	2.9	56	2.9	56	2.8	57	2.7	57	2.8	57	3.0	57	3.2	57	3.1	47	2.9	42	3.1	41	3.3	41
8	2.7	51	2.9	57	3.0	62	3.0	66	3.0	67	3.0	69	3.2	67	3.4	65	3.5	58	3.4	56	3.4	50	3.3	47
9	3.2	67	3.1	67	3.2	68	3.2	68	3.3	69	3.3	68	3.5	68	3.9	69	4.2	64	4.8	63	4.8	59	4.4	53
10	4.5	92	4.6	93	4.5	93	4.4	93	4.5	92	4.5	92	4.7	90	4.6	87	4.9	81	4.8	75	4.7	76	5.1	77
11	4.1	90	4.1	90	3.9	90	3.9	91	4.0	91	4.0	91	4.0	91	4.2	89	4.6	82	4.6	76	4.5	62	4.3	54
12	3.6	74	3.4	73	3.1	63	3.0	61	2.9	60	3.1	60	3.4	62	3.8	60	4.4	57	4.3	52	4.7	52	5.2	52
13	4.7	70	4.6	69	4.6	68	4.7	68	4.7	68	4.8	67	4.7	65	5.0	64	5.0	62	5.4	64	6.1	62	6.8	60
14	6.2	83	6.2	82	6.4	81	6.2	80	6.1	80	6.1	80	6.4	76	6.3	64	6.7	61	6.9	56	7.9	60	7.4	61
15	6.4	88	6.4	88	6.4	88	6.2	89	6.3	89	6.3	90	6.3	88	6.3	87	6.3	85	6.5	84	6.7	84	6.9	83
16	6.2	87	6.1	90	6.0	90	5.9	90	5.7	91	5.8	91	6.0	88	5.9	85	6.0	70	6.7	64	7.0	63	7.3	61
17	4.2	65	4.1	72	4.2	77	4.3	80	4.2	77	4.5	75	4.8	68	4.9	60	4.8	53	5.0	51	5.4	48	5.0	46
18	5.2	75	5.3	78	5.3	80	5.3	83	5.2	85	5.4	82	5.7	72	5.7	62	5.0	45	3.8	31	3.9	31	3.9	31
19	4.4	65	4.4	70	4.5	73	4.6	74	4.9	81	5.3	82	5.6	81	5.6	74	6.0	73	5.8	66	6.3	66	5.3	62
20	5.8	94	5.7	93	5.6	93	5.5	93	5.6	93	5.8	93	6.0	93	6.1	93	6.0	87	6.0	80	5.5	72	5.7	73
21	6.8	99	6.7	99	6.7	99	6.6	98	6.5	97	6.5	97	6.4	96	6.3	96	6.4	94	6.5	94	6.5	94	6.6	94
22	5.8	92	5.8	92	5.7	90	5.6	89	5.4	88	5.3	86	5.3	84	5.4	82	5.8	73	5.6	63	5.2	53	4.7	50
23	5.1	93	5.0	94	4.9	94	4.8	94	4.8	94	4.9	93	5.2	89	5.4	81	5.6	72	4.2	49	4.7	50	4.7	52
24	5.5	92	5.4	93	5.5	94	5.5	94	5.5	94	5.6	95	5.6	93	5.7	91	5.6	83	5.4	69	5.1	60	5.4	60
25	3.9	65	3.9	65	3.8	65	3.8	65	3.8	65	3.9	65	4.6	65	5.8	64	4.7	47	4.3	41	4.4	39	4.3	37
26	4.5	88	4.6	91	4.6	91	4.6	91	4.6	89	4.7	86	5.2	84	5.6	75	6.1	67	5.0	51	5.1	46	4.6	41
27	7.7	92	7.6	92	7.0	91	6.4	91	6.1	90	6.4	89	6.7	86	6.8	85	7.1	90	7.3	92	7.1	93	7.5	88
28	5.6	72	5.4	73	5.3	74	5.4	75	5.4	77	5.7	79	6.1	80	6.3	81	5.5	68	5.4	66	5.9	73	5.6	75
29	5.7	93	5.7	93	5.8	93	5.8	93	5.8	93	5.8	93	5.8	93	6.0	93	6.2	90	6.3	88	6.4	86	6.5	83
30	6.7	73	6.5	71	6.4	69	6.6	68	6.6	67	6.7	66	6.9	63	7.2	59	7.0	53	6.8	48	6.5	45	7.0	43
MEAN	4.88	80.5	4.84	81.4	4.80	81.7	4.76	82.1	4.75	82.0	4.86	81.8	5.08	80.2	5.24	77.1	5.27	70.5	5.19	65.0	5.30	62.2	5.28	60.3

APRIL — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

HOUR (M.E.T.) 13		14		15		16		17		18		19		20		21		22		23		24		MEAN
MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB RH
3.4	52	3.7	60	4.3	78	5.0	91	5.0	91	5.1	91	5.1	91	5.0	91	5.0	91	5.1	92	5.2	93	5.2	93	3.62 73.5
4.4	60	4.2	59	3.9	58	3.8	59	3.8	60	3.8	63	3.9	68	3.9	68	3.9	68	3.7	70	3.8	74	3.7	77	4.27 71.4
4.6	55	4.5	55	4.4	55	4.4	55	4.1	54	3.7	55	3.7	61	3.6	63	3.6	68	3.7	74	3.7	77	3.6	80	4.04 71.6
4.6	59	4.8	61	4.5	62	4.6	65	4.8	71	4.7	73	4.8	76	4.7	78	4.9	78	4.9	78	4.9	79	5.0	82	4.59 74.6
5.6	82	5.6	80	5.5	81	5.5	82	5.6	83	5.6	84	5.4	85	5.7	91	5.8	95	5.7	95	5.6	95	5.5	95	5.45 87.0
5.4	75	5.2	72	5.0	67	4.8	63	4.2	55	4.2	55	3.9	57	4.3	78	4.5	88	4.5	92	4.0	83	3.2	61	4.91 80.4
3.1	36	2.9	33	3.0	34	2.9	34	2.8	33	2.9	37	2.8	39	2.7	42	2.7	44	2.8	45	2.8	47	2.8	48	2.91* 45.7*
3.2	44	3.2	42	2.7	39	2.9	39	2.9	39	2.9	42	2.9	46	2.9	49	3.1	55	3.3	64	3.3	66	3.3	67	3.10 54.5
4.2	49	4.3	52	4.0	50	3.9	52	3.6	50	3.9	60	3.9	66	4.2	76	4.2	81	4.1	83	4.1	84	4.4	89	3.89 65.6
5.0	74	5.1	69	4.7	63	4.4	58	3.7	51	3.4	54	4.3	78	4.2	82	4.1	86	4.1	89	4.1	90	4.0	90	4.45 80.2
3.4	41	3.0	34	2.8	32	2.8	32	2.9	35	3.0	39	3.4	49	3.9	68	4.2	77	4.1	78	4.0	78	3.8	77	3.81 68.2
5.3	50	5.0	46	5.0	45	4.8	43	4.5	41	4.7	45	4.8	53	4.6	56	4.8	68	4.8	70	4.7	70	4.6	70	4.28 57.6
6.3	56	6.3	57	6.7	58	6.8	59	7.0	59	6.6	63	6.5	67	6.4	70	6.3	71	6.2	73	6.0	79	6.2	82	5.78 65.9
7.4	64	7.2	62	7.1	64	7.1	64	7.1	63	6.8	64	7.0	71	6.6	74	6.7	79	6.7	85	6.7	88	6.6	88	6.75 72.1
6.9	79	6.8	77	7.1	78	7.2	79	7.4	82	7.2	81	6.8	79	6.6	80	6.6	83	6.7	84	6.4	84	6.1	87	6.61 84.0
6.8	55	5.5	44	5.4	41	5.5	41	5.1	40	5.3	44	4.8	48	4.6	52	4.8	61	4.6	64	4.6	64	4.4	64	5.67 66.3
4.8	44	5.1	46	5.0	45	4.7	45	4.5	44	4.7	51	4.9	55	4.7	54	4.9	61	5.0	67	5.1	75	5.1	74	4.74 59.7
4.9	36	5.0	37	4.8	36	4.9	37	4.6	38	4.6	39	4.7	49	4.6	55	4.5	59	4.4	61	4.5	65	4.5	65	4.81 55.5
5.9	87	6.4	92	6.2	93	6.2	93	6.1	93	6.0	94	6.0	95	5.9	94	5.9	93	5.9	93	5.8	93	5.8	94

MAY — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 1		2		3		4		5		6		7		8		9		10		11		12	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	5.5	60	5.5	59	5.2	60	5.3	70	5.4	74	5.9	64	6.2	57	6.0	49	5.4	41	5.7	41	6.2	41	5.9	38
2	5.1	77	5.0	83	5.5	86	5.7	84	6.0	82	6.2	85	6.7	88	7.5	93	9.1	93	9.0	83	9.2	78	9.2	75
3	6.0	91	5.6	92	5.5	92	5.4	92	5.5	92	5.6	92	5.6	90	6.0	85	6.2	85	6.4	79	6.8	74	6.8	74
4	6.3	85	6.4	87	6.5	89	6.5	90	6.5	90	6.6	90	6.5	89	6.6	89	6.4	82	6.2	73	5.6	58	4.8	49
5	4.7	59	4.5	63	4.6	67	4.5	69	4.8	70	5.0	68	5.3	64	5.5	60	5.3	53	5.3	49	5.3	46	4.5	39
6	6.0	92	5.4	94	4.9	94	4.8	94	5.1	93	5.4	87	5.4	67	5.0	51	4.8	45	4.7	40	4.3	37	4.3	36
7	5.5	87	5.6	89	5.6	91	5.7	91	5.8	91	5.9	89	6.0	86	6.1	84	6.4	89	6.5	90	6.5	90	6.6	90
8	6.2	93	6.2	94	6.1	93	6.0	94	6.0	94	6.1	94	6.2	93	6.5	92	6.7	92	7.2	89	7.4	85	7.5	78
9	5.7	65	5.6	69	7.0	88	7.0	90	7.1	91	7.3	91	7.7	92	8.0	93	8.4	94	9.2	94	9.7	89	10.3	81
10	9.4	82	9.0	83	8.7	85	8.8	86	8.6	84	9.2	82	9.5	82	9.6	81	8.6	69	7.8	57	7.7	55	7.4	50
11	4.9	58	4.9	61	4.6	62	4.5	64	4.8	66	5.6	66	5.9	58	5.5	45	5.0	36	4.7	32	4.6	31	4.3	28
12	5.0	57	5.1	60	5.5	66	6.1	69	6.4	74	8.2	91	8.4	91	8.6	91	8.2	87	8.7	85	8.3	76	8.0	75
13	7.6	84	7.5	83	7.6	85	7.9	87	7.2	84	7.3	85	7.5	86	7.5	83	7.8	84	7.9	88	7.8	75	7.2	67
14	4.1	59	4.1	64	3.8	69	4.0	72	4.3	73	5.1	66	5.5	57	6.2	55	6.1	51	6.4	49	6.5	48	6.0	44
15	6.1	73	5.7	74	5.4	75	5.4	76	5.7	80	6.6	80	7.2	76	6.8	63	5.9	50	5.5	46	6.4	61	7.4	76
16	8.2	95	8.1	95	8.0	95	8.1	96	8.4	96	8.7	96	9.1	95	9.1	92	9.7	87	9.3	84	10.0	85	10.4	85
17	7.9	89	7.7	90	8.0	91	8.0	91	8.5	91	9.5	90	9.4	84	9.0	73	9.4	73	10.0	73	10.0	73	10.6	77
18	7.1	93	6.8	92	6.8	92	6.9	90	6.9	89	6.8	87	7.2	86	7.3	86	7.3	83	8.2	79	7.7	67	7.9	61
19	7.1	81	6.4	80	6.0	77	5.8	74	6.1	72	6.5	68	6.7	65	6.8	61	6.1	51	6.1	47	7.6	53	7.2	68
20	5.2	82	5.2	85	5.0	87	5.5	88	5.8	75	6.3	70	6.2	58	6.6	57	6.7	55	7.0	54	6.8	53	7.9	60
21	8.0	68	7.7	69	7.7	70	7.4	70	7.6	71	7.7	72	7.8	73	7.9	74	8.3	71	8.8	67	8.6	60	8.4	54
22	8.3	73	7.8	71	7.3	71	7.0	71	6.9	69	6.7	65	6.8	63	6.6	58	7.2	57	7.2	52	6.4	46	5.6	37
23	6.0	60	5.5	61	6.2	69	6.3	71	6.9	70	7.5	67	7.8	62	8.0	56	7.3	48	6.9	40	7.0	40	7.0	39
24	5.9	76	5.9	82	5.9	85	6.2	86	6.8	77	7.2	71	7.4	59	7.4	49	7.7	48	6.8	42	7.3	47	7.8	50
25	6.6	59	6.8	66	7.6	70	7.8	74	8.2	75	9.1	74	9.9	73	10.7	68	10.5	63	10.8	57	12.0	58	13.5	58
26	11.3	91	11.1	92	10.6	93	10.1	93	10.9	93	11.8	89	13.1	82	15.0	77	18.0	77	15.9	57	16.8	50	15.9	45
27	14.4	82	13.8	84	13.3	85	12.9	83	10.7	70	10.4	64	9.2	55	9.2	52	10.4	55	10.1	51	9.5	48	9.3	43
28	8.9	69	9.3	71	9.1	71	9.1	71	9.4	70	9.8	68	9.4	65	9.7	62	10.2	62	9.4	53	9.4	53	8.9	49
29	9.5	91	9.6	91	9.5	90	9.3	91	9.5	90	9.8	90	10.1	90	10.6	88	11.0	88	10.2	88	10.3	81	10.9	77
30	7.6	87	7.6	84	7.2	80	7.3	79	7.7	76	8.4	75	9.2	74	10.3	73	9.9	62	9.1	52	8.7	46	8.9	45
31	9.4	84	8.9	84	8.4	86	8.3	88	9.2	82	10.0	75	9.0	59	8.3	48	7.6	40	7.8	39	7.9	39	8.0	39
MEAN	7.08	77.5	6.90	79.1	6.87	81.1	6.89	82.1	7.05	80.8	7.49	79.1	7.68	74.8	7.87	70.6	7.99	66.8	7.90	62.3	8.01	59.5	8.01	57.6

MAY — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 13		14		15		16		17		18		19		20		21		22		23		24		MEAN	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	6.3	37	5.7	36	5.6	35	5.4	33	5.0	31	5.1	34	5.6	41	5.0	49	5.7	57	5.4	56	5.0	61	5.3	73	5.54	49.9
2	10.0	77	10.7	82	10.9	87	10.8	85	9.8	77	10.3	82	10.0	85	9.2	85	9.1	85	8.2	90	7.4	88	6.7	91	8.23	84.2
3	6.7	77	6.8	67	6.4	66	6.5	66	6.1	64	6.3	72	6.9	81	6.6	82	6.5	82	6.5	83	6.4	83	6.3	83	6.22	81.0
4	4.9	47	5.3	47	5.1	47	5.4	48	5.4	49	5.5	52	5.7	55	5.6	55	5.3	55	4.9	57	6.0	77	5.2	65	5.81	67.7
5	4.8	41	5.1	42	5.1	44	5.3	46	5.5	48	5.7	48	5.5	48	5.5	51	6.0	61	7.1	80	6.1	82	6.0	91	5.29	57.9
6	4.1	35	4.2	33	4.9	41	5.8	52	6.3	60	6.0	59	5.7	59	5.7	65	5.6	70	5.4	73	5.3	78	5.4	83	5.19*	64.1
7	6.7	90	6.8	90	7.0	90	6.8	90	6.9	90	6.8	90	6.7	90	6.9	91	6.8	93	6.6	93	6.3	93	6.1	93	6.36	90.0*
8	7.1	66	7.2	62	7.3	62	7.7	62	7.2	63	7.0	65	6.8	68	6.4	66	6.0	66	5.6	64	5.5	64	5.6	64	6.56	77.6
9	10.6	78	10.6	77	11.1	80	11.1	80	12.2	84	11.5	83	11.1	85	11.0	90	11.9	92	11.2	88	10.5	85	9.9	83	9.40	85.1
10	7.0	46	6.6	40	6.3	36	6.0	35	5.6	33	5.6	34	5.3	35	5.5	42	5.8	49	5.8	53	5.4	54	5.1	55	7.26	58.7
11	5.3	31	5.6	34	5.6	33	5.4	32	5.0	30	5.5	34	6.3	41	6.0	47	5.9	50	5.7	54	5.3	54	5.0	55	5.24	45.9*
12	7.6	72	7.9	70	8.7	74	8.9	78	8.9	83	8.7	87	8.4	83	8.3	85	8.2	85	7.9	82	7.8	82	7.5	85	7.73	78.7
13	7.9	71	7.7	74	8.9	69	7.4	64	7.3	57	7.0	56	6.6	56	6.0	56	5.8	57	5.2	57	4.8	58	4.5	58	7.08	71.8
14	6.1	39	5.9	38	6.2	39	6.1	39	6.2	39	6.2	40	6.2	41	6.0	45	7.5	64	7.0	66	6.6	67	6.2	70	5.76	53.9
15	7.8	82	8.0	82	8.1	85	8.6	89	8.5	92	8.3	93	8.5	94	8.5	94	8.4	94	8.7	94	8.6	94	8.2	94	7.26	79.9
16	10.1	78	10.4	75	10.7	75	10.9	75	10.7	75	10.4	74	9.8	72	9.0	75	8.9	78	8.4	78	8.2	80	7.9	83	9.26	84.1
17	10.5	84	10.6	85	10.6	85	9.9	85	9.5	91	9.1	93	8.7	93	7.9	93	7.7	93	7.6	93	7.2	93	6.9	93	8.92	86.5
18	8.4	64	8.6	70	7.8	69	8.4	69	8.5	69	8.4	73	8.0	76	7.9	79	8.3	86	8.6	87	8.4	84	7.9	83	7.74	79.8
19	7.1	65	5.9	41	5.8	38	5.9	39	6.5	42	5.7	41	5.5	39	5.5	44	6.0	59	5.8	67	5.6	75	5.2	79	6.21	59.4
20	9.2	67	10.1	74	10.4	77	11.0	75	11.1	74	10.6	74	10.9	75	11.0	76	9.7	69	9.2	69	9.2	70	8.6	69	8.13	70.5
21	8.0	49	8.0	45	7.3	40	7.5	41	7.3	40	7.4	42	7.2	43	7.2	51	7.5	57	7.7	61	8.5	70	8.2	73	7.81	59.6
22	5.8	37	6.4	38	6.1	37	6.2	38	6.0	38	5.9	38	5.6	38	5.8	42	6.1	49	6.2	53	6.1	56	6.2	58	6.51	52.3
23	6.9	38	6.8	38	6.2	37	6.0	36	5.0	30	5.3	34	6.1	45	6.0	48	6.1	53	5.7	52	6.0	61	6.0	66	6.44	50.9
24	8.1	49	8.2	48	7.9	50	8.0	52	8.1	54	8.1	55	8.4	59	7.9	58	7.2	56	6.8	55	6.4	55	6.5	58	7.25	59.2
25	13.4	54	12.8	52	12.6	47	11.8	44	11.3	42	12.1	46	12.2	53	12.0	60	12.7	68	12.1	74	11.8	77	11.8	86	10.83	62.4
26	14.8	43	14.7	41	15.1	42	14.5	42	13.4	42	14.3	49	15.1	56	14.4	59	14.5	66	14.3	73	14.3	74	14.3	77	13.92*	66.8
27	9.4	43	9.6	42	9.3	41	9.3	41	9.3	44	9.1	46	8.6	49	8.6	52	8.8	56	8.9	59	9.1	66	9.5	67	10.12	57.4
28	9.2	51	10.6	62	9.9	57	11.7	70	12.1	79	11.6	83	11.2	89	10.1	86	9.5	84	9.6	88	9.7	90	9.6	91	9.89	70.6
29	11.0	78	10.9	80	11.3	79	11.9	78	12.1	77	11.9	77	11.1	78	10.1	76	8.8	73	8.0	75	7.6	78	7.9	87	10.12	83.0
30	8.5	45	8.6	43	7.5	38	7.2	35	6.5	32	7.0	35	7.7	39	8.0	45	9.0	58	9.0	63	9.7	71	9.6	80	8.35	59.0
31	7.5	36	7.2	35	7.1	34	7.7	38	7.6	40	7.3	40	6.8	40	7.3	46	7.7	52	7.2	53	7.5	61	7.5	67	7.98	54.4
MEAN	8.09	57.1	8.18	56.2	8.15	55.9	8.23	56.7	8.10	57.1	8.06	59.0	8.01	61.5	7.77	64.3	7.84	68.3	7.62	70.6	7.49	73.6	7.31	76.1	7.69	67.8

JUNE — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 1		2		3		4		5		6		7		8		9		10		11		12	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	7.7	75	7.6	76	7.2	76	7.7	75	8.1	72	8.9	68	9.3	60	9.0	51	8.5	45	8.1	41	7.7	38	6.9	33
2	7.1	61	7.1	66	7.2	67	7.4	69	8.0	71	8.6	74	9.5	71	8.5	64	10.2	55	10.3	49	9.1	39	8.9	38
3	9.3	74	9.3	76	9.0	78	9.4	81	10.3	79	11.0	75	9.6	63	9.4	56	10.3	59	10.5	52	11.3	54	10.1	45
4	11.1	89	10.7	89	10.3	90	10.7	90	11.2	88	11.4	79	11.9	71	12.6	68	10.9	54	12.2	52	12.3	49	11.9	46
5	6.3	58	6.2	58	5.6	59	6.0	61	6.2	61	6.6	62	6.6	63	6.9	68	6.5	65	6.2	56	6.3	54	6.2	56
6	4.4	69	4.4	70	4.4	68	4.7	68	4.7	67	5.4	66	5.7	61	5.8	53	6.4	53	6.8	52	7.0	50	7.5	48
7	7.8	83	8.1	86	8.3	88	9.1	88	9.8	80	10.2	70	10.0	58	9.9	51	8.0	38	7.8	34	8.1	33	8.3	32
8	7.8	63	7.7	68	7.5	70	7.5	71	7.8	68	8.0	64	8.2	60	8.4	56	8.6	51	9.0	49	9.5	49	10.4	48
9	10.5	78	10.8	81	11.6	88	12.0	92	12.2	92	13.1	92	13.7	90	13.8	86	13.4	77	12.3	65	12.0	75	12.8	86
10	8.4	99	8.5	99	8.0	90	7.9	89	8.4	96	8.4	94	7.8	85	7.7	85	6.6	71	7.2	71	7.0	65	6.7	58
11	3.8	61	3.8	63	3.9	67	4.3	71	5.2	69	5.9	59	7.3	59	7.8	58	6.5	45	6.2	44	5.6	41	6.2	43
12	6.2	91	6.0	92	5.7	92	5.9	91	7.2	88	7.5	67	7.3	49	6.8	42	6.6	40	6.9	40	7.8	49	8.0	50
13	7.6	93	7.3	93	7.0	93	7.2	93	7.9	93	8.7	93	9.9	92	10.1	86	9.7	82	9.1	77	9.5	83	10.6	73
14	7.0	96	6.5	96	6.2	97	6.6	97	8.0	97	9.5	95	9.4	74	8.0	57	8.4	55	7.8	48	7.3	43	6.7	40
15	9.0	92	8.3	92	8.3	93	9.0	93	9.6	93	10.0	91	10.8	89	10.1	75	9.4	64	9.6	63	10.0	61	9.4	58
16	7.8	65	8.1	67	8.1	68	8.1	68	8.0	69	8.6	78	9.2	81	9.6	78	10.2	72	10.2	68	10.6	66	11.0	67
17	9.1	80	9.1	82	9.0	82	8.9	80	9.0	77	9.5	70	9.9	65	10.0	60	11.5	60	11.3	52	11.0	48	11.6	48
18	11.0	86	10.9	83	10.8	81	11.2	80	11.5	77	11.7	70	11.4	65	11.2	57	10.8	49	11.4	48	11.7	49	11.5	50
19	12.7	93	12.9	93	12.7	93	12.4	93	12.3	93	12.0	91	11.9	88	12.0	86	12.0	81	12.6	74	11.9	71	11.7	68
20	9.8	93	9.6	93	9.6	93	9.7	93	10.2	93	10.8	93	10.9	92	11.0	93	10.9	92	11.7	92	11.2	88	11.2	90
21	10.9	93	10.8	93	10.6	94	10.4	94	10.6	94	10.9	93	10.9	88	10.9	85	10.9	82	10.9	76	10.8	70	11.2	72
22	8.4	94	7.7	94	8.0	94	7.9	94	8.3	94	8.8	93	9.7	93	10.9	92	14.4	92	12.3	63	11.3	59	11.2	57
23	11.5	89	11.7	91	11.6	91	11.7	91	12.0	90	12.1	88	12.2	85	11.7	80	11.4	72	11.9	67	12.8	67	13.8	67
24	11.2	94	11.1	94	10.6	94	10.7	94	11.7	94	12.8	93	13.7	85	13.3	74	12.0	61	12.1	61	12.1	61	13.3	60
25	11.7	91	11.5	93	10.9	94	10.2	94	11.9	94	12.4	93	13.3	90	13.3	77	11.5	60	12.2	58	12.9	59	12.0	52
26	11.4	85	11.0	84	10.7	85	10.9	86	11.9	86	12.0	81	11.7	73	12.4	71	12.4	63	12.5	60	11.2	53	12.0	54
27	10.9	88	10.7	90	10.7	92	10.8	92	10.8	92	12.4	92	13.5	75	12.7	58	12.8	55	13.8	54	13.5	52	13.5	50
28	13.2	82	13.5	82	13.5	81	13.3	81	13.6	85	14.0	84	14.7	75	14.9	64	14.8	64	14.8	71	15.2	71	16.5	66
29	17.1	93	16.9	93	16.2	93	15.1	93	14.8	94	15.7	95	17.4	95	18.0	95	17.5	92	17.4	91	17.5	92	17.6	95
30	16.8	90	16.4	93	16.2	94	16.4	95	17.4	92	17.9	85	18.5	79	18.6	74	19.5	70	19.2	63	17.1	56	17.8	56
MEAN	9.58	83.3	9.47	84.3	9.32	84.8	9.43	85.2	9.95	84.6	10.49	81.6	10.86	75.8	10.84	70.0	10.75	64.0	10.81	59.7	10.71	58.2	10.89	56.9

JUNE — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 13		14		15		16		17		18		19		20		21		22		23		24		MEAN	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	7.6	37	7.9	39	8.0	42	8.2	42	8.1	43	8.2	47	8.5	51	8.4	53	8.0	55	7.9	58	7.5	58	7.0	58	8.00	53.9
2	9.2	38	9.1	37	9.2	37	8.7	35	8.2	34	8.2	35	8.5	38	8.8	43	9.9	58	9.7	62	9.3	65	9.4	72	8.75	53.3
3	9.7	46	11.5	68	12.3	77	13.4	75	11.2	58	11.0	57	11.4	63	11.8	69	12.2	80	12.2	85	11.7	86	11.1	87	10.79	68.5
4	11.2	41	10.2	35	10.7	38	11.4	42	11.5	46	10.6	49	10.7	61	9.4	61	9.0	64	8.8	66	8.2	63	7.1	58	10.66	62.0
5	5.8	54	6.0	52	5.7	52	5.6	53	5.5	52	5.8	53	5.3	53	5.3	56	5.2	60	5.0	64	4.9	67	4.6	68	5.84*	58.5
6	6.9	43	6.9	40	7.9	44	8.6	46	8.9	48	9.4	49	8.9	50	8.2	59	8.2	70	8.4	74	8.6	79	7.6	80	6.90	58.6
7	10.3	36	11.0	40	11.0	36	10.4	35	9.7	33	10.2	36	10.3	40	9.9	43	9.9	47	9.4	48	8.2	52	7.4	55	9.29	51.8*
8	9.2	41	9.6	42	9.9	44	10.4	46	11.0	47	10.2	47	9.7	47	8.8	49	9.0	54	8.4	56	9.6	65	9.7	70	9.00	55.2
9	12.4	83	10.4	76	9.6	80	8.9	82	8.2	81	7.4	79	7.4	81	7.1	80	7.5	86	7.8	91	8.1	95	8.3	98	10.48	83.9
10	6.6	53	5.9	48	5.8	47	6.0	47	6.5	47	5.8	47	5.8	47	5.4	47	4.9	47	4.4	50	3.7	53	3.6	56	6.54	66.3
11	6.0	42	6.1	42	5.8	40	5.9	38	5.5	36	5.8	39	5.9	40	5.9	43	7.0	60	7.0	71	6.8	81	6.4	86	5.86	54.1
12	10.5	62	10.3	78	10.3	78	9.8	80	10.3	87	10.5	88	10.0	80	10.3	85	10.0	90	9.1	92	8.9	94	8.5	94	8.34	75.0
13	9.1	70	9.5	68	8.9	70	8.7	71	8.7	73	8.3	77	9.5	87	9.4	87	9.3	88	9.1	95	8.2	95	7.3	96	8.76	84.5
14	7.8	43	8.8	52	10.2	72	11.1	72	10.3	66	10.2	75	11.3	86	10.9	87	10.6	86	10.2	85	10.1	87	9.2	89	8.84	74.8
15	9.7	58	9.2	57	9.6	60	10.1	64	10.5	69	10.1	66	9.6	64	8.8	61	8.7	63	7.7	60	7.5	62	7.8	65	9.29	71.4
16	11.9	69	12.7	69	12.5	66	12.5	65	12.2	64	11.3	64	10.9	68	10.3	70	10.0	72	9.3	73	9.3	76	9.0	78	10.04	70.0
17	11.3	45	11.2	45	11.1	43	10.2	40	9.4	40	10.0	45	10.6	52	10.5

JULY — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 1		2		3		4		5		6		7		8		9		10		11		12	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	15.9	91	15.2	93	14.4	94	14.4	94	15.3	93	16.6	89	17.2	81	17.6	73	18.5	69	18.8	62	17.2	53	14.1	41
2	12.4	88	12.1	91	12.1	92	12.2	92	13.8	92	15.1	87	16.0	80	16.8	72	18.1	67	16.2	56	16.1	56	16.7	55
3	13.3	83	12.5	82	12.2	83	12.2	85	13.1	85	14.9	84	15.2	70	14.0	59	14.5	48	13.5	44	14.2	42	13.3	41
4	14.6	77	14.5	77	14.0	74	14.1	74	14.0	73	15.3	74	15.9	71	15.7	69	16.9	69	17.3	63	17.4	59	18.0	60
5	14.0	90	13.6	91	13.4	91	13.4	90	13.0	89	13.8	87	14.0	84	14.1	77	14.7	72	14.5	68	13.4	59	13.4	58
6	14.7	93	14.3	93	14.2	95	13.8	94	14.0	94	14.3	93	14.1	91	13.4	90	12.2	85	11.7	80	11.2	77	12.4	73
7	9.5	95	9.2	96	9.5	92	9.5	90	10.4	88	11.0	83	11.1	74	11.3	67	11.6	64	9.2	47	8.6	43	9.1	45
8	9.8	79	9.5	80	9.6	84	9.6	85	10.6	85	11.4	80	11.2	72	10.6	60	10.2	56	10.2	51	9.9	48	9.9	45
9	15.0	87	14.6	88	14.2	88	14.2	91	14.1	92	15.0	91	15.8	84	13.3	67	12.6	60	12.7	54	13.7	54	12.9	50
10	15.8	74	15.5	76	15.4	76	15.0	77	15.0	77	13.9	69	13.2	63	13.3	62	13.1	58	12.9	55	11.6	49	11.6	46
11	11.5	90	11.6	90	9.6	72	8.9	68	8.5	65	8.2	60	8.9	58	7.2	45	7.4	43	7.7	43	7.3	39	7.8	38
12	8.9	70	9.0	72	9.2	75	9.8	79	10.6	79	11.5	75	11.9	68	11.4	58	10.9	51	9.3	41	9.9	42	9.9	42
13	11.5	70	10.8	70	11.1	80	12.0	85	12.6	83	13.0	77	13.2	70	13.1	67	14.1	70	13.1	56	10.8	45	11.4	48
14	16.0	94	17.1	94	17.1	94	17.4	94	17.3	94	17.5	92	17.7	87	16.4	76	17.0	83	16.6	72	15.3	81	15.5	72
15	14.6	92	14.5	92	14.1	92	14.3	93	12.0	84	11.0	82	11.3	89	11.3	90	11.1	90	11.2	90	11.6	94	11.8	85
16	11.6	86	11.3	87	11.1	90	11.3	93	11.7	93	12.6	92	12.7	85	12.5	79	14.0	80	13.3	79	13.7	78	13.1	72
17	12.6	95	12.0	95	11.8	95	12.3	94	13.1	94	13.6	88	13.6	84	12.9	75	11.6	66	9.7	54	9.2	52	9.9	56
18	11.8	95	11.5	92	11.1	90	11.3	92	10.9	91	11.1	92	11.3	92	11.6	92	10.8	91	11.0	91	10.7	90	10.4	85
19	8.9	74	8.7	74	8.7	70	8.7	74	9.1	74	9.2	70	9.0	61	8.7	57	8.9	58	8.6	57	9.0	55	9.1	53
20	9.1	97	8.7	95	7.5	76	7.5	75	7.8	75	8.2	70	8.1	62	7.8	55	7.8	52	7.6	47	7.9	46	8.9	48
21	9.9	92	9.5	93	9.4	94	9.9	94	10.8	94	11.8	88	12.5	80	12.4	70	12.2	63	10.7	52	12.8	60	14.3	67
22	13.7	93	13.8	93	13.9	93	13.9	93	13.8	93	14.0	93	14.2	92	14.0	82	15.8	84	13.5	76	14.3	79	14.1	74
23	14.0	92	14.3	94	14.1	95	14.1	95	14.0	95	14.0	95	14.1	94	14.0	94	15.1	96	15.3	95	16.2	95	16.2	86
24	13.7	95	13.4	94	13.4	94	13.4	93	13.5	93	13.3	91	13.3	89	13.6	86	13.7	86	14.0	84	13.8	78	14.0	73
25	12.9	92	12.4	92	12.3	92	12.1	92	12.1	92	12.1	92	12.1	92	12.6	92	12.7	92	12.9	91	13.4	91	13.6	88
26	11.0	95	11.0	95	11.1	95	11.0	95	11.2	96	12.2	96	11.5	82	9.4	59	9.1	54	8.6	50	9.5	53	9.8	52
27	10.5	97	9.9	98	9.6	98	9.5	98	10.2	98	11.7	95	12.8	91	11.3	73	10.4	61	10.6	61	10.6	60	10.7	57
28	11.5	95	11.0	96	11.2	96	10.8	95	11.6	95	11.9	93	12.7	89	14.0	87	12.8	73	13.4	69	12.5	59	11.0	50
29	11.5	92	11.3	93	11.4	94	10.7	94	12.2	93	13.4	91	13.2	90	13.6	90	14.5	91	14.5	90	14.9	90	14.7	84
30	13.8	93	13.8	93	14.0	93	14.1	93	14.3	93	14.9	93	15.1	93	15.9	94	16.5	90	15.5	78	15.2	71	15.2	66
31	13.8	95	13.0	96	12.6	97	12.6	97	12.8	96	14.7	94	15.7	90	15.2	86	15.6	93	16.1	92	16.4	91	15.5	75
MEAN	12.51	88.7	12.26	89.2	12.05	88.5	12.07	89.0	12.37	88.3	12.93	85.7	13.17	80.9	12.86	74.3	13.04	71.5	12.58	66.1	12.52	64.2	12.54	60.8

AUGUST — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 1		2		3		4		5		6		7		8		9		10		11		12	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	12.6	91	12.7	92	12.2	91	12.1	91	12.6	91	12.8	91	13.2	90	13.7	88	14.0	84	14.1	75	13.6	68	13.9	65
2	11.4	78	12.0	83	12.0	84	11.9	82	12.2	88	12.5	92	13.9	94	14.0	94	13.9	93	12.3	87	12.8	91	13.6	93
3	11.9	90	12.1	90	12.1	90	12.1	90	12.1	90	12.4	90	12.6	89	12.8	85	11.8	70	11.7	69	12.2	70	12.4	74
4	10.9	86	10.3	87	10.1	89	10.2	91	10.7	91	11.2	91	11.9	89	12.2	85	12.8	83	12.4	68	12.4	68	12.7	71
5	9.8	80	10.2	84	10.4	89	10.2	89	11.1	88	11.5	83	12.5	83	12.3	79	12.6	80	13.5	83	14.4	87	14.5	85
6	14.8	88	13.5	85	12.9	84	12.2	82	11.9	82	11.8	82	12.6	80	12.0	72	12.4	70	12.3	68	12.2	65	12.0	60
7	11.8	94	11.5	94	11.1	94	10.5	93	10.6	93	11.7	93	12.3	89	12.4	84	12.1	74	11.9	70	12.2	70	11.5	60
8	10.0	85	10.4	88	10.2	89	10.0	90	10.4	91	11.8	89	11.8	80	11.8	76	11.1	67	10.7	61	10.9	58	11.3	56
9	12.8	93	12.6	93	12.4	93	12.4	93	12.3	93	12.0	93	12.2	93	12.1	91	13.0	86	12.2	84	13.0	83	12.4	73
10	11.3	93	11.0	92	11.0	92	11.1	92	10.8	92	11.5	92	12.3	88	12.5	85	13.3	84	13.1	78	13.6	72	14.0	70
11	10.7	96	10.4	97	9.6	97	9.5	97	9.5	97	11.6	97	13.6	82	13.2	67	14.0	66	13.1	58	15.1	61	12.7	50
12	12.5	89	12.3	93	11.4	94	10.8	95	11.5	94	12.3	87	13.6	82	13.6	74	15.1	72	13.3	60	13.0	56	13.3	55
13	11.8	93	11.7	93	12.0	93	12.4	93	12.9	90	14.0	86	14.3	73	14.8	69	14.9	72	16.0	84	17.1	87	16.1	89
14	15.0	95	14.9	95	14.9	95	14.9	95	15.2	96	15.7	96	16.0	95	16.0	91	15.7	90	16.3	89	16.0	85	16.0	83
15	13.7	93	13.7	93	13.4	93	13.2	93	13.3	93	13.2	92	13.2	92	13.3	92	13.4	90	13.6	87	13.6	86	14.2	85
16	11.7	95	11.0	95	9.8	94	10.1	95	10.1	94	11.9	94	13.5	93	14.2	92	15.3	90	15.7	84	16.0	79	15.8	78
17	14.2	93	14.2	93	14.3	93	14.3	93	14.0	93	14.3	93	14.4	92	15.2	92	15.9	90	14.9	84	14.7	80	13.1	67
18	13.5	92	13.5	92	13.4	91	13.2	91	12.9	91	12.8	91	12.6	89	13.8	89	14.5	89	14.7	84	14.6	84	15.1	86
19	13.0	93	13.6	93	13.6	93	12.5	93	12.3	93	12.5	93	14.2	90	13.5	79	14.2	76	13.6	74	13.7	76	13.2	71
20	11.1	97	10.3	97	10.0	97	10.2	97	10.3	96	10.8	96	12.0	96	12.7	95	13.6	94	14.9	91	15.6	84	14.8	78
21	10.5	96	10.5	96	10.5	96	10.4	96	9.9	96	11.3	95	12.3	95	14.3	94	13.4	76	13.3	83	14.2	82	12.9	75
22	12.4	93	12.4	93	12.5	93	12.7	93	13.1	93	13.4	93	13.3	91	13.1	89	13.4	89	13.3	89	13.1	90	13.4	92
23	12.8	89	12.6	87	12.5	87	12.6	87	12.5	86	12.8	87	13.5	87	12.9	81	12.8	80	12.7	78	12.9	77	13.2	77
24	14.5	93	14.6	93	14.7	93	14.6	93	14.6	94	14.5	94	15.1	94	15.2	94	15.6	94	15.8	93	16.2	92	16.1	86
25	14.5	93	14.5	93	14.5	93	14.4	93	14.5	93	14.5	94	14.3	94	15.2	94	15.2	93	14.5	93	14.4	90	14.2	89
26	13.5	94	13.4	94	13.3	94	13.3	94	13.3	94	13.5	94	13.5	94	13.5	94	14.0	94	14.4	94	14.9	92	15.1	91
27	14.6	93	14.4	93	13.9	93	13.4	93	13.5	93	13.4	92	14.2	92	14.7	90	14.3	84	14.0	79	14.3	81	14.8	82
28	10.4	94	10.3	94	9.6	94	9.4	93	9.6	93	11.0	93	12.3	93	16.3	93	15.5	83	15.2	75	14.8	68	15.0	67
29	13.4	95	12.6	95	12.8	95	12.7	95	12.4	95	11.8	95	12.1	95	12.0	95	11.7	89	12.8	91	13.5	86	13.5	74
30	11.8	94	10.6	94	10.3	94	10.1	94	9.9	94	10.8	94	12.1	94	13.5	94	14.6	92	15.5	92	16.5	91	16.3	84
31	15.1	94	15.0	94	15.3	95	15.2	95	15.2	95	15.2	95	15.2	95	15.3	95	15.2	94	15.8	94	16.6	92	16.6	88
MEAN	12.52	91.7	12.35	92.1	12.15	92.3	12.02	92.3	12.09	92.3	12.59	91.8	13.25	89.8	13.62	86.8	13.85	83.5	13.79	80.6	14.14	79.1	13.98	75.9

JULY — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

HOUR (M.E.T.) 13		14		15		16		17		18		19		20		21		22		23		24		MEAN	
MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
11.3	33	10.8	32	9.7	29	10.0	30	12.8	41	12.2	41	12.1	43	11.9	48	12.0	55	12.6	70	12.4	74	11.5	76	13.95	62.7
15.4	48	13.3	40	13.2	40	13.3	40	12.6	39	12.1	38	13.0	44	12.9	49	13.3	55	11.3	51	11.0	54	13.8	72	13.87	62.4
13.9	40	13.2	38	13.8	40	13.7	39	14.5	42	14.9	43	14.3	44	15.1	52	14.8	58	14.6	63	15.5	68	15.4	76	14.02	58.7
17.5	58	17.4	59	17.8	58	17.5	59	17.3	62	17.2	64	16.6	67	15.9	70	16.0	78	14.9	79	15.1	86	14.7	90	16.07*	69.6
11.7	48	12.2	48	12.1	50	12.5	53	12.3	55	12.5	56	12.5	58	12.8	63	12.0	65	11.8	71	13.0	82	14.9	92	13.13	70.7
11.3	65	11.2	63	11.4	61	11.0	59	10.5	58	9.5	56	9.0	55	9.4	61	9.4	65	10.9	85	10.5	93	9.4	91	11.81	77.9
9.8	47	9.6	47	9.4	48	9.7	50	10.1	54	10.5	56	10.0	54	11.4	69	11.8	78	11.5	84	11.8	89	10.4	79	10.24	68.3
10.0	42	12.4	53	13.1	56	13.1	56	13.4	59	14.2	69	15.7	90	16.0	88	16.3	87	15.9	85	15.6	85	15.4	85	12.23	70.0
11.7	41	10.5	34	12.1	39	12.1	39	12.7	40	13.6	43	14.6	48	15.2	54	14.7	57	16.4	68	16.8	74	16.7	74	13.95	63.2
10.8	41	9.8	40	10.1	38	9.6	42	10.1	45	10.8	49	10.9	52	11.3	55	11.1	59	11.2	62	12.0	73	11.6	85	12.31	59.3
7.0	36	7.8	36	8.1	37	7.4	37	7.2	35	8.0	39	8.5	40	9.1	48	9.6	57	9.6	61	9.7	65	9.3	65	8.58*	52.8*
9.4	37	8.6	33	9.3	34	9.0	34	9.8	37	9.8	38	9.6	39	9.8	43	10.1	50	10.2	56	10.9	63	11.4	68	10.01	53.5
11.3	47	12.3	50	12.0	48	12.3	46	12.7	52	13.7	59	13.9	67	12.1	67	11.2	64	11.7	67	14.6	91	14.9	93	12.47	65.5
15.9	67	15.7	71	14.5	65	14.7	76	16.0	84	15.3	76	15.9	87	15.7	88	15.7	89	14.8	90	14.4	90	14.7	90	16.00	83.6
12.0	83	12.5	81	12.4	73	11.5	65	12.6	67	12.8	68	13.7	72	12.9	74	13.5	84	13.1	84	12.6	84	12.1	86	12.52	83.1
14.3	71	13.8	66	13.4	63	12.8	63	12.6	60	11.6	56	13.7	72	12.9	76	13.1	82	13.3	87	13.2	91	12.9	93	12.76	78.9
10.3	58	9.4	53	11.8	68	12.0	73	12.5	79	12.7	82	12.4	83	12.6	86	12.1	86	11.6	87	11.7	93	11.5	94	11.79	78.8
10.2	75	9.6	67	9.8	64	9.9	63	10.1	66	10.2	68	10.7	69	9.8	70	9.9	72	9.4	73	8.9	73	8.9	75	10.46	80.3
9.6	52	8.9	50	8.7	54	10.5	60	9.8	50	8.8	44	9.2	53	9.7	59	9.8	67	10.7	87	10.2	93	9.6	96	9.25	64.3
7.9	42	9.3	46	8.6	42	7.8	38	7.8	40	8.1	43	10.2	65	10.5	75	10.5	83	10.1	87	9.8	88	9.6	90	8.64	64.0
13.9	69	14.0	71	14.9	72	14.0	69	12.0	62	12.8	68	12.3	70	12.5	75	13.3	83	13.4	86	13.6	89	13.6	93	12.34	77.3
13.4	71	13.9	72	13.4	72	14.1	75	14.4	79	14.4	78	14.3	79	14.1	83	14.2	87	14.1	90	14.2	93	14.1	92	14.07	84.0
16.3	84	15.7	78	16.1	76	15.9	76	14.9	77	15.1	78	15.0	81	14.6	86	14.2	89	14.1	93	14.7	94	13.7	95	14.82	88.9
13.8	74	14.8	69	13.7	68	15.2	85	13.8	81	13.4	86	13.3	87	13.0	88	12.9	88	13.1	89	12.9	89	13.0	91	13.58	85.5
13.8	89	13.7	89	13.0	90	12.6	91	12.4	89	12.1	90	11.8	92	11.8	92	11.2	92	11.2	92	11.1	92	11.1	93	12.38	91.2*
10.4	52	10.7	52	10.7	52	10.5	51	9.3	45	9.8	48	10.9	57	12.5	78	12.0	83	11.6	87	11.4	92	11.1	96	10.68	71.5
10.9	56	10.1	54	10.7	55	10.9	58	11.7	62	11.5	66	12.2	71	11.7	73	11.7	81	12.1	87	12.1	91	11.8	93	11.05	76.4
12.2	52	11.9	54	13.2	60	14.0	62	13.6	60	13.5	60	13.4	63	13.0	65	13.8	83	13.2	87	12.6	90	12.0	93	12.54	76.1
14.9	85	15.4	84	15.6	83	15.1	80	14.5	79	14.2	81	14.4	89	13.4	91	13.2	92	13.3	94	13.6	94	13.8	93	13.64	89.0
13.5	62	14.1	62	14.0	64	14.2	68	14.9	72	14.6	71	14.1	69	13.3	71	12.9	78	12.9	81	13.6	86	13.6	92	14.33	80.3
14.2	69	13.6	62	13.0	63	15.7	85	16.1	87	15.6	82	15.7	89	14.8	88	14.2	89	13.8	90	12.8	88	13.0	90	14.45	86.8
12.21	57.9	12.12	56.6	12.23	56.8	12.34	58.8	12.42	59.9	12.44	61.2	12.70	66.1	12.63	70.5	12.59	75.4	12.54	79.8	12.66	84.1	12.56	86.8	12.51	73.4

AUGUST — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

HOUR (M.E.T.) 13		14		15		16		17		18		19		20		21		22		23		24		MEAN	
MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
15.2	65	12.9	55	12.9	55	12.9	54	12.3	54	12.3	56	12.1	59	11.1	64	11.7	70	11.5	72	11.6	72	11.0	74	12.70	73.6
15.2	96	14.3	81	13.1	78	12.5	75	12.7	77	12.4	79	11.4	79	11.1	79	11.5	88	11.5	90	12.0	91	11.9	91	12.59	86.0
12.5	73	12.5	66	12.4	66	11.7	66	11.8	66	12.0	72	12.1	77	11.9	80	11.1	78	11.4	86	11.1	86	10.8	86	11.98	79.1
13.4	68	11.7	57	10.6	71	11.8	72	12.3	74	12.3	72	12.2	70	11.6	72	11.1	74	10.6	74	10.0	74	9.6	75	11.45	77.2
14.9	93	15.1	92	16.8	92	16.7	88	17.4	93	17.1	93	16.6	93	16.1	91	15.3	89	15.2	89	15.2	90	15.2	90	13.95	87.6
12.3	59	11.8	58	10.8	51	11.1	55	12.3	63	12.7	70	12.6	74	12.3	82	12.4	88	12.0	90	12.3	91	12.0	93	12.30	74.7
10.6	54	10.5	53	10.7	52	10.3	51	10.1	50	10.1	51	9.8	53	9.8	59	10.1	65	10.0	71	9.5	74	9.9	78	10.87*	71.6
10.9	54	10.2	50	13.4	91	13.3	92	13.1	92	13.8	92	13.4	91	12.8	91	12.8	92	12.9	92	13.0	92	12.9	92	11.79	81.3
12.6	90	12.4	80	12.4	79	12.9	78	12.3	83	12.7	89	12.6	90	12.4	91	12.2	92	12.0	92	11.9	93	11.8	93	12.40	88.3
14.5	67	14.0	61	14.3	61	13.9	60	13.8	60	13.5	62	12.3	59	13.5	78	13.1	90	12.8	93	11.7	95	11.5	96	12.69	79.7
12.6	49	12.3	48	12.9	49	12.5	48	12.3	48	12.4	50	12.7	58	11.6	61	12.7	77	13.0	78	13.5	83	13.2	87	12.28	70.9*
11.9	49	11.2	46	11.6	48	11.6	49	11.8	51	12.0	56	12.5	64	11.8	68	10.9	69	10.6	78	11.5	87	11.7	93	12.15	71.2
16.2	92	16.4	93	16.5	93	16.3	93	16.0	94	15.7	94	15.5	94	15.5	94	15.5	94	15.6	95	15.2	95	15.1	95	14.89	89.5
15.5	80	16.4	85	16.3	85	16.2	88	16.3	85	16.3	86	16.8	92	16.3	94	15.9	94	15.3	95	15.4	95	14.4	93	15.73*	90.7
14.5	84	14.8	84	15.7	81	14.5	73	12.2	61	14.2	72	14.6	79	13.8	88	13.5	92	12.7	95	12.5	95	11.9	95	13.61	87.0
15.6	80	16.0	77	15.6	73	15.1	74	15.6	75	15.4	78	16.0	85	15.7	87	15.8	90	15.6	92	15.0	92	14.3	92	14.20	86.6
12.6	60	14.6	87	15.9	96	17.4	94	15.0	90	15.8	91	15.8	92	15.2	92	14.3	92	13.6	93	12.6	92	13.3	92	14.57	88.9
15.2	85	15.2	88	15.

SEPTEMBER — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 1		2		3		4		5		6		7		8		9		10		11		12	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	11.0	96	10.5	96	10.0	96	9.9	96	9.9	96	10.2	96	10.5	96	10.9	95	12.7	93	15.1	93	17.3	86	14.9	67
2	13.9	95	13.4	95	13.0	95	13.0	96	12.9	96	12.9	96	13.0	96	13.2	97	13.5	96	14.2	96	14.4	96	14.5	92
3	9.5	94	10.0	95	10.6	95	11.0	95	11.4	95	11.2	95	11.6	95	12.2	95	13.3	95	13.9	95	16.4	95	15.8	86
4	12.6	97	11.6	97	11.4	97	11.4	97	11.4	97	11.3	96	12.0	96	13.7	95	15.8	87	17.1	74	15.9	59	15.0	50
5	13.9	94	13.3	93	13.3	93	13.2	93	12.6	92	12.3	91	13.9	90	15.1	86	16.3	82	13.8	62	14.0	55	14.4	54
6	11.4	92	11.1	94	11.2	94	10.8	92	10.6	92	11.7	92	12.2	84	12.4	73	13.2	69	12.7	62	12.8	60	12.9	57
7	14.4	96	14.2	96	13.5	96	12.9	96	12.6	96	13.0	96	14.5	96	15.7	91	14.4	70	14.3	63	13.5	54	12.6	46
8	15.1	95	14.9	94	14.5	93	14.0	93	14.3	93	14.1	92	14.9	92	15.3	91	15.9	89	15.8	74	15.8	68	15.4	60
9	12.5	86	12.5	86	12.5	86	12.7	87	12.6	87	12.6	87	12.5	87	12.2	85	12.3	85	12.2	83	12.1	83	11.7	78
10	8.8	90	8.7	92	8.5	93	8.9	93	9.0	93	8.8	93	9.7	93	10.5	91	11.2	75	10.4	68	10.7	66	10.4	62
11	12.0	94	11.9	94	11.7	93	11.6	93	11.6	93	11.3	92	10.9	91	11.2	90	11.6	83	10.5	69	10.3	62	10.4	58
12	6.6	65	6.7	68	6.6	70	6.8	71	6.9	76	7.0	77	7.6	76	7.5	66	7.9	65	7.7	61	7.7	57	7.1	50
13	8.5	81	8.5	84	8.1	87	8.2	88	8.2	90	8.4	90	9.5	89	10.1	77	11.7	80	11.6	69	11.5	64	12.1	62
14	9.8	84	9.4	87	9.1	88	9.0	88	8.8	89	9.0	89	9.7	89	10.3	82	12.9	76	12.1	65	10.4	50	10.6	49
15	11.5	94	11.5	93	11.0	92	10.4	91	9.9	91	9.5	90	11.2	88	11.5	84	10.1	65	8.9	59	9.4	59	9.2	59
16	8.9	80	9.0	82	9.3	86	8.9	82	8.7	80	8.8	80	9.1	80	9.5	78	10.4	77	10.6	72	10.0	65	10.2	67
17	9.7	84	9.9	86	10.3	89	10.4	89	10.0	84	9.7	82	9.9	82	9.8	79	9.6	73	9.5	68	9.1	64	9.4	64
18	9.8	92	9.8	93	9.7	94	9.6	93	9.4	93	9.5	92	10.5	92	11.5	88	12.3	81	11.4	71	11.4	66	11.6	64
19	9.7	88	9.4	88	9.2	88	8.8	88	8.7	90	8.6	92	9.7	89	9.6	77	8.8	63	8.9	60	9.1	58	9.2	56
20	7.6	91	7.2	91	7.0	92	6.9	92	6.8	91	7.3	91	9.5	91	8.7	67	8.3	59	8.3	57	8.7	57	8.8	58
21	11.1	88	11.3	90	11.7	91	11.9	92	12.0	93	12.0	93	12.2	93	12.3	92	12.5	92	12.8	93	13.5	92	13.7	88
22	7.9	93	7.8	94	7.5	94	7.3	94	6.9	94	7.0	94	7.7	95	8.8	95	8.9	95	11.1	96	12.5	84	11.7	72
23	12.4	95	12.3	95	12.2	95	12.1	95	11.8	94	11.5	94	11.7	94	12.2	94	12.3	93	12.9	93	12.6	87	12.0	78
24	8.6	95	8.4	95	8.3	95	7.7	95	7.5	95	7.7	95	8.7	96	10.3	96	11.7	97	12.1	91	11.5	82	11.1	76
25	10.2	95	10.5	95	11.0	95	11.5	95	11.9	95	12.2	95	12.6	95	13.0	95	13.2	94	13.0	94	12.8	93	11.6	92
26	10.6	95	10.1	96	10.2	96	10.9	97	11.6	97	11.5	96	11.2	92	11.4	93	11.3	91	11.2	91	11.3	91	11.0	89
27	9.0	86	9.1	88	9.4	88	9.1	87	8.4	89	7.9	88	7.9	87	8.1	81	8.1	77	8.3	77	8.3	77	8.3	75
28	6.3	95	6.3	95	6.1	95	6.0	94	5.6	94	6.1	94	6.6	94	7.4	89	8.2	80	8.2	64	8.0	57	8.2	57
29	9.9	84	10.1	86	10.7	91	10.4	88	10.4	88	10.3	87	10.4	87	10.5	86	10.9	83	11.2	82	11.1	74	11.1	72
30	9.8	93	9.6	93	9.3	93	9.2	93	9.2	93	9.1	93	9.5	93	10.7	93	12.4	93	12.9	90	12.7	82	12.4	73
MEAN	10.43	90.2	10.30	91.0	10.23	91.7	10.15	91.4	10.05	91.5	10.08	91.3	10.69	90.6	11.19	86.7	11.72	81.9	11.75	76.4	11.82	71.4	11.58	67.0

SEPTEMBER — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 13		14		15		16		17		18		19		20		21		22		23		24		MEAN	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	12.5	53	11.9	50	13.7	57	13.7	58	14.0	60	14.0	66	14.7	82	14.8	90	14.5	91	14.4	92	13.5	93	13.9	96	12.86	83.1
2	15.0	92	15.3	92	16.1	95	17.2	91	17.1	90	15.6	87	14.2	89	14.0	92	13.3	95	12.5	94	10.4	94	10.3	94	13.87	93.8*
3	15.9	75	16.5	73	16.1	67	16.3	67	16.3	68	16.0	71	16.9	85	17.0	91	16.9	94	15.6	95	14.8	96	13.0	96	14.10	87.8
4	16.4	52	15.6	49	15.7	49	16.2	51	15.8	52	16.7	62	17.7	72	17.5	87	17.1	91	16.5	93	14.8	93	14.4	95	14.73*	78.7
5	13.5	50	14.1	51	13.7	51	14.0	53	13.9	56	13.1	56	15.4	77	14.8	85	13.9	84	13.1	88	12.8	91	12.1	92	13.76	75.8
6	13.3	54	12.8	51	12.1	46	11.6	44	11.2	43	12.8	56	14.2	73	14.2	79	13.9	87	13.7	92	13.5	92	14.4	95	12.51	73.9
7	12.4	44	13.2	46	13.1	46	12.9	47	13.3	51	12.6	57	13.4	69	13.9	78	14.4	87	14.8	92	15.2	94	15.4	95	13.75	75.1
8	15.4	60	15.1	66	15.9	66	15.1	72	14.3	76	14.2	80	14.1	83	13.6	85	13.5	87	13.5	87	13.2	87	12.6	86	14.60	82.0
9	12.1	79	10.9	70	10.4	68	10.6	68	10.4	70	9.8	70	10.3	81	10.1	85	9.9	87	9.6	88	9.4	88	9.0	89	11.29	81.8
10	10.7	61	10.4	57	10.6	59	10.9	61	11.6	68	12.1	71	11.7	81	11.2	90	10.3	92	9.7	92	9.8	92	11.5	94	10.25	80.3
11	10.6	57	10.6	59	10.9	58	10.1	58	10.7	63	10.5	66	10.1	71	9.0	66	8.0	65	7.3	62	6.8	62	6.8	64	10.27	73.5
12	7.1	47	7.4	46	7.3	44	7.9	46	7.8	49	8.0	55	8.7	64	8.9	71	8.7	75	8.8	75	8.7	75	8.3	76	7.66*	63.5*
13	11.5	56	11.9	57	11.8	59	11.5	60	10.9	60	10.7	65	10.9	73	10.9	79	10.6	79	10.6	78	10.1	79	9.9	84	10.32	74.6
14	11.3	50	11.2	48	10.9	46	10.1	46	10.3	47	11.0	59	12.0	73	12.9	83	12.2	90	11.7	95	11.8	94	11.5	93	10.75	73.3
15	9.4	60	9.1	61	9.2	61	9.0	62	9.1	64	8.8	66	8.8	70	8.9	72	8.8	74	9.0	76	9.1	78	8.9	78	9.68	74.5
16	10.4	72	10.4	74	10.5	76	10.4	74	9.8	74	10.2	76	9.9	78	9.9	80	9.9	81	9.7	81	9.5	81	9.5	81	9.73	77.4
17	9.7	65	9.9	67	10.0	68	10.4	68	10.1	69	10.0	72	10.2	76	10.0	79	10.3	84	9.9	85	10.3	87	9.8	88	9.92	77.2
18	11.5	60	12.0	64	10.1	55	12.4	73	12.5	76	13.4	83	12.7	82	11.6	81	11.5	86	11.0	87	10.5	87	9.7	87	11.07	80.8
19	9.0	53	8.5	51	8.4	51	7.8	52	8.1	54	7.1	56	9.2	82	9.0	86	8.6	87	8.8	90	8.2	90	8.2	91	8.77	74.2
20	10.0	60	10.1	61	10.1	63	9.3	62	9.1	61	8.6	65	9.3	74	9.6	75	10.0	79	10.2	82	10.4	83	10.7	85	8.85	74.5
21	13.6	85	12.1	69	12.4	69	12.6	70	11.6	71	11.5	78	11.3	84	11.3	90	10.6	90	10.0	91	8.8	91	8.2	92	11.70	86.5
22	10.7	62	11.3	62	10.5	61	10.8	65	12.5	84	13.2	92	12.3	94	12.5	95	12.1	95	12.0	95	12.0	95	12.5	95	10.31	87.3
23	12.1	77	11.7	73	11.4	74	11.8	76	11.5	78	11.2	82	11.1	87	10.8	92	10.4	93	10.5	94	10.5	94	9.7	94	11.62	88.4
24	10.9	72	10.5	71	11.0	75	11.3	74	11.1	76	10.4	84	11.3	90	11.1	94	10.9	95	10.8	95	10.3	95	9.9	95	10.12	88.5
25	11.6	92	12.5	91	12.6	87	11.9	83	11.8	87	11.9	91	11.5	93	11.1	95	10.9	95	10.8	95	10.5	95	10.3	95	11.71	93.0
26	10.8	86	10.1	81	8.8	72	8.9	73	8.5	72	8.4	75	8.5	78	8.4	77	8.4	82	8.9	83	9.3	83	9.1	80	10.01	86.1
27	8.5	73	8.8	73	8.8	72	8.8	71	8.1	71	8.1	87	7.8	93	7.3	95	7.1	96	6.6	96	6.5	95	6.5	95	8.11	84.0
28	8.2	58	8.6	60	8.5	60	8.6	62	8.5	65	9.4	79	10.1	82	10.3	82	10.4	83	10.1	82	10.0	83	9.9	84	8.16	78.7
29	11.7	74	11.6	75	12.0	74	11.5	72	11.0	75	11.0	83	10.9	86	9.6	84	10.0	91	10.2	93	10.3	94	10.0	93	10.70	83.4
30	11.9	71	12.1	73	12.5	76	12.6	78	12.8	83	12.5	86	12.6	88	12.7	90	12.4	90	12.3	91	12.2	92	11.5	92	11.46	87.2
MEAN	11.59	65.0	11.55	64.0	11.51	63.5	11.54	64.6	11.46	67.1	11.43	72.5	11.72	80.3	11.56	84.3	11.31	86.8	11.08	88.0	10.78	88.4	10.58	89.1	11.09	80.6

OCTOBER — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 1		2		3		4		5		6		7		8		9		10		11		12	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	10.5	93	10.2	93	10.0	93	10.1	93	9.6	93	11.0	93	11.0	93	11.5	94	12.9	94	13.2	92	13.5	82	12.6	70
2	12.1	93	12.1	93	11.6	94	12.1	98	12.0	97	12.2	98	12.6	96	12.7	94	12.5	87	12.6	84	12.7	84	12.7	83
3	12.4	87	12.6	88	12.6	88	12.8	89	13.0	89	13.6	93	13.4	92	13.6	92	14.0	92	14.0	89	14.2	86	14.2	85
4	14.4	95	14.4	95	14.3	95	14.6	97	14.0	96	13.9	96	14.0	96	13.9	95	14.0	95	14.3	94	14.0	93	14.0	88
5	13.2	95	12.6	95	12.0	91	10.9	84	11.5	88	11.9	91	11.9	89	12.3	91	12.3	88	12.2	85	12.3	81	12.1	80
6	13.3	94	13.5	95	13.4	95	13.2	95	13.1	95	13.1	94	13.3	94	13.2	93	13.5	93	13.6	93	13.8	92	13.8	92
7	11.9	95	11.7	95	11.7	95	11.7	95	11.8	95	11.7	94	12.0	94	11.7	91	11.5	89	11.9	87	12.0	77	11.9	77
8	9.1	86	8.9	91	8.6	95	8.7	98	8.6	95	8.9	95	9.4	96	9.5	89	9.8	90	9.8	88	10.3	85	10.3	81
9	7.9	91	10.7	94	11.8	96	12.2	94	12.4	92	12.5	88	12.6	87	11.9	82	11.6	78	10.5	70	9.4	60	8.8	55
10	9.0	92	9.1	95	9.1	93	9.2	93	9.0	94	9.0	94	9.4	90	9.5	89	9.8	87	9.9	81	9.4	68	9.0	60
11	11.9	98	11.7	96	12.2	94	12.6	96	13.5	96	14.1	95	14.5	93	14.4	92	12.4	82	11.5	79	10.0	67	8.6	57
12	9.4	88	9.0	88	9.3	92	9.1	92	9.1	92	9.2	92	9.2	91	9.5	87	9.5	81	9.6	76	9.8	70	9.8	69
13	9.5	99	9.5	99	9.2	97	8.9	97	8.6	97	8.5	97	8.4	96	8.4	92	8.1	88	8.4	84	8.0	80	7.9	74
14	5.7	96	6.0	99	5.9	98	6.0	98	5.8	97	5.8	96	5.9	96	6.4	96	7.6	97	8.3	97	9.0	97	9.9	98
15	5.9	96	5.8	96	5.8	96	6.0	96	5.9	96	5.8	96	6.1	97	7.0	97	7.8	92	8.3	83	8.3	71	8.0	65
16	7.5	90	7.4	88	7.4	89	7.4	87	7.3	89	7.4	90	7.4	90	7.7	92	8.2	93	8.4	94	8.1	92	8.2	92
17	7.1	92	6.8	93	6.4	93	5.5	84	5.3	80	5.2	77	5.0	73	5.0	73	5.0	67	5.1	68	5.3	67	5.5	70
18	7.0	82	6.5	75	6.5	71	6.2	68	6.0	65	6.8	77	6.4	75	7.0	81	7.0	81	7.0	78	6.7	76	6.5	74
19	5.5	67	5.4	70	5.5	73	5.4	75	5.2	71	5.0	70	4.9	71	5.0	72	5.1	72	5.0	67	5.2	66	5.2	64
20	4.8	94	4.8	95	4.8	95	4.7	93	4.7	93	4.4	92	4.5	91	5.6	91	5.9	88	5.2	70	5.0	65	4.8	62
21	5.9	91	6.0	95	5.8	96	5.6	95	5.7	99	6.0	96	5.5	95	6.2	94	6.6	95	6.7	93	6.6	86	6.6	86
22	6.7	81	6.5	81	6.3	76	6.0	75	5.9	72	6.1	80	5.9	83	6.0	82	6.3	76	5.9	68	7.0	70	7.5	71
23	5.6	72	5.6	73	5.5	67	5.4	66	5.4	66	5.5	64	5.7	65	5.7	63	6.0	60	6.0	56	6.0	55	6.1	53
24	6.6	82	6.8	81	6.8	80	6.7	85	6.6	91	6.8	90	6.7	90	6.8	82	7.8	88	8.2	84	8.5	78	8.4	76
25	8.0	91	8.4	91	8.4	91	8.3	88	8.3	83	8.2	81	8.7	77	8.8	74	6.4	52	4.9	41	4.1	35	3.7	32
26	5.3	68	5.1	65	5.0	60	5.1	61	5.2	63	5.1	64	5.3	69	5.3	69	5.6	66	6.0	62	5.7	58	5.8	56
27	5.5	62	5.7	65	6.0	69	6.1	73	6.2	80	6.3	83	6.4	87	6.7	83	7.1	74	7.4	59	7.4	55	7.4	49
28	8.4	80	8.4	78	8.4	82	8.5	92	8.6	91	8.5	92	8.5	92	8.6	95	8.9	94	9.2	92	9.1	89	9.4	88
29	8.6	75	8.6	77	8.7	77	8.7	77	8.8	78	8.8	78	9.1	80	9.0	81	8.9	79	9.1	78	8.8	75	9.0	75
30	8.8	86	8.6	90	8.6	90	9.0	86	8.9	81	8.9	81	8.9	80	8.9	79	9.2	78	9.0	75	8.9	73	8.8	72
31	8.9	100	8.8	100	8.5	99	7.9	97	7.6	94	7.8	94	8.0	94	8.1	93	8.0	91	8.1	90	8.2	91	8.3	89
MEAN	8.66	87.5	8.62	88.0	8.58	87.7	8.54	87.6	8.50	87.4	8.64	87.8	8.71	87.5	8.90	86.4	9.00	83.5	9.01	79.3	8.94	75.0	8.86	72.4

OCTOBER — VAPOUR PRESSURE AND RELATIVE HUMIDITY — 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 13		14		15		16		17		18		19		20		21		22		23		24		MEAN	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	11.5	63	12.0	57	10.4	50	12.4	65	11.7	70	11.6	77	12.4	88	12.1	92	12.1	93	12.1	96	12.2	96	12.0	93	11.62	84.3
2	12.8	83	12.8	85	12.9	86	12.9	86	12.7	85	12.7	85	12.4	83	12.3	82	12.3	83	12.3	84	12.4	85	12.3	86	12.44	88.1
3	14.2	85	14.7	86	14.7	87	14.7	88	14.6	90	14.5	92	14.1	91	14.0	93	14.2	94	14.4	95	14.5	95	14.4	95	13.89*	90.0
4	13.8	87	14.5	88	15.0	91	14.3	88	14.2	91	13.8	95	13.3	96	13.8	95	12.8	90	12.6	89	12.6	90	12.7	95	13.88	92.9
5	12.3	80	12.7	82	12.8	82	12.8	83	12.4	82	12.4	84	12.5	85	12.6	87	12.6	86	13.1	92	13.1	93	13.1	93	12.40	87.0
6	13.9	93	13.9	89	13.7	89	13.9	92	14.1	94	13.5	93	13.4	93	13.0	93	13.0	94	13.1	95	12.9	94	12.2	91	13.37	93.3
7	12.6	82	13.6	93	13.5	96	13.4	96	13.5	96	13.5	96	13.4	96	13.1	92	13.0	93	12.3	91	12.2	94	11.5	91	12.37	91.7
8	10.3	79	10.0	73	9.8	74	9.3	89	9.5	92	9.2	93	9.0	94	8.8	92	8.6	90	9.0	91	9.2	91	9.5	90	9.34	89.0
9	8.6	52	8.3	50	8.0	49	8.3	55	8.9	65	8.6	68	8.5	68	8.8	74	9.1	79	8.9	80	8.9	84	8.9	89	9.92	75.0
10	8.9	60	9.4	63	8.5	61	8.3	59	8.3	68	9.2	80	9.3	80	9.4	81	9.3	85	9.9	92	10.9	95	11.5	97	9.35	81.5
11	8.6	54	8.8	55	8.7	55	8.5	57	8.2	60	8.1	61	8.0	63	8.4	67	8.5	73	8.8	75	9.2	79	9.2	83	10.44	76.1
12	9.7	68	9.8	70	10.0	75	9.6	76	9.4	77	9.8	82	9.9	84	10.0	87	10.2	91	10.1	93	10.2	96	10.0	99	9.64	84.0
13	8.1	75	8.6	86	8.5	87	8.7	88	8.2	91	7.9	95	7.4	96	7.4	96	6.6	96	6.4	96	6.2	96	5.8	95	8.04	91.5
14	10.6	98	10.5	87	10.4	88	9.9	92	9.1	96	8.3	96	7.9	96	7.9	96	7.5	96	6.6	96	6.2	96	6.1	96	7.65	95.8*
15	8.4	68	9.0	77	8.8	77	8.4	77	8.9	87	9.0	92	8.8	92	8.5	92	8.2	92	7.8	92	7.7	91	7.5	90	7.58	87.8
16	8.3	91	7.9	87	7.4	83	7.5	84	7.6	87	7.3	87	7.2	87	7.0	89	6.6	84	6.8	87	6.9	87	6.8	89	7.48	88.7
17	5.0	64	5.2	61	5.1	59	5.1	62	5.0	68	5.0	70	5.3	71	5.7	81	6.1	84	6.3	82	6.4	76	6.4	76	5.56	74.6
18	6.5	77	6.3	72	6.2	74	6.2	75	5.5	64	5.6	66

NOVEMBER

VAPOUR PRESSURE AND RELATIVE HUMIDITY 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 1		2		3		4		5		6		7		8		9		10		11		12	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	8.8	96	8.9	96	9.1	97	9.0	96	9.1	97	9.1	97	9.0	96	8.7	94	8.8	94	8.8	90	8.4	85	8.5	83
2	5.9	100	6.0	100	6.2	100	6.6	98	6.4	95	6.8	94	6.8	94	6.9	93	7.4	95	7.7	95	8.3	97	8.7	97
3	8.5	94	8.1	94	7.5	92	7.5	92	7.6	92	7.8	92	8.2	94	8.5	94	9.0	93	9.2	93	9.2	92	9.3	93
4	8.9	91	8.9	91	8.9	92	9.0	92	9.1	93	9.1	93	9.3	95	9.3	95	9.3	95	9.2	95	9.4	95	9.2	93
5	8.4	96	8.2	89	8.2	89	8.2	88	7.9	85	8.3	89	8.3	89	8.4	91	8.2	92	8.3	91	8.3	91	8.4	91
6	9.5	94	9.3	93	9.2	93	9.1	93	9.2	94	9.1	93	9.2	93	9.3	92	9.7	94	9.8	95	10.0	95	10.3	95
7	7.7	89	7.4	87	6.7	83	6.7	85	7.0	84	7.1	83	7.2	84	7.4	84	7.2	81	7.2	80	7.3	79	7.2	76
8	8.5	95	8.4	95	8.4	96	8.4	96	8.6	96	8.3	93	8.4	94	8.4	92	8.8	95	8.8	94	9.1	93	9.0	91
9	8.5	90	8.7	92	8.6	93	8.5	92	8.5	93	8.5	92	8.4	91	8.4	91	8.4	91	8.3	89	8.1	87	7.8	83
10	6.0	93	5.9	94	5.8	94	5.8	94	5.7	93	5.7	94	5.5	94	5.4	96	5.8	95	6.3	95	6.6	92	6.7	83
11	6.0	99	6.0	99	5.5	99	5.1	99	5.0	99	4.8	99	4.8	99	4.9	99	4.9	98	5.1	98	5.4	97	5.8	97
12	7.5	96	7.4	96	7.3	95	7.1	95	6.9	95	6.9	95	7.0	95	7.2	95	7.7	95	7.0	91	6.7	89	6.8	90
13	6.2	92	6.0	91	6.0	92	6.1	93	6.1	93	6.4	94	6.6	94	6.7	95	7.0	95	7.3	96	7.6	96	8.2	97
14	7.6	94	7.5	93	7.5	93	7.5	93	7.6	94	7.7	94	7.6	91	7.5	89	7.6	90	7.6	89	7.5	89	7.7	90
15	7.9	95	8.2	97	8.1	95	7.9	92	7.2	88	6.8	85	7.0	89	7.0	92	7.0	93	7.3	95	7.5	93	7.3	88
16	7.3	90	7.0	89	6.7	91	6.2	91	5.8	90	5.7	91	5.6	90	5.6	89	5.5	86	5.5	84	5.9	77	5.5	68
17	4.8	88	5.0	90	5.6	89	5.8	91	6.0	91	5.5	85	5.4	80	5.4	85	5.7	82	5.9	83	6.5	82	7.0	85
18	8.0	84	7.9	84	7.7	88	7.7	91	7.5	95	7.3	95	7.0	94	6.7	93	6.7	91	6.7	86	6.6	78	6.5	68
19	5.0	95	4.8	94	4.8	93	4.7	94	4.7	94	4.4	93	4.3	93	4.7	98	4.6	96	4.7	96	4.8	95	4.9	95
20	5.8	94	5.8	93	5.8	93	5.8	93	5.8	92	5.9	92	6.1	91	6.4	90	6.6	88	6.7	86	7.1	87	7.0	86
21	5.5	93	5.5	92	5.4	92	5.6	91	5.4	87	5.4	87	5.3	88	5.4	89	5.5	88	5.6	85	5.6	84	5.8	80
22	7.1	92	7.2	92	7.1	93	7.0	90	7.2	91	6.4	91	6.1	91	5.9	91	6.0	94	6.0	92	6.3	93	6.4	88
23	6.8	67	6.7	68	6.6	70	6.7	70	6.9	68	7.1	66	7.0	69	7.1	74	7.2	76	7.3	75	7.6	70	7.6	66
24	5.5	94	5.4	93	5.3	93	5.2	92	5.1	93	5.1	97	5.2	97	5.3	96	5.6	94	6.0	94	6.2	93	6.1	93
25	7.1	88	7.3	86	7.1	83	6.9	83	6.9	84	7.0	86	7.1	87	7.1	88	7.0	88	7.0	89	7.1	86	7.1	85
26	5.3	79	5.2	79	5.2	74	5.2	72	5.2	73	5.2	76	5.3	77	5.3	78	5.3	79	5.4	77	5.4	74	5.5	71
27	4.0	68	4.0	68	3.9	68	3.9	69	4.0	72	4.1	73	4.3	76	4.4	74	4.3	73	4.4	75	4.5	74	4.5	74
28	5.6	91	5.5	92	5.4	91	5.3	92	5.3	92	5.5	91	5.7	89	5.8	91	6.1	93	6.4	93	6.5	93	6.8	88
29	6.0	95	5.9	95	5.8	95	5.5	94	5.5	94	5.4	93	5.3	91	5.2	91	5.6	94	5.8	95	6.2	95	6.1	93
30	7.0	92	6.5	92	5.9	97	5.9	92	6.1	89	5.8	85	5.4	83	5.5	85	5.3	83	5.4	82	5.2	77	5.0	74
MEAN	6.89	90.8	6.81	90.5	6.71	90.4	6.66	90.1	6.64	89.9	6.61	89.6	6.61	89.6	6.66	90.1	6.79	90.0	6.90	89.3	7.04	87.6	7.10	85.4

DECEMBER

VAPOUR PRESSURE AND RELATIVE HUMIDITY 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

DATE	HOUR (M.E.T.) 1		2		3		4		5		6		7		8		9		10		11		12	
	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
1	3.7	81	3.3	80	3.2	78	3.1	76	3.0	76	2.7	73	2.6	72	2.5	67	2.4	67	2.3	64	2.5	66	2.6	65
2	2.4	71	2.5	71	2.5	71	2.5	73	2.5	75	2.5	75	2.6	77	2.6	75	2.6	75	2.7	76	2.7	73	2.7	65
3	3.6	85	3.5	87	3.4	88	3.4	90	3.4	90	3.5	90	3.5	88	3.6	88	3.7	87	3.9	88	4.3	87	4.3	85
4	4.8	73	4.8	74	4.8	75	4.9	78	5.1	82	5.0	82	5.4	87	5.4	88	5.4	89	5.3	86	4.9	70	4.9	65
5	4.0	71	4.0	72	4.0	73	3.8	74	3.8	74	3.7	75	3.7	76	3.9	77	4.0	75	4.0	74	4.1	74	4.1	73
6	3.6	72	3.7	72	3.8	74	4.0	76	4.0	78	4.5	89	4.7	90	4.5	89	4.2	82	4.6	87	4.6	80	4.3	73
7	3.0	78	2.9	81	2.8	81	2.7	81	2.7	81	2.7	81	2.6	82	2.6	82	2.5	82	2.5	80	2.6	75	2.7	72
8	3.4	87	3.5	84	3.8	87	4.3	89	4.3	84	4.3	82	4.2	83	4.5	90	4.7	93	4.8	90	4.9	90	4.9	89
9	5.8	95	5.7	95	5.8	94	5.9	93	5.8	92	5.9	92	5.8	92	5.8	93	5.7	95	4.7	91	4.5	92	4.1	92
10	2.1	86	2.0	86	1.9	85	1.9	84	2.0	83	2.1	83	2.2	82	2.3	79	2.4	80	2.5	81	2.4	84	2.3	85
11	1.6	74	1.8	71	1.7	74	1.9	72	1.8	72	1.6	68	1.6	62	1.5	62	1.5	64	1.6	65	1.7	64	1.7	64
12	1.4	77	1.3	79	1.4	80	1.2	80	1.2	82	1.2	82	1.1	81	1.1	81	0.9	67	1.2	81	1.4	82	1.4	78
13	2.1	80	2.1	78	2.0	82	2.1	85	2.0	86	2.0	86	1.9	85	1.8	86	1.8	86	1.7	87	1.7	84	1.9	84
14	3.6	82	3.6	81	3.5	79	3.2	74	3.3	77	3.3	76	3.5	79	3.4	78	3.5	79	3.6	80	3.8	85	3.9	85
15	4.2	89	4.2	89	4.2	88	4.2	87	4.1	87	4.1	87	4.2	89	4.4	91	4.2	89	4.2	89	4.3	90	4.3	88
16	3.5	93	3.5	92	3.7	91	3.6	91	3.6	91	3.7	91	3.7	91	3.7	91	3.7	90	3.7	90	3.8	90	4.0	90
17	4.7	92	5.1	92	5.6	95	6.0	93	6.0	94	6.1	94	6.1	92	6.2	91	6.1	90	6.0	91	5.9	92	6.0	93
18	6.4	95	6.4	94	5.9	94	6.4	94	6.4	94	6.4	94	6.4	94	6.4	94	6.4	94	6.4	94	6.4	95	6.5	95
19	4.2	84	3.8	78	3.6	82	3.5	83	3.6	85	3.4	88	3.3	89	3.1	89	3.0	90	2.9	90	3.0	89	3.0	87
20	5.2	93	6.0	94	6.3	93	6.6	93	6.7	93	6.7	93	6.8	93	6.9	94	6.8	92	7.0	92	6.9	92	7.0	93
21	6.7	95	6.8	95	6.8	95	6.7	96	6.6	96	6.7	96	6.8	97	6.8	97	6.7	96	6.7	96	6.8	97	6.8	97
22	6.6	100	6.7	100	6.5	99	6.5	99	6.6	99	6.7	99	6.7	99	6.6	99	6.9	99	6.7	98	6.7	98	6.6	97
23	7.2	96	7.0	94	6.9	94	6.6	94	6.6	95	6.2	94	6.4	94	6.7	94	6.9	93	7.0	93	6.9	93	6.9	93
24	6.1	95	6.1	95	6.0	94	6.1	95	6.2	95	6.2	95	6.3	95	6.2	94	6.3	95	6.2	95	6.1	95	6.1	94
25	5.1	86	5.1	86	5.2	87	5.1	87	5.1	87	5.1	87	5.2	88	4.7	80	5.3	89	5.5	91	5.7	91	5.7	93
26	5.3	93	5.0	91	5.0	92	4.9	93	4.6	90	4.4	87	4.4	90	4.4	91	4.5	95	4.6	97	4.5	97	4.4	94
27	4.9	90	5.2	94	5.5	95	5.7	95	5.9	95	6.0	95	6.0	94	6.0	94	6.1	95	6.0	95	6.1	95	6.1	95
28	6.0	96	6.0	95	6.1	96	5.9	95	5.6	91	5.7	91	5.6	92	5.5	92	5.3	91	5.2	90	4.9	89	4.8	91
29	4.4	92	4.5	92	4.5	92	4.5	92	4.6	92	4.6	92	4.7	92	4.9	92	5.3	93	5.6	93	5.7	93	5.7	92
30	5.3	93	5.2	93	5.2	94	5.0	94	4.9	94	4.8	94	5.0	94	5.0	94	5.2	94	5.2	94	5.3	94	5.3	94
31	5.5	90	5.7	92	5.8	94	6.1	95	6.1	96	6.2	96	6.0	93	5.6	87	5.7	87	6.0	92	6.1	93	6.0	92
MEAN	4.40	86.6	4.41	86.4	4.43	87.0	4.46	87.1	4.45	87.3	4.45	87.3	4.48	87.5	4.49	87.3	4.48	86.6	4.51	87.4	4.56	86.7	4.54	85.6

NOVEMBER

VAPOUR PRESSURE AND RELATIVE HUMIDITY 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

HOUR (M.E.T.) 13		14		15		16		17		18		19		20		21		22		23		24		MEAN	
MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
8.1	79	8.0	78	7.7	77	7.0	80	6.9	86	6.7	88	6.6	90	6.4	93	6.1	96	5.9	99	5.9	100	5.9	100	7.81	91.1
9.1	96	9.2	95	9.0	92	8.9	92	8.8	94	8.6	94	8.8	95	8.8	95	8.8	95	8.8	95	8.9	95	8.7	95	7.92	95.5
9.4	93	9.3	92	9.3	92	9.0	90	9.2	91	9.2	91	9.1	90	9.2	91	9.1	91	9.1	91	9.1	92	8.9	91	8.77	92.1
9.5	94	9.2	89	9.2	88	9.1	92	8.9	95	8.6	96	8.4	95	8.0	90	8.0	89	7.7	86	7.6	87	7.8	90	8.81*	92.1
8.6	92	8.8	92	8.9	92	9.0	92	9.0	92	9.0	92	9.1	92	9.3	94	9.4	94	9.6	95	9.3	92	9.3	92	8.69	91.3
9.2	86	9.1	84	8.7	86	8.4	89	8.4	89	8.0	86	8.3	93	7.8	95	7.4	93	6.9	89	7.1	84	7.5	90	8.77	91.2
7.8	77	7.4	75	7.4	80	7.7	84	8.3	90	8.5	92	8.8	93	9.0	95	9.3	97	9.3	97	9.2	96	9.0	96	7.83	86.1
8.8	89	8.7	88	8.9	89	8.6	89	8.7	91	8.9	91	9.0	91	8.7	87	8.6	86	8.8	92	8.5	88	8.3	88	8.66	91.6
7.7	77	7.7	79	7.7	85	7.7	91	7.8	90	7.7	91	7.5	90	7.5	89	7.3	90	7.0	92	6.6	92	6.1	92	7.88	89.3
6.7	80	6.9	82	6.6	84	6.7	87	6.3	90	6.1	92	6.3	95	6.0	94	6.2	95	5.7	95	5.4	96	5.9	99	6.09	91.9
6.3	96	6.4	94	6.3	97	6.2	97	6.6	97	6.7	96	6.9	95	7.1	96	7.3	96	7.4	96	7.5	96	7.5	96	6.07	97.3*
6.6	89	6.6	89	6.2	86	6.0	84	6.3	89	6.1	86	6.2	86	6.2	86	6.1	86	6.1	90	6.1	90	6.3	92	6.68	90.8
8.3	95	8.1	93	8.1	93	8.0	94	7.9	94	8.0	95	7.9	95	7.7	95	7.6	94	7.4	92	7.6	94	7.5	94	7.27	94.0
7.8	90	7.8	93	7.5	89	7.5	90	7.6	92	7.7	94	7.6	93	7.6	93	7.7	93	7.8	94	7.9	94	7.8	94	7.62	92.0
7.5	88	7.4	84	7.3	85	6.7	83	6.8	88	6.5	89	6.7	90	6.7	86	6.6	85	7.0	85	7.0	86	7.1	89	7.18	89.2
5.8	62	5.8	68	5.5	66	5.1	67	4.9	67	4.9	68	4.8	72	4.9	74	5.0	80	4.9	81	4.9	83	5.1	85	5.58	79.5
7.4	84	7.2	86	7.4	97	7.7	98	7.7	92	7.9	89	8.1	89	8.2	88	8.3	87	8.0	83	7.9	83	7.8	83	6.75	87.1
6.7	69	6.5	68	6.5	74	6.4	78	6.2	81	5.9	85	5.8	85	5.6	89	5.5	93	5.1	93	5.2	95	5.1	95	6.53	85.5
5.2	96	5.4	96	5.5	96	5.6	97	5.4	96	5.6	96	5.7	97	5.6	96	5.6	96	5.8	96	5.7	94	5.7	93	5.14	95.2
6.3	77	6.6	82	6.3	80	6.1	80	6.1	80	5.9	79	5.9	78	6.0	81	5.7	82	5.6	86	5.6	90	5.5	92	6.10	86.3
5.8	80	5.9	83	5.9	82	5.9	81	6.0	83	6.1	83	6.2	82	6.3	83	6.3	82	6.3	82	6.3	81	7.0	92	5.83	85.4
6.8	87	7.1	88	7.1	88	6.9	89	6.8	91	6.8	90	6.9	87	6.7	83	6.7	82	6.6	85	6.4	83	6.1	71	6.66	88.4
7.4	69	7.5	75	7.2	76	7.0	81	6.8	82	6.5	84	6.5	88	6.4	84	6.1	87	6.0	87	5.8	91	5.7	93	6.80	76.5
6.1	92	6.3	91	6.1	85	6.2	85	6.3	86	6.2	86	6.2	86	6.3	86	6.3	86	6.3	86	6.4	87	6.8	88	5.90	90.5
7.1	84	7.2	85	7.2	85	7.0	83	6.7	81	6.3	81	6.1	81	6.0	80	5.6	76	5.6	77	5.4	75	5.4	76	6.68	83.2
5.6	71	5.5	78	5.1	75	5.2	78	5.3	83	4.8	74	4.3	67	4.0	64	4.1	65	4.1	67	4.0	68	4.0	67	4.99	73.6*
4.8	79	5.1	84	5.3	87	5.5	88	5.3	85	5.6	86	5.8	89	6.1	94	6.1	93	6.0	90	5.9	88	5.7	90	4.89*	79.9
7.1	88	6.8	89	7.0	90	7.2	93	6.9	86	6.8	84	6.9	86	6.7	86	6.9	88	6.7	93	6.3	93	6.2	95	6.31	90.3
6.2	90	6.3	93	6.6	94	6.9	94	7.2	94	7.2	91	6.7	83	6.7	82	6.6	86	6.6	86	6.8	93	7.0	96	6.21	92.0
5.0	76	5.1	79	5.6	89	6.1	97	5.7	97	5.0	87	3.9	66	3.5	62	3.3	58	3.4	59	5.2	95	3.9	79	5.20	82.3
7.16	84.2	7.17	85.1	7.10	86.0	7.04	87.4	7.04	88.4	6.93	87.9	6.90	87.3	6.84	87.0	6.78	87.4	6.72	88.0	6.72	89.4	6.69	89.8	6.85	88.4

DECEMBER

VAPOUR PRESSURE AND RELATIVE HUMIDITY 1958

VAPOUR PRESSURE IN MB COMPUTED FROM VALUES OF TEMPERATURE AND RELATIVE HUMIDITY AT EXACT HOURS

HOUR (M.E.T.) 13		14		15		16		17		18		19		20		21		22		23		24		MEAN	
MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH	MB	RH
2.6	64	2.6	65	2.6	66	2.5	67	2.4	68	2.5	69	2.5	70	2.5	71	2.6	69	2.5	70	2.5	70	2.5	71	2.68	70.2
2.7	61	2.9	66	2.8	68	2.9	73	3.0	78	3.3	84	3.6	85	3.9	86	3.9	84	3.8	83	3.7	84	3.7	83	2.96	75.5
4.5	85	4.5	86	4.6	85	4.5	79	4.6	78	4.9	81	5.0	78	5.1	80	5.0	75	4.9	74	4.9	74	4.8	73	4.23	83.4
5.3	67	5.5	71	5.5	73	5.4	69	5.2	67	5.0	70	4.9	74	4.9	74	4.7	72	4.6	73	4.3	71	4.2	71	5.01	75.0
4.0	71	3.9	70	3.8	73	3.6	73	3.6	70	3.5	71	3.6	72	3.7	72	3.4	73	3.4	72	3.4	72	3.4	71	3.76	72.8
4.1	70	4.1	71	3.8	68	3.6	67	3.5	69	3.4	72	3.4	74	3.4	75	3.3	76	3.4	83	3.4	82	3.1	78	3.87	77.0
2.6	70	2.6	69	2.5	73	2.5	77	2.5	82	2.5	84	2.5	85	2.5	86	2.5	86	2.8	89	3.0	89	3.2	88	2.67	80.6
5.2	89	5.4	89	5.7	93	5.7	92	5.3	84	5.3	85	5.5	86	5.7	88	5.8	88	5.7	88	5.8	90	5.9	91	4.94	88.0
3.8	92	3.6	89	3.4	86	3.2	84	3.0	82	3.0	83	2.9	83	2.8	84	2.8	84	2.8	84	2.8	84	2.5	83	4.25	88.9
2.1	87	2.1	87	2.1	86	1.9	84	1.7	78	1.5	76	1.5	78	1.5	78	1.5	79	1.5	78	1.5	79	1.6	76	1.94	81.8
1.8	64	1.9	67	1.9	74	2.0	77	1.8	73	1.7	67	1.6	65	1.6	66	1.5	66	1.5	69	1.4	71	1.3	76	1.67	68.6*
1.5	72	1.6	77	1.7	80	1.9	82	1.9	82	2.1	84	2.1	85	2.1	86	2.0	85	2.0	83	2.0	79	2.0	79	1.57*	80.2
2.2	83	2.2	82	2.4	83	2.5	89	3.4	92	3.3	90	3.3	87	3.4	79	3.5	79	3.5	79	3.6	81	3.7	84	2.51	84.0
3.9	85	4.0	84	3.9	82	3.8	81	3.9	81	3.9	83	3.9	85	3.8	86	3.9	88	4.1	89	4.2	88	4.2	88	3.72	82.3
4.2	86	4.2	86	4.2	86	4.3	89	4.4	92	4.5	89	4.6	90	4.0	92	3.6	91	3.6	92	3.6	93	3.6	94	4.15	89.3
3.9	86	3.9	88	3.8	87	3.8	88	3.6	87	3.6	87	3.6	87	3.6	89	3.7	90	3.7	90	3.9	90	4.2	90	3.73	89.6
6.3	94	6.4	94	6.4	94	6.4	94	6.4	95	6.4	95	6.5	95	6.5	96	6.5	96	6.5	95	6.4	95	6.5	95	6.12	93.6
6.5	96	6.6	97	6.4	97	6.2	97	5.6	92	5.4	91	5.3	92	5.4	91	5.2	89	5.1	89	5.1	89	4.4	81	5.98	93.0
3.2	84	3.0	83	2.8	86	2.7	89	2.6	88	3.1	89	3.3	87	3.4	86	3.5	86	3.8	87	4.3	89	4.8	90	3.36	86.6
7.0	93

JANUARY — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12
1	NW 4.1	NNW 4.6	NW 4.5	WNW 4.1	NW 5.0	NW 4.5	NW 4.1	NW 4.1	NW 3.8	NNW 4.4	NNW 4.5	NNW 4.4
2	NW 4.7	NW 4.8	NW 5.4	NW 4.1	NW 4.2	NW 4.0	NW 4.3	WNW 4.5	W 4.3	WNW 3.9	NW 4.5	NW 4.6
3	NW 4.3	NW 4.3	NW 4.3	NW 4.9	NW 4.7	NW 5.7	NW 5.8	NW 5.2	NW 5.7	NW 5.3	NW 5.3	NW 5.0
4	WNW 1.5	WSW 1.3	SW 1.0	SSW 1.6	SSW 1.5	SSW 1.9	SSE 1.8	SW 1.8	SSW 3.4	S 3.5	SSW 3.5	S 4.3
5	NNW 1.9	N 1.9	NNW 1.1	N 1.7	NNE 1.3	0.0	0.0	0.0	0.0	E 1.7	ESE 1.8	ESE 2.0
6	ESE 7.8	ESE 7.3	ESE 8.4	ESE 8.9	ESE 9.3	ESE 9.4	ESE 10.3	ESE 9.0	ESE 8.9	ESE 8.0	SE 8.3	ESE 8.5
7	E 7.6	E 7.4	ENE 7.2	ENE 7.0	ENE 7.3	NE 8.0	NE 8.4	NE 8.8	NE 9.0	NE 9.4	NE 7.5	NNE 6.8
8	N 3.0	N 3.0	NNW 2.9	N 3.3	N 3.5	N 3.6	NNE 4.1	NNE 3.5	NW 3.6	NW 3.9	NW 4.5	NW 4.1
9	WNW 1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	NE 2.0	E 2.3	E 2.9	ENE 3.0
10	E 6.0	E 5.6	E 3.7	ENE 3.2	ENE 3.9	ENE 3.6	NE 2.8	NE 3.4	NNE 3.7	NNE 4.0	NE 5.6	NE 5.0
11	N 3.0	N 3.7	NNE 2.9	N 2.9	NNE 3.1	NE 3.5	NNE 3.0	NNE 3.1	NE 3.8	NE 3.7	ENE 3.5	ENE 3.3
12	ESE 4.3	ESE 3.6	E 3.4	ENE 4.1	ESE 2.9	ENE 3.4	E 3.6	ENE 3.5	ENE 3.4	E 3.8	ESE 3.7	ENE 3.5
13	NE 1.7	N 2.5	N 2.4	NNE 1.7	NNE 1.9	N 1.9	NNE 2.7	NNE 2.3	NNW 2.4	N 1.8	NNW 1.0	N 1.4
14	SSE 1.0	S 1.3	SSE 1.5	SSW 1.6	S 2.2	S 2.9	SSW 2.7	SSW 3.1	SSW 3.6	SSW 4.1	SSW 3.9	SSW 3.9
15	SW 6.0	SW 5.3	WSW 4.8	W 3.8	W 3.4	WSW 3.2	W 2.6	W 2.2	W 1.9	W 2.0	W 2.1	WNW 1.9
16	SW 4.9	SW 4.7	SW 4.2	SW 4.5	SW 5.3	SW 6.0	SW 6.0	SW 5.3	SW 6.7	SW 6.6	SW 6.3	SW 6.1
17	WSW 6.7	SW 6.9	SW 6.6	WSW 5.6	SW 7.6	WSW 9.0	WSW 8.3	WSW 8.1	WSW 8.0	WSW 7.4	WSW 7.7	WSW 7.8
18	W 6.1	W 5.5	W 5.6	WSW 6.0	W 5.9	W 5.9	W 4.1	W 4.6	WSW 5.7	WSW 6.1	WSW 6.3	W 7.0
19	SSW 9.7	SSW 8.1	SW 6.3	WSW 6.9	SSW 5.4	SSW 3.5	SSW 4.7	SSW 4.4	SW 4.9	WSW 5.8	WSW 5.6	WSW 4.5
20	WSW 4.0	W 3.6	WSW 3.3	WSW 3.7	WSW 3.6	WSW 2.9	WSW 2.3	WSW 2.6	W 3.5	WNW 3.9	W 2.8	WNW 2.0
21	SW 2.7	SSW 2.7	SSW 2.6	SSW 2.9	SW 2.8	SW 1.8	WSW 1.2	SSW 1.4	SSW 3.0	SSW 2.0	SSW 2.0	SSW 1.6
22	SW 1.9	SSW 2.4	SW 2.4	SSW 1.9	SSW 2.0	SSW 2.4	S 2.0	SE 1.4	SE 1.8	SE 2.3	ESE 2.2	ESE 2.0
23	ESE 1.9	E 2.6	ESE 3.2	ESE 2.9	ESE 3.8	ESE 4.4	ESE 4.8	ESE 4.3	ESE 3.8	SE 4.3	SE 4.6	SE 4.9
24	ESE 3.5	ESE 3.2	ESE 3.2	E 3.5	E 3.3	ENE 3.2	NE 3.7	ENE 4.1	ENE 3.5	ENE 2.7	ESE 2.5	ESE 2.0
25	WSW 2.0	WSW 2.2	SW 1.2	SSW 2.3	SW 2.7	SW 2.6	SSW 2.2	WSW 2.7	WSW 2.5	SW 2.2	SW 1.8	SSW 1.9
26	SW 2.7	SW 3.1	WSW 3.6	SW 3.7	WSW 3.5	WSW 2.9	SW 4.0	WSW 3.8	SW 3.4	SSW 3.9	SSW 4.6	SSW 5.0
27	SSW 4.9	S 4.2	SSW 4.2	SSW 4.0	SSW 4.9	SSW 5.7	SSW 5.9	SSW 5.7	SSW 6.4	SSW 5.3	SSW 4.7	SSW 5.5
28	SW 6.6	SW 7.6	SW 7.9	SW 7.6	SW 8.6	SW 7.2	SW 6.7	SW 6.3	WSW 6.8	SW 6.2	WSW 5.6	WSW 6.3
29	W 3.1	WNW 2.1	W 2.0	W 2.0	WSW 1.6	WNW 1.9	NW 2.0	NW 2.0	N 2.3	N 2.5	NE 2.4	NE 2.5
30	SSE 3.7	SSE 3.4	S 4.1	SSE 4.4	S 4.9	S 5.3	S 4.9	S 4.4	SSW 5.0	SW 5.7	SSW 4.9	SSW 5.3
31	W 3.6	WSW 4.3	WSW 3.8	WSW 4.4	WSW 4.1	WSW 3.8	W 3.5	WSW 3.2	WSW 2.7	WSW 3.0	SW 3.6	SW 4.1
MEAN	4.07	3.97	3.80	3.85	4.01	4.00	3.95	3.83	4.18	4.26	4.18	4.20

JANUARY — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	MEAN
1	NNW 3.9	NW 4.2	NW 4.7	NW 4.6	NW 4.9	NW 4.7	NW 5.1	NW 4.7	NW 4.2	NW 3.9	NW 4.3	NW 4.1	4.39
2	NW 4.4	NW 5.0	WNW 3.6	WNW 4.3	WNW 4.2	NW 3.8	WNW 3.7	NW 4.5	WNW 4.7	NW 4.6	NW 4.5	NNW 4.6	4.37
3	NNW 5.3	NNW 4.0	NW 4.6	NNW 4.7	NW 3.8	NW 3.2	NW 2.9	NW 3.0	NW 3.0	NW 3.3	NW 2.4	WNW 1.4	4.25
4	SSE 4.6	SSE 5.5	S 6.1	S 5.8	S 5.6	SSW 4.5	SSW 4.7	SSW 3.9	SSW 3.0	WSW 1.0	N 2.0	NNW 1.9	3.15
5	ESE 2.2	E 3.3	ESE 3.3	E 2.9	ESE 3.6	ESE 4.2	E 4.1	E 5.5	ESE 6.2	ESE 7.6	ESE 7.5	ESE 7.0	2.95
6	ESE 7.1	ESE 7.7	ESE 7.5	ESE 8.1	ESE 7.9	E 6.1	E 5.8	E 5.9	E 6.7	E 7.1	E 7.2	E 7.2	7.85*
7	NE 7.3	NE 7.8	NE 5.3	NE 4.5	NE 5.8	NE 4.3	NNE 4.0	NE 3.6	NNE 4.0	NE 5.0	NNE 4.3	NE 3.8	6.42
8	NW 4.0	NNW 3.1	NW 3.0	WNW 3.2	NW 2.4	NW 2.1	NW 1.4	0.0	0.0	SSW 1.4	S 1.4	SW 1.3	2.76
9	NE 3.0	NE 3.3	NE 3.0	NE 2.9	E 2.7	E 3.2	ESE 5.2	ESE 4.6	ESE 4.0	SE 4.5	SE 6.0	ESE 5.4	2.47
10	NNE 5.1	NNE 5.2	NNE 5.1	NE 5.0	NNE 4.3	NNE 4.4	NNE 4.0	NNE 3.9	NE 3.8	NNE 3.7	NE 3.4	N 3.0	4.22
11	ENE 2.9	E 2.9	E 3.0	E 3.0	E 3.2	ESE 3.1	ESE 3.0	SE 2.9	ESE 3.0	ESE 3.4	ESE 3.6	ESE 4.7	3.26
12	ENE 3.2	ENE 3.5	E 2.9	ENE 3.2	NNE 2.8	NE 4.2	NE 3.8	NE 3.2	NE 2.3	NE 1.7	NE 2.5	NE 0.9	3.23
13	N 2.0	N 2.2	NNE 1.6	N 1.9	N 1.6	0.0	0.0	0.0	NW 1.0	0.0	0.0	0.0	1.42*
14	SSW 4.7	S 4.9	SSW 4.8	SSW 4.7	SSW 5.1	SSW 6.3	SSW 6.1	N 6.1	SW 5.9	SW 5.0	SSW 5.3	SW 5.5	4.01
15	WNW 1.4	NE 1.1	SW 1.3	WSW 2.0	WSW 1.8	SW 1.4	SW 1.3	SW 2.5	SSW 2.7	SSW 2.3	SSW 2.7	SW 3.6	2.64
16	SW 7.1	SW 7.0	SW 5.9	SW 5.2	SW 6.1	SW 6.0	WSW 6.1	WSW 4.7	WSW 4.8	WSW 4.9	WSW 5.0	WSW 5.5	5.62
17	WSW 7.2	WSW 8.0	WSW 7.3	WSW 5.3	WSW 4.2	SW 4.3	WSW 5.0	W 4.6	W 5.0	W 4.1	W 4.9	W 5.0	6.44
18	WSW 5.8	WSW 6.0	WSW 5.3	SW 5.2	SSW 4.8	S 4.7	SSE 5.0	SSE 7.2	S 10.0	S 10.3	SSE 10.3	S 10.4*	6.41
19	W 4.8	WNW 5.3	W 6.0	W 6.5	W 6.7	W 6.7	W 6.9	W 6.6	W 6.5	W 5.9	W 5.7	W 4.7	5.92
20	WSW 2.3	WSW 3.6	WSW 3.7	SW 3.9	SW 3.8	SW 3.0	SW 2.9	SW 3.7	SW 3.5	SW 3.8	SW 3.3	SW 3.4	3.30
21	0.0	0.0	SSW 2.5	SW 2.0	SW 2.7	WSW 1.2	SSW 1.1	SSW 1.5	WSW 1.8	SW 2.0	S 1.3	SW 1.7	1.86
22	ESE 1.7	ESE 1.7	ESE 1.8	ESE 1.9	E 1.7	ESE 1.5	E 1.6	E 1.5	E 2.0	E 1.5	ESE 1.2	ESE 1.3	1.84
23	SSE 5.3	SE 4.2	SE 4.9	SSE 4.7	SSE 3.8	SSE 4.4	SSE 4.0	SSE 4.4	SSE 4.4	SE 3.4	SE 3.0	SE 3.4	3.98
24	ESE 1.7	0.0	SSE 1.1	ESE 1.0	SE 2.0	ESE 1.1	0.0	0.0	0.0	0.0	W 1.5	WSW 2.1	2.04
25	SW 2.1	SW 2.1	SW 2.2	SW 2.6	WSW 2.4	WSW 3.3	W 4.0	SW 2.6	WSW 2.8	SW 3.5	SW 2.4	SW 2.3	2.44
26	SSW 4.6	SSW 4.3	SSW 4.1	SSW 3.4	SSW 3.6	SSW 3.9	SSW 3.5	SSW 3.9	S 3.8	S 5.2	SSW 4.9	SSW 4.8	3.92
27	SSW 5.5	SSW 5.7	SW 6.1	SW 5.6	SSW 5.7	SW 5.7	SW 5.7	SW 6.2	SW 6.3	SW 5.9	SW 6.0	SW 5.8	5.62
28	WSW 5.9	WSW 5.5	WSW 5.3	WSW 5.0	WSW 5.6	W 5.7	WNW 4.9	W 4.3	W 4.3	W 4.1	W 4.5	W 3.9	5.93
29	NE 3.4	ENE 2.0	ENE 1.8	ESE 2.3	ESE 2.9	SE 3.0	SE 3.0	SSE 2.9	SSE 4.3	SSE 5.1	SSE 3.9	SSE 3.4	2.68
30	SW 5.7	SW 3.9	SSW 3.8	SW 4.1	WSW 4.8	WSW 4.6	WSW 4.0	W 4.2	WSW 3.9	WSW 3.6	WSW 2.9	W 3.2	4.36
31	SSW 3.9	SW 5.7	SW 5.5	SW 3.6	SW 3.9	SSW 3.6	SSW 3.7	SW 5.0	SW 5.4	SW 4.9	SW 4.3	SW 4.4	4.08
MEAN	4.13	4.15	4.10	3.97	4.01	3.81	3.76	3.79	3.99	3.98	3.98	3.90	3.99

FEBRUARY — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12
1	SW 3.5	SW 3.9	SW 3.2	SW 4.2	SW 5.4	WSW 5.3	SW 6.1	SW 6.5	WSW 6.1	WSW 7.5	WSW 8.1	WSW 7.5
2	SW 8.7	WSW 7.1	WSW 6.6	SW 6.0	WSW 4.9	SW 3.6	SW 4.1	SW 5.6	WSW 4.8	WSW 4.0	WSW 4.1	WSW 4.5
3	SW 4.2	SW 2.7	SW 2.8	NW 2.4	NNW 4.7	NNW 5.9	NNW 5.7	NNW 5.3	NW 6.0	NW 6.3	WNW 6.7	WNW 6.7
4	NW 6.7	NW 5.9	WNW 5.7	WNW 4.7	WNW 5.0	WNW 4.9	W 4.6	WNW 5.1	WNW 5.3	NW 5.8	NW 4.5	NNW 4.1
5	ENE 4.2	NE 4.4	NE 4.2	NE 4.9	NE 5.9	NE 5.5	NE 5.8	NE 5.6	NNE 5.4	NNE 5.3	NNE 6.2	NNE 7.5
6	N 6.4	NNE 6.9	N 6.2	N 4.8	N 5.6	NNW 5.3	NNW 5.0	NW 5.1	NW 5.6	NNW 6.1	NNW 5.8	NW 6.0
7	NW 6.9	NW 6.9	NW 6.3	NW 6.1	NNW 5.6	NW 5.6	NW 5.6	NW 5.4	NW 5.8	NW 6.2	NNW 6.3	NW 6.8
8	NNW 3.9	NW 3.8	NW 4.0	NNW 3.4	NW 3.8	NW 3.6	WNW 2.7	NW 3.5	NW 3.7	NW 3.9	NW 4.0	NW 3.7
9	N 1.3	N 1.1	NNE 1.4	NNE 1.4	NE 2.0	NE 1.8	ENE 2.7	NE 4.3	NE 4.9	NE 5.0	NE 5.8	NE 5.6
10	NNW 3.8	NW 2.9	NNW 3.9	NNW 3.7	NNW 3.6	NNW 2.9	NNW 2.3	NNW 2.0	NNW 2.9	NNW 2.3	NNW 1.8	NNW 1.8
11	NE 2.8	NE 3.2	NE 4.1	NE 3.4	NE 3.3	NE 3.5	ENE 3.7	ENE 3.3	E 3.2	SE 5.9	SE 7.3	SE 7.5
12	E 3.5	ESE 2.9	E 2.4	E 2.5	E 2.4	E 3.2	E 2.9	ESE 3.9	ESE 3.6	ESE 3.5	ESE 4.0	SE 4.0
13	S 4.4	S 4.3	SSW 3.8	SSW 3.7	SSW 4.5	SW 4.7	SW 5.2	WSW 3.8	WSW 4.3	WSW 4.9	W 4.8	WNW 5.6
14	SW 5.2	SW 5.9	SW 5.2	SW 4.7	SSW 4.7	SSW 6.2	SW 6.3	SW 5.7	SW 6.2	SW 5.3	SSW 5.3	SSW 5.7
15	NNW 2.0	NW 2.9	NW 4.3	NW 3.9	NW 4.5	NW 3.1	0.0	0.0	NW 2.6	NW 4.0	NW 3.4	NNW 3.4
16	SSE 2.1	SSE 1.1	SE 1.7	SSE 1.2	0.0	0.0	ESE 1.1	E 1.0	ESE 1.4	ESE 2.8	ESE 3.4	E 2.7
17	ENE 3.7	ENE 4.1	NE 3.8	NE 3.9	NNE 4.6	NNE 4.8	N 4.7	N 5.5	NNE 6.0	NNE 6.8	NNE 8.1	NNE 8.1
18	N 6.7	N 6.5	N 6.4	N 6.3	N 6.2	N 5.6	N 5.5	N 5.0	N 5.3	NNW 4.8	NW 5.5	NNW 5.4
19	WNW 2.0	W 1.8	W 2.4	W 2.8	W 2.1	W 1.9	WSW 1.7	W 1.6	WSW 1.4	SW 1.7	WSW 2.6	WSW 2.2
20	0.0	S 1.0	0.0	0.0	0.0	0.0	0.0	0.0	NNW 1.0	NNW 1.9	N 1.8	NE 2.2
21	NNW 2.4	NNW 1.4	NW 2.6	NW 2.7	NNW 2.2	NNW 2.9	NNW 3.1	NNW 2.7	N 2.4	NNW 2.6	NNW 3.3	NNW 4.1
22	NNW 2.3	N 2.6	NNE 2.4	NNE 2.8	N 2.3	N 2.4	NNE 2.3	NNE 3.5	NE 3.7	N 3.3	NE 4.3	NNE 3.8
23	NW 2.0	NW 1.6	NW 1.1	NNW 1.8	NW 1.8	NW 1.4	WNW 1.9	NW 2.2	NW 2.0	NNW 1.9	NW 2.1	NNW 2.0
24	NNW 2.4	N 2.5	N 2.6	NNE 3.5	NNE 3.4	NNW 2.9	NW 2.8	NW 2.6	NW 2.9	N 2.9	NNW 2.9	NW 3.5
25	0.0	0.0	0.0	0.0	NNW 1.2	NNW 1.1	N 1.0	N 2.0	NNE 1.5	NNW 1.4	N 1.8	NNW 2.2	NE 3.6
26	NNE 3.9	NNE 4.1	NNE 4.6	NNE 3.9	NNE 4.9	N 4.4	N 4.8	N 5.5	NNE 6.0	NNE 5.9	NNE 6.9	N 7.2
27	NNW 4.1	NW 3.7	NW 3.3	NW 4.0	NW 4.6	NW 4.6	NW 4.7	NW 3.2	WNW 2.6	WNW 2.4	NW 1.4	SW 2.0
28	SSW 5.8	SSW 4.5	SSW 5.3	SSW 5.3	SSW 5.1	SSW 5.6	SSW 5.0	SSW 4.1	SSW 4.9	SSW 4.3	SSW 5.5	SSW 6.4
MEAN	3.75	3.56	3.58	3.55	3.72	3.66	3.64	3.71	3.99	4.25	4.58	4.77

FEBRUARY — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	MEAN
1	WSW 7.4	WSW 6.7	SW 6.8	SW 6.2	SW 7.8	SW 7.8	SW 8.3	SW 9.9*	SW 9.4	SW 8.4	SW 9.7	SW 8.5	6.84*
2	WSW 4.5	SW 3.8	SSW 4.7	SSW 5.0	SSW 4.6	SSW 4.9	SSW 4.8	SW 6.2	SW 6.3	SW 5.9	SW 6.0	SW 5.8	5.27
3	WNW 6.2	NW 8.0	WNW 7.7	NNW 9.0	WNW 9.4	WNW 8.7	NNW 9.8	NW 8.3	NW 7.3	NW 7.8	NW 7.6	NW 7.6	6.53
4	NW 2.9	NW 2.9	WNW 2.4	NNW 1.5	NNE 2.2	NE 2.3	NE 1.9	ENE 2.0	ENE 2.3	ENE 1.4	NE 2.7	ENE 3.3	3.75
5	NNE 7.3	NNW 6.6	N 7.0	N 5.6	N 4.8	N 4.3	N 3.6	N 4.8	N 5.2	NNE 5.4	NNE 5.8	N 5.7	5.46
6	NNW 6.4	NNW 6.0	N 6.3	N 7.7	NNW 7.3	NNW 6.5	NNW 6.5	NW 6.7	NW 6.0	NW 5.4	NW 5.7	NW 6.1	6.06
7	WNW 7.5	NW 7.4	NW 7.5	NW 7.1	WNW 7.0	WNW 6.6	NNW 6.0	NNW 5.5	NW 4.8	NW 5.1	NNW 5.2	NNW 3.9	6.13
8	NW 3.8	NW 3.3	NW 3.0	NW 2.0	WNW 2.1	WNW 1.9	WNW 1.5	WSW 1.3	NNW 1.3	0.0	N 1.0	0.0	2.72
9	NE 6.7	NNE 7.3	NNE 6.9	NNE 7.2	NNE 6.0	NNE 5.6	NNE 5.9	N 3.0	NNW 1.8	NNW 3.2	N 4.8	NNW 4.7	4.16
10	N 1.4	NNW 1.0	NNW 2.0	N 1.8	N 2.1	N 1.5	N 1.3	N 1.8	N 1.2	N 1.6	N 2.0	NE 2.4	2.25
11	SE 7.7	ESE 6.8	ESE 5.7	E 4.7	E 4.8	E 3.8	E 4.5	ESE 4.5	E 3.5	E 3.8	E 3.5	E 3.6	4.50
12	ESE 2.7	ESE 1.9	SE 1.9	SSE 2.0	SSE 3.3	SSE 3.8	SSE 3.8	SSE 3.6	SSE 3.8	S 5.4	S 5.7	S 5.1	3.42
13	WNW 6.0	WNW 6.7	WNW 5.6	W 4.5	WSW 3.3	WSW 3.9	WSW 4.5	SW 3.9	SW 3.6	SW 3.6	SW 4.7	SW 5.8	4.59
14	SSW 5.6	SSW 5.7	S 4.4	S 3.7	S 4.4	S 4.2	S 3.1	ESE 1.7	ESE 2.4	E 1.4	0.0	NNW 1.3	4.35
15	NW 3.9	NW 3.7	WNW 2.3	WSW 2.7	SW 3.4	SW 3.4	SW 3.1	SSW 3.5	SSW 2.9	SSW 1.8	S 1.9	S 1.7	2.85
16	NE 1.8	NE 2.6	NE 2.5	ESE 3.0	E 2.8	NE 2.7	NE 2.4	ENE 2.4	ENE 2.5	E 2.7	ENE 3.4	ENE 3.5	2.12
17	NNE 7.8	NNE 8.0	NNE 7.6	NNE 7.6	NNE 7.5	NNE 7.2	NNE 6.3	N 6.0	N 6.1	N 6.0	N 5.5	N 5.4	6.05
18	NNW 5.1	N 5.0	N 3.7	N 2.3	NW 1.4	WNW 2.0	WNW 2.2	NW 2.7	NW 3.4	NW 2.8	WNW 2.3	WNW 2.2	4.35
19	WSW 2.7	WSW 4.1	WSW 4.1	WSW 3.0	SSW 3.3	SSW 2.9	SW 2.8	SW 2.3	SSW 1.4	0.0	SSW 2.3	S 1.0	2.25
20	NNW 2.0	N 2.0	N 2.2	N 2.9	NNE 2.8	N 2.8	N 2.2	NNW 2.8	NNW 2.5	NNW 2.4	NNW 3.1	NNW 2.5	1.59*
21	NNW 3.8	N 3.2	N 3.3	N 3.2	NW 3.1	NNW 2.7	N 2.4	N 2.3	N 2.0	NW 2.6	N 2.8	NNE 2.9	2.78
22	N 3.3	NNE 3.9	NNE 3.6	N 4.1	N 4.0	NNE 4.7	N 3.9	N 2.8	NNW 2.1	NNW 1.7	NNW 2.6	NW 2.3	3.11
23	NW 2.6	NW 2.2	NW 2.8	NNW 2.5	NNW 2.4	N 3.9	N 2.9	NNW 2.2	NNW 2.8	NNW 2.4	NNW 2.2	2.22
24	NNW 3.0	NW 2.9	NNW 2.4	NNW 2.1	N 1.8	NE 1.7	NNE 1.1	0.0	0.0	0.0	0.0	0.0	2.08
25	NE 3.9	NE 4.0	NNE 3.6	NNE 3.8	NNE 4.2	NNE 4.1	NNE 4.2	NNE 4.1	NNE 4.5	NNE 4.1	NNE 3.7	NNE 3.8	2.66
26	N 6.9	N 7.5	N 7.9	N 7.7	N 6.8	N 6.2	N 6.0	N 6.1	NNW 4.9	NNW 4.1	NW 4.2	NW 5.1	5.65
27	SW 3.2	SSW 3.3	SW 3.3	SSW 3.9	SW 4.6	SSW 3.6	SSW 3.5	SSW 3.7	SSW 4.4	SSW 5.1	SSW 5.7	SSW 5.6	3.78
28	SSW 7.3	SSW 7.6	SSW 7.5	SSW 6.8	SSW 7.2	SSW 7.7	SSW 7.7	SW 7.7	SW 7.1	SW 6.5	SW 6.9	SW 6.6	6.18
MEAN	4.76	4.79	4.60	4.41	4.45	4.28	4.19	4.02	3.75	3.61	3.97	3.89	4.06

MARCH

WIND DIRECTION AND WIND SPEED IN METRES PER SECOND

1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 0-1		1-2		2-3		3-4		4-5		5-6		6-7		7-8		8-9		9-10		10-11		11-12	
1	SW	6.0	SW	5.1	SW	4.4	SW	4.7	WSW	4.5	SW	4.1	SW	4.3	SW	4.4	WSW	4.6	SW	5.3	SW	5.0	SW	5.3
2	N	4.4	N	4.6	N	5.6	N	4.9	NNE	5.3	N	5.8	N	5.1	NNE	4.9	NNE	4.6	NNE	5.4	NNE	5.5	N	5.3
3	N	4.2	NNW	3.6	N	3.3	NNW	2.9	N	2.9	NNW	2.0	NNW	2.2	NNW	2.3	NNW	2.9	NW	2.4	NW	3.4	NW	2.9
4	S	4.9	S	4.3	S	4.4	S	4.9	S	4.7	SSW	5.8	SSW	5.3	SSW	5.4	SSW	4.8	SSW	4.9	SSW	4.7	SSW	4.9
5	SW	6.4	SW	7.6	WSW	8.0	WSW	6.2	WSW	5.2	WSW	5.3	WSW	5.0	WSW	4.9	WSW	4.7	W	4.0	WNW	3.5	W	3.5
6	SSE	3.8	SSE	4.0	SSE	2.2	SSW	1.8	SW	1.2	WSW	2.7	W	3.0	WNW	3.2	N	3.1	N	3.6	NNE	5.3	NNE	6.3
7	NNE	7.3	NNE	6.5	NNE	6.1	NNE	7.2	N	6.8	NNE	6.2	NNE	7.1	N	6.2	N	6.3	N	6.5	NNE	7.5	NNE	7.8
8	N	2.0	N	2.3	N	2.2	N	1.4		0.0		0.0		0.0		0.0		0.0		0.0	NNW	1.2	NW	1.0
9		0.0	NE	1.0	N	1.0		0.0		0.0		0.0		0.0		0.0		0.0	ENE	2.4	NE	3.4	NE	3.2
10	NNE	4.7	N	4.4	N	4.3	N	4.9	N	5.5	N	6.8	N	7.5	N	7.5	N	7.1	N	9.2	NNE	9.4	NNE	11.7
11	NNE	10.0	NNE	10.0	NNE	10.1	N	9.7	N	10.0	N	10.5	N	11.3	N	11.8	N	11.8	N	11.0	N	11.1	N	10.5
12	NNW	7.2	N	6.9	N	6.6	NNW	7.0	NNW	7.1	NNW	6.7	NNW	8.0	N	8.2	N	6.9	N	5.8	N	6.9	N	8.0
13	WNW	4.0	WNW	4.3	NW	4.8	WNW	4.4	NW	4.6	NW	3.9	NNW	3.5	N	4.0	N	3.9	N	3.9	NNE	4.8	N	4.4
14	N	6.9	N	7.7	N	7.6	N	7.7	NNE	9.4	N	9.5	N	7.7	N	7.8	N	6.5	N	6.7	NNE	7.0	NNE	8.0
15	NE	6.0	NE	5.6	NE	4.8	ENE	4.9	NE	4.3	NE	4.3	NE	4.6	ENE	4.6	NE	4.3	ENE	5.1	ENE	5.2	ENE	5.0
16	NNE	2.7	NNE	2.4	N	2.0	N	2.0	NNW	1.6	NNE	2.0	NNE	1.9	NNW	2.3	NNW	1.8	NNW	2.0	N	2.6	NNW	3.0
17	NNE	4.7	NNE	4.5	NNE	4.4	N	4.5	N	4.0	NNW	3.0	N	3.8	N	4.3	N	4.6	N	4.2	NNE	4.1	NNW	3.5
18	NNE	2.9	NNE	2.9	NNE	3.0	NNE	2.9	NNE	2.8	NE	3.7	ENE	3.8	ENE	3.5	NE	3.5	NE	4.0	NE	3.5	NE	4.1
19	NE	3.1	NE	3.9	NE	3.5	NE	3.1	NE	4.5	NE	4.1	NE	3.8	NE	3.2	N	2.4	N	2.1	NE	4.6	NE	4.4
20	NNW	2.1	NNW	2.2	NNW	2.8	NNW	2.6	NNW	1.6	NNW	1.6	N	1.7	NNW	1.7	N	3.1	N	4.6	NNE	5.8	NE	7.1
21	NNE	3.3	NNE	2.9	NNW	2.6	NNW	2.4	NNW	1.9	NNW	1.8	NNW	2.3	NNW	1.6	NNW	2.0	NW	2.0	NNW	2.4	NW	3.2
22		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	WSW	1.7	SW	2.2
23	SW	1.8	SW	1.4	SW	1.4	SW	2.7	SW	2.7	SW	2.6	SW	2.1	SSW	2.6	SSW	3.0	SSW	2.9	SSW	2.6	SSW	3.7
24	SW	1.9	SW	1.5		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	NW	1.3		0.0
25		0.0		0.0		0.0		0.0		0.0		0.0	S	1.4	S	3.3	S	2.6	SSW	2.6	S	2.3	SSW	2.3
26	NE	2.6	NE	2.5	ENE	2.2	NE	2.2	NE	2.3	NNE	2.2	NE	2.2	ENE	2.3	NE	3.2	NNE	2.5	NE	2.4	NE	1.9
27		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	N	1.7	NNW	1.5
28		0.0		0.0		0.0		0.0	N	1.0	N	1.0	N	1.0		0.0	N	1.3	N	1.5	N	1.1	N	1.3
29		0.0		-0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	E	2.2	SE	2.6
30	SSE	1.6	SSE	1.3		0.0		0.0		0.0		0.0		0.0		0.0		0.0	ENE	1.1	WSW	2.1		
31	SSW	1.0		0.0		0.0		0.0		0.0		0.0		0.0	SSW	1.0	SW	1.1	WSW	1.8	SSW	2.7	SSW	3.2
MEAN		3.40		3.34		3.14		3.06		3.03		3.08		3.18		3.26		3.23		3.43		4.06		4.32

MARCH

WIND DIRECTION AND WIND SPEED IN METRES PER SECOND

1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 12-13		13-14		14-15		15-16		16-17		17-18		18-19		19-20		20-21		21-22		22-23		23-24		MEAN
	SW	5.0	SW	5.2	SW	4.4	SW	4.4	SW	3.2	SW	2.5	SW	2.2	WSW	1.8		0.0		0.0		0.0	SSE	3.9	3.76
	N	4.7	N	5.2	N	5.2	NNE	5.2	N	4.8	N	4.8	N	4.8	N	5.0	N	4.2	N	4.1	NNE	4.2	NNE	4.4	4.92
	NW	3.0	WNW	2.3	WNW	2.3	WNW	1.8		0.0		0.0		0.0	SE	2.0	SSE	3.5	SSE	3.0	SSE	4.1	S	4.3	2.55
	SSW	4.6	SSW	5.0	SSW	6.0	SSW	6.7	SSW	7.0	SSW	6.4	SSW	6.0	SSW	5.5	SSW	6.4	SSW	7.1	SSW	6.7	SW	6.7	5.55
	WSW	4.7	SW	5.3	SW	5.6	SW	4.5	SW	4.8	SSW	5.0	SSW	4.7	SSW	4.5	S	4.2	SSW	4.1	SSW	3.9	SSE	4.1	4.99
	N	6.2	N	6.8	N	6.9	N	7.7	N	7.1	NNE	8.0	NNE	7.0	NNE	6.1	NNE	6.5	NNE	7.4	NNE	6.5	NNE	7.1	5.15
	NNE	6.5	NNE	6.6	N	5.9	N	6.0	N	4.8	N	3.8	N	4.3	N	3.8	N	2.4	NNE	3.2	NNE	3.2	N	2.4	5.60
	NE	2.4	NNE	1.4	NNE	1.1	NNE	1.1	ESE	1.0	SE	2.0	ESE	2.4	ENE	2.1	E	1.8		0.0		0.0		0.0	1.06
	NE	3.7	NE	4.5	NE	5.1	NE	4.7	NE	5.0	NE	4.4	NNE	3.8	NNE	3.5	NNE	3.9	NNE	3.6	NNE	4.5	NNE	5.5	2.63
	NNE	11.6	NNE	12.0	NNE	12.0	NNE	13.9*	NNE	13.0	NNE	12.1	NNE	11.9	NNE	11.8	NNE	11.5	NNE	11.7	NNE	10.9	NNE	10.5	9.41
	N	10.1	N	9.4	N	9.2	N	8.9	N	9.0	N	8.7	N	8.2	N	7.6	N	7.4	N	8.5	N	7.9	N	6.9	9.57*
	N	7.1	N	5.7	N	5.5	N	5.3	N	4.4	NW	3.9	NNW	4.1	NNW	3.8	NW	3.8	N	4.4	NNW	3.5	NW	3.4	5.84
	N	5.1	N	5.2	N	4.4	N	4.7	N	4.9	NNE	6.1	NNE	4.4	NNE	5.1	NNE	5.2	N	5.1	NNE	6.4	N	7.6	4.78
	NNE	7.3	NE	6.7	NNE	5.5	NNE	5.1	NNE	5.7	NNE	5.7	NNE	5.5	NNE	5.5	NNE	5.3	NNE	5.7	NNE	5.7	NE	6.1	6.77
	ENE	4.9	ENE	4.6	E	4.9	E	5.1	E	3.8	NE	3.9	NE	4.1	NE	4.0	NE	4.0	NE	3.6	NE	3.6	NNE	3.2	4.52
	N	3.0	N	2.9	NNW	2.9	NNE	3.2	N	4.6	NNE	4.0	NNE	3.6	N	3.3	N	3.3	NNE	3.3	NNE	3.6	N	4.6	2.86
	NNW	3.4	N	3.5	N	3.9	NNE	4.3	NNE	3.9	NNE	3.9	NNE	3.6	N	3.5	N	3.4	N	2.9	N	3.3	N	2.9	3.84
	NE	4.9	NE	4.5	NE	4.5	ENE	4.7	NE	4.3	NE	4.1	NE	3.8	ENE	3.4	NE	2.7	NE	2.9	NNE	2.9	NE	2.8	3.59
	NE	4.6	NE	4.3	NE	4.9	NE	4.9	NE	4.6	NE	3.4	NNE	3.8	NNE	2.3	NNW	2.2	NNW	2.3	NNW	1.9	NNW	2.3	3.51
	NNE	6.0	NNE	6.9	NNE	6.2	NNE	6.4	NNE	5.2	NNE	5.2	NNE	4.5	NNE	4.1	N	3.3	NNE	3.5	NNE	3.5	NNE	3.4	3.96
	NE	3.5	NE	3.3	NE	3.3	ENE	3.5	NE	3.9	ENE	3.0	ENE	2.6	ESE	2.1	SE	2.6		0.0		0.0		0.0	2.34
	SW	2.9	WSW	2.3	SW	2.0	SW	2.7	SSW	1.9	SSW	2.0	SSW	2.0	SSW	1.7	S	1.4	SSE	1.4		0.0		0.0	1.01
	SSW	4.2	SSW	4.4	SSW	5.1	SSW	5.2	SSW	4.5	SSW	3.5	SSW	3.7	SSW	4.3	SSW	4.1	SSW	3.0	SSW	2.1	SW	1.8	3.14
		0.0	NW	1.0	NNW	1.2	N	1.5	N	1.1		0.0	E	2.5	SE	3.0	SE	2.1	SE	1.8		0.0		0.0	0.79*
	SW	2.0		0.0	NE	1.6	NE	1.2	NE	1.5	ENE	3.0	NE	2.8	ENE	2.6	NE	3.3	NE	3.1	NE	2.9	NE	2.7	1.72
	SE	1.8	S	2.0		0.0	NNW	1.3		0.0		0.0	NNE	1.8	E	1.8	NE	1.4	E	1.1	NE	1.6	NE	1.8	1.80
	NW	1.7	WNW	1.9	NW	2.6	N	2.7	NE	3.2	ENE	2.6	ENE	2.3	ENE	2.2	NE	2.0	NE	1.6	NNE	1.4		0.0	1.14
	WSW	1.1	NNE	1.1	N	1.4	NNW	2.0	N	1.2	SE	2.9	ESE	2.5	SSE	2.0	SE	1.8	SE	1.5	SE	1.3		0.0	1.12
	SW	2.0	SW	1.8	WSW	1.4	WSW	1.7	SW	2.1	SSW	2.3	SW	1.1	SE	2.0	SSE	2.0	SE	1.9	SSE	1.3	S	1.1	1.00
	ESE	3.3	SE	3.0	ESE	3.2	SE	3.3	SE	2.4	S	2.1	S	2.2	S	1.7	S	1.4	S	1.7		0.0		0.0	1.33
	SSW	3.2	SSW	3.0	SSW	2.3	SW	1.4	SE	1.7	SSW	1.5	ESE	2.7	SE	3.2	ESE	2.3	E	2.0	ENE	1.9	NE	1.9	1.58
		4.34		4.26		4.21		4.36		4.02		3.90		3.84		3.72		3.53		3.40		3.19		3.27	3.61

APRIL

WIND DIRECTION AND WIND SPEED IN METRES PER SECOND

1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 0-1		1-2		2-3		3-4		4-5		5-6		6-7		7-8		8-9		9-10		10-11		11-12	
1	NE	1.6	NE	1.2	NE	1.5	NE	1.9	NE	2.7	NNE	4.0	NNE	4.7	NNE	4.2	NE	6.8	NE	8.7	NE	8.2	NE	7.7
2	NE	4.5	NE	4.6	NE	4.5	NE	4.4	NE	4.7	ENE	3.7	ENE	3.9	ENE	4.1	E	4.4	ESE	4.8	ESE	5.0	ESE	5.5
3	E	2.2	E	2.9	E	2.7	E	2.7	ESE	2.6	E	2.2	E	2.9	ESE	4.6	ESE	4.9	ESE	3.7	ESE	4.4	ESE	5.4
4	ESE	1.7	ESE	2.7	ESE	4.0	ESE	4.1	ESE	3.4	E	2.4	ESE	3.3	ESE	4.0	ESE	4.5	SE	5.1	SE	5.9	SSE	6.2
5	ESE	2.5	E	2.4	E	2.2	E	3.0	E	2.4	E	2.5	ENE	2.2	NE	2.4	ENE	2.3	E	2.2	NE	2.3	NNE	2.2
6	NNW	4.4	NNW	4.7	N	3.8	N	4.6	N	4.2	N	3.4	N	3.6	N	3.9	N	4.6	N	4.1	NNW	4.6	N	6.7
7	WNW	3.2	NW	3.4	NW	3.6	NNW	3.4	NW	3.5	NW	2.4	WNW	2.5	NW	2.7	NW	4.4	NNW	4.6	NW	4.2	NW	3.9
8	NW	2.2	NNW	3.0	NW	2.8	NW	2.8	NW	2.6	NW	3.0	NNW	2.8	NNW	2.6	NW	2.7	N	2.6	N	3.1	NNW	2.4
9	SSW	5.6	S	5.7	S	5.3	S	5.2	S	5.0	S	5.7	S	6.0	S	6.6	S	7.4	S	7.8	S	9.7*	S	9.7*
10	NE	1.9	NE	2.1	NE	1.7	NNE	2.2	NE	1.8	NE	2.7	NE	2.6	N	2.9	NNE	4.0	NE	4.6	N	4.1	N	5.1
11	NNE	5.3	NNE	4.6	N	4.6	N	4.8	NNE	3.7	NNE	4.4	N	4.4	N	3.8	N	3.4	NW	4.4	NW	4.5	NW	5.1
12		0.0	W	1.7	NNW	2.2	NW	2.3	NW	2.5	NW	2.4	NW	2.2	NW	2.2	NW	3.0	NNW	3.7	NNW	3.5	NW	3.8
13	SW	3.8	SSW	3.9	SW	4.1	SW	4.2	SW	4.7	SW	4.1	SW	3.7	WSW	4.7	WSW	5.4	WSW	4.6	WSW	3.3	WSW	3.2
14	SE	1.9	SE	2.0	SE	2.1	SE	1.9	SE	2.1	SE	2.5	SE	1.6	SE	1.1	WSW	2.0	SSW	2.3	SSW	3.6	SSW	4.6
15	SW	5.1	SW	4.6	SW	5.2	SW	4.9	SW	5.5	SW	5.9	SW	5.7	SW	5.9	SW	5.8	SSW	5.7	SSW	6.3		
16	SSW	5.1	SSW	3.8	SSW	4.0	SSW	3.7	SSW	3.8	SW	3.9	SW	3.4	SW	3.4	SW	3.0	SW	3.7	SW	4.7	WSW	4.5
17	WSW	1.3	WNW	1.7	WNW	1.5	WNW	2.0	WNW	1.9	NW	1.5	NW	2.8	NNE	3.2	N	3.3	NW	3.3	NNE	3.1	NNW	3.4
18	WSW	1.0	WSW	2.0	WSW	2.7	SW	2.1	SW	1.9	SW	1.9	W	1.8		0.0	WSW	1.3	WSW	2.8	SSW	3.3	NNE	2.9
19	SSE	4.4	SSE	3.9	SSE	4.2	SSE	3.9	SSE	3.6	S	3.9	S	3.7	SSE	4.4	SSE	3.8	SSE	4.8	SSE	6.2	SSE	7.3
20	NW	3.5	NW	2.9	WNW	2.7	WNW	2.2	NNW	1.9	NW	2.9	NW	4.0	NW	4.1	NNW	3.4	NNW	4.1	NNW	3.8	NNW	3.8
21	SE	4.8	SSE	4.9	SE	4.6	SE	3.8	SE	3.4	SE	3.4	SE	3.0	SE	2.4	ESE	3.1	ESE	2.5	ESE	2.6	ESE	2.4
22	NE	3.5	NE	3.3	NE	2.8	NE	3.6	NE	4.8	NE	5.0	NE	5.0	NE	5.2	NE	5.5	NE	6.3	NE	6.5	NE	6.6
23	N	4.0	N	3.6	N	3.9	N	3.9	N	3.8	N	4.2	N	4.1	N	3.4	N	4.5	NNE	6.4	NNE	6.5	NE	6.3
24	NNE	3.9	NNE	3.5	NE	3.9	NNE	3.0	N	3.2	NNE	3.1	NNE	4.0	N	3.2	NNW	3.0	NNE	2.2	NE	2.6	ENE	2.5
25	E	2.4	E	2.3	E	2.4	E	1.2	E	2.6	ESE	3.1	ESE	2.9	ESE	4.7	ESE	5.5	ESE	6.2	ESE	6.3	ESE	6.3
26	E	2.6	E	2.7	E	2.4	E	3.3	E	2.7	E	3.0	E	3.0	E	3.7	ESE	3.9	ESE	5.4	ESE	6.3	ESE	6.1
27	SSE	6.2	SE	3.3	ESE	4.4	ESE	5.1	E	4.9	ESE	4.7	ESE	4.2	ESE	4.4	ESE	3.9	ESE	4.7	ESE	4.5	ESE	4.6
28	ENE	3.9	ENE	4.1	ENE	3.8	ENE	4.3	ENE	4.9	NE	5.2	NE	5.2	NE	6.0	ENE	5.5	ENE	5.4	NE	5.6	NE	5.8
29	NW	3.3	NW	3.7	NW	3.6	NW	3.5	NW	4.0	NW	3.6	NW	3.0	NW	3.1	NNW	3.4	NNW	3.0	W	1.8	WSW	1.2
30	S	5.9	SSW	5.2	SSW	4.9	SW	5.1	WSW	5.1	W	4.4	WNW	4.0	NW	4.7	NNW	4.5	NNW	2.8	NNW	2.1	S	2.5
MEAN		3.39		3.35		3.40		3.44		3.46		3.49		3.55		3.71		4.11		4.42		4.60		4.80

APRIL

WIND DIRECTION AND WIND SPEED IN METRES PER SECOND

1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 12-13		13-14		14-15		15-16		16-17		17-18		18-19		19-20		20-21		21-22		22-23		23-24		MEAN
	NE	7.8	NE	7.6	NE	7.6	NE	6.6	NE	6.4	NE	6.2	NE	5.9	NE	5.6	NE	5.1	SW	4.9	SW	4.6	SW	4.5	5.25
	ESE	5.2	SE	5.7	SE	5.4	ESE	5.2	SE	4.1	SE	3.1	ESE	2.3	ENE	1.9	E	2.5	ENE	2.7	E	1.5	E	1.9	3.98
	ESE	5.6	ESE	5.5	ESE	4.8	ESE	4.7	ESE	5.0	ESE	5.8	ESE	4.4	ESE	2.1	E	2.4	E	2.1	ESE	1.9	ESE	2.2	3.65
	SE	5.1	SE	5.1	SE	4.5	SE	5.1	SE	4.5	ESE	3.9	SE	3.3	ESE	3.1	ESE	2.3	E	2.6	E	3.0	ESE	2.9	3.86
	N	2.4	N	2.6	N	2.9	N	3.5	N	3.9	N	4.0	N	4.0	N	4.1	N	4.2	N	3.3	N	3.6	NNW	4.0	2.96
	N	8.2	NNE	8.0	NNE	6.6	N	4.7	NNW	2.3	WNW	1.3	NNW	1.6	SSW	1.4	SW	1.7	WSW	2.1	W	2.2	W	2.4	3.96
	WNW	4.8	WNW	5.2	WNW	5.6	WNW	6.3	WNW	6.0	W	4.2	WSW	3.3	WSW	3.8	WSW	3.8	WNW	4.1	NW	4.7	WNW	3.4	4.04
	N	2.4	NNW	2.0	SSW	1.2	S	3.4	S	4.8	S	4.6	S	4.1	S	5.2	S	5.3	S	5.5	SSW	5.7	SSW	5.7	3.44
	S	7.8	SSE	7.1	SSE	6.2	SE	5.4	SSE	4.3	ESE	4.5	ESE	3.3	ESE	3.8	SE	2.8	E	2.1	E	2.1	ENE	1.7	5.45*
	N	5.1	NNW	5.4	N	5.8	N	5.3	NNE	6.4	N	5.9	N	4.3	N	4.0	N	3.5	N	3.4	NNE	3.8	NNE	4.5	3.88
	N	4.5	N	4.6	N	5.3	N	4.7	N	3.6	NNE	2.4		0.0		0.0		0.0		0.0		0.0		0.0	3.25
	NW	4.3	NW	4.1	NNW	3.4	NNW	2.1		0.0	SW	1.6	SW	2.7	SW	3.5	SSW	3.9	SW	4.0	SSW	4.5	SSW	4.2	2.82
	SW	2.5	SSW	2.2	S	1.3	S	1.1	SE	2.4	E	2.9	ESE	2.5	ESE	2.5	ESE	2.8	ESE	2.1		0.0	SE	1.2	3.05
	SSW	6.2	SW	5.4	SSW	5.6	SW	5.1	SSW	5.4	SW	4.9	SW	5.6	SW	5.5	SW	5.5	SW	4.0	SW	4.0	SW	4.6	3.73
	SSW	6.7	SW	5.0	SSW	4.9	SW	4.7	SW	4.3	SW	4.9	SSW	4.5	SSW	4.5	SSW	4.1	SSW	4.5	SSW	4.4	SSW	3.9	5.11
	WNW	3.9	W	4.1	WSW	3.5	SW	4.6	SW	5.4	SSW	4.9	SSW	4.4	SW	3.9	SSW	3.4	SSW	3.7	SW	3.3	SW	2.2	3.93
	N	4.5	N	4.2	NNE	4.8	N	4.0	NNE	3.8	ENE	3.7	ENE	2.4	E	1.5	SE	1.2	SSE	1.2	SSW	1.7	SW	1.1	2.63*
	NNE	4.1	NNE	4.2	SSW	5.2	SW	5.4	S	6.3	SSW	5.7	S	5.9	S	5.4	SSW	5.1	SSW	5.9	SSW	5.7	S	5.5	3.67
	SSE	5.9	SE	4.5	SE	5.0	SSE	5.3	SSE	4.0	SSE	3.4	SSE	2.6	SE	1.5		0.0		0.0	WSW	1.2	WNW	2.4	3.75
	N	3.2	NNW	2.1	E	1.1	E	2.6	SE	3.1	SE	3.4	SE	4.0	SE	4.7	SE	4.5	SE	4.5	SE	4.9	SE	5.1	3.44
	ESE	1.8	ENE	1.9	ENE	1.8	E	2.5	E	3.6	E	4.0	ESE	4.2	E	3.8	E	3.6	E	3.6	ENE	2.9	NE	3.0	3.23
	NNE	5.9	NNE	5.7	ENE	6.6	NNE	6.5	NNE	6.0	NNE	5.6	NNE	4.5	NNE	3.7	NNW	3.0	NNW	3.0	N	3.1	N	3.6	4.80
	NE	6.2	NE	5.7	NNE	5.7	NE	5.0	NE	4.6	NE	4.6	NE	4.4	NE	3.7	ENE	3.9	NNE	3.6	NE	4.2	NE	3.8	4.58
	NE	2.5	SE	3.0	SE	2.3	ESE	2.5	SE	2.9	SE	3.6	SE	3.5	SE	3.4	SE	2.4	SE	2.4	ESE	2.6	ESE	2.9	3.00
	ESE	5.9	ESE	6.3	ESE	6.3	SE	6.4	ESE	6.0	ESE	5.2	ESE	4.2	ESE	3.9	ESE	3.9	ESE	3.4	E	3.1	E	3.4	4.33
	SE	5.5	SE	5.1	SE	4.4	ESE	5.1	ESE	4.6	ESE	5.4	ESE	5.5	ESE	4.9	ESE	5.1	SE	5.3	SE	6.5	SSE	7.3	4.57
	ESE	4.9	ESE	7.0	ESE	6.4	ESE	4.9	ESE	4.9	E	3.9	ENE	3.9	ENE	3.9	ENE	3.9	ENE	3.5	E	4.6	E	4.3	4.63
	NE	4.1	NNE	2.7	NNE	2.3	N	2.6	N	4.2	N	3.1	NNE	3.0	N	2.5	N	2.9	N	2.5	NNW	2.1	NNW	3.1	3.95
	WSW	1.2	SSW	2.4	S	4.2	S	4.6	S	5.2	S	5.2	S	6.3	S	5.9	S	5.2	SSW	4.6	S	4.7	S	5.4	3.84
	WSW	4.3	W	4.2	SSW	5.4	SW	5.7	SW	6.7	SW	6.0	SW	5.2	SW	5.2	SW	4.9	SW	5.4	WSW	5.1	W	5.0	4.76
		4.75		4.62		4.54		4.52		4.49		4.26		3.86		3.63		3.43		3.33		3.39		3.51	3.92

MAY

WIND DIRECTION AND WIND SPEED IN METRES PER SECOND

1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 0-1		1-2		2-3		3-4		4-5		5-6		6-7		7-8		8-9		9-10		10-11		11-12	
1	WSW	4.0	W	3.9	NW	2.1	SW	2.2	SW	2.0	WNW	3.5	NNW	5.9	NNW	6.8	NW	6.2	NW	5.7	WNW	6.1	NW	6.5
2		0.0		0.0		0.0	SE	1.6	SSE	2.1	SE	2.3	SSE	3.3	S	3.1	SW	3.9	WSW	4.5	W	2.6	SW	1.8
3	N	4.8	N	5.6	N	7.0	N	7.6	N	8.1	N	8.7	N	9.9	N	11.3	N	10.6	N	9.7	N	11.2	N	10.7
4	NW	7.3	NNW	7.1	NNW	6.5	NNW	6.2	NNW	6.5	NNW	7.6	NNW	6.4	NNW	6.4	N	8.3	N	9.9	N	12.3*	N	11.0
5	NW	3.9	NW	3.4	WNW	3.3	WNW	3.9	NW	3.5	NW	4.8	NW	5.3	NW	4.8	NW	5.1	NNW	5.5	NNW	5.2	NNW	5.0
6		0.0		0.0		0.0		0.0		0.0	N	1.3	NE	2.4	NE	2.9	NE	2.4	NNW	2.4	E	1.8	NNW	2.8
7	E	2.7	E	3.8	E	4.1	E	4.2	E	4.2	E	4.1	E	4.3	E	4.2	ESE	4.0	E	4.0	E	4.5	E	4.8
8	NNW	3.2	NNW	2.9	NNW	3.4	N	3.3	N	2.9	NW	2.2	NNW	1.9	NNE	1.1	SSW	1.3	WSW	1.1	SSW	2.9	SSW	3.3
9	S	6.5	S	5.6	S	5.4	S	5.4	S	4.7	S	3.9	SSW	4.1	SSW	3.5	SSE	3.2	S	4.2	S	4.1	SSW	4.5
10	SW	4.4	SW	3.7	SSW	3.4	SW	3.9	SW	4.2	SW	4.8	SW	5.5	WSW	5.8	WSW	5.6	SW	5.2	SW	6.2	SW	6.2
11	SW	2.1	SW	2.6	SW	2.8	SW	2.7	SW	2.5	SW	2.3	WSW	2.3	SW	2.6	WSW	4.1	W	5.2	W	4.5	W	4.7
12	SSE	2.3	SE	1.8	S	2.9	SSW	3.3	S	2.4	ESE	1.4	ESE	3.0	SE	3.8	NE	3.8	NE	4.5	NE	5.8	NE	5.6
13	NNE	2.9	NNE	3.5	NNE	4.5	NNE	5.6	NE	5.7	ENE	5.3	ENE	5.0	E	4.8	W	4.9	NW	4.7	NW	5.6	NW	6.1
14	WSW	1.5		0.0	S	1.5	S	1.3		0.0		0.0		0.0	E	1.6	SE	1.8	S	3.2	SW	3.0	WSW	2.8
15	SE	2.1	SE	2.4	SE	2.7	ESE	2.7	ESE	3.1	ESE	3.6	ESE	4.2	ESE	5.4	ESE	6.4	ESE	7.4	E	5.2	E	5.1
16	ENE	1.5		0.0	WSW	2.4	W	2.4	WSW	3.0	WSW	4.6	WSW	3.9	SW	4.1	WSW	3.8	SW	4.0	SSW	4.4	SW	3.8
17		0.0		0.0		0.0		0.0		0.0	NE	1.2	NE	2.9	ENE	3.5	ENE	2.9	NE	3.0	NNE	2.4	NNE	2.8
18	NNW	7.8	NNW	8.7	NNW	7.9	NW	8.0	NW	8.0	NW	7.3	NW	6.2	NW	5.4	WNW	3.9	WNW	3.6	WNW	5.1	WNW	4.6
19	WNW	3.6	WNW	3.9	WNW	4.2	WNW	3.8	WNW	5.4	NW	5.9	NW	6.7	NW	7.0	NW	6.2	NNW	5.7	WNW	5.8	W	4.6
20		0.0		0.0		0.0		0.0	ESE	2.3	SE	3.5	SSE	4.2	SSE	4.2	SSE	5.6	SSE	6.5	SSE	7.0	S	7.9
21	SW	6.1	SW	5.4	SW	5.0	SW	5.4	SW	6.0	SW	7.1	SW	7.6	WSW	7.1	SW	7.0	SW	6.9	SW	7.0	SW	7.0
22	SW	4.9	SW	6.9	WSW	7.8	SW	7.3	SW	9.1	WSW	10.0	WSW	10.4	SW	11.0	SW	10.8	SW	10.3	WSW	10.1	WSW	11.1
23	SW	3.9	S	4.3	S	4.9	S	4.4	S	4.2	S	3.9	SW	4.0	SW	4.3	SSW	6.1	S	6.2	SSW	6.4	SSW	6.5
24		0.0		0.0		0.0		0.0	NNE	1.5		0.0	NE	2.5	ENE	4.0	ENE	5.0	E	5.9	E	5.8	E	6.0
25	NNE	2.8	NNE	3.3	NNE	3.5	NE	3.8	ENE	3.8	E	2.7	NNE	1.6	SE	1.5	ESE	2.0	SW	3.3	SSE	3.8		
26	SE	1.6	SE	2.5	SE	2.5	SE	1.5	ESE	2.6	ESE	1.7	ESE	1.7	SE	2.5	ESE	2.8	ESE	3.9	SSE	5.3	SSE	6.9
27	SSW	5.3	SSW	3.7	SSW	4.3	SSW	4.8	SW	6.1	WSW	7.2	WSW	7.0	SW	6.8	SW	7.6	SW	8.4	SW	8.7	WSW	8.6
28	SSW	2.7	SW	1.5	S	1.4		0.0		0.0	W	1.2		0.0		0.0		0.0		0.0	NNW	2.6	NE	1.0
29	NNW	5.9	NNW	4.9	NW	5.6	NW	5.7	NW	6.8	WNW	6.6	WNW	6.6	WNW	6.7	NW	6.4	NNW	6.6	NW	6.4	NW	6.0
30	SSE	2.1	SSW	3.0	SSW	3.6	SSW	3.7	SW	3.9	WSW	3.8	WSW	4.0	WSW	2.8	SW	2.7	SW	3.1	SW	3.8	W	2.6
31	SSE	2.5	SSE	1.7	SSE	1.1		0.0		0.0		0.0	ESE	2.4	ESE	3.5	SE	5.2	SE	5.6	E	5.4	E	6.2
MEAN		3.17		3.10		3.35		3.37		3.70		3.99		4.40		4.60		4.81		5.13		5.50		5.49

JUNE

WIND DIRECTION AND WIND SPEED IN METRES PER SECOND

1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 0-1		1-2		2-3		3-4		4-5		5-6		6-7		7-8		8-9		9-10		10-11		11-12	
1	ENE	1.8	ENE	1.9	ENE	2.5	E	3.2	E	3.7	E	3.8	E	3.9	E	4.2	E	5.2	E	6.0	ESE	6.7	E	6.1
2	NE	3.7	NNE	2.6	NE	2.6	ENE	2.6	NNE	2.2	NNE	2.8	NNE	4.2	NNE	4.2	N	3.4	N	3.3	NE	3.3	ESE	2.8
3	SSW	1.8	SW	1.4		0.0		0.0	S	1.0		0.0	W	1.8	ESE	3.3	NNW	3.0	NW	3.4	NNW	3.3	NNE	4.5
4	SSW	3.3	SSW	3.4	SW	3.9	SW	4.1	SW	3.8	SW	3.6	SW	3.7	WSW	4.2	SW	5.0	WSW	5.9	WSW	6.6	SW	7.2
5	N	5.9	N	6.5	NNW	3.1	NNW	4.6	N	5.9	N	8.5	NNE	9.4*	NNE	8.7	NNE	7.8	N	7.9	N	8.5	NNE	8.1
6	NW	1.7	WNW	1.6	N	2.4	N	1.4	N	1.8	NW	1.2	NW	1.7	NNW	2.0	NW	3.3	NNW	2.8	NNE	2.8	NE	2.7
7	S	3.7	SW	4.8	SW	4.1	WSW	3.9	WSW	2.8	W	2.5	NNW	1.7	NNE	1.6	NNW	1.6	WSW	1.4	S	3.0	W	3.9
8	S	2.0	S	2.5	S	3.9	S	4.1	S	4.9	S	5.4	S	4.4	S	3.7	SE	4.0	ESE	3.3	SSW	2.7	WSW	3.3
9	S	3.4	SSW	3.3	SSW	3.0	S	2.1	S	3.4	SSW	3.8	SSW	3.7	SSW	4.4	SW	4.5	SW	4.6	NNW	4.2	NNE	6.4
10	NNW	3.5	NNE	3.8	NE	4.5	NNE	3.7	NNE	3.8	NNE	4.5	NNE	6.4	NNE	6.8	N	5.0	N	5.1	N	5.7	NNE	5.8
11		0.0		0.0		0.0		0.0		0.0	NW	2.1	N	3.6	NNW	4.1	NNE	4.6	NNE	3.6	NNW	3.9	NW	2.6
12		0.0		0.0		0.0		0.0		0.0		0.0		0.0	SSW	2.4	SW	3.3	NNW	3.9	N	4.5	E	3.9
13		0.0		0.0		0.0		0.0		0.0		0.0	NW	1.5	NE	2.7	NE	4.0	N	3.3	NE	4.5	NE	4.6
14		0.0		0.0		0.0		0.0	NNW	1.6	NNW	2.0	N	2.8	N	3.0	N	2.5	NW	3.0	NW	3.2	SW	1.7
15		0.0		0.0		0.0		0.0		0.0		0.0	ESE	1.4	ESE	3.3	SE	3.3	SE	2.7	S	3.5	SSE	4.2
16	SSE	4.7	SSE	4.1	SSE	2.9	SSE	2.8	SSE	3.3	SSE	3.1	SSE	3.4	SSE	2.7	SE	3.5	S	3.4	SE	3.9	ESE	2.3
17	SE	2.8	ESE	3.4	SE	2.7	SE	2.5	SE	2.5	SE	3.3	ESE	3.2	ESE	3.4	SE	4.1	SSE	4.3	SSE	5.7	SSE	5.8
18	SSE	4.1	SSE	4.8	SSE	5.6	SSE	5.8	SSE	6.8	SSE	7.4	SSE	8.8	SSE	7.7	SSE	8.8	SSE	8.8	SSE	8.6	SSE	7.8
19	SSE	3.1	S	3.6	S	3.3	SSW	2.8	SSW	2.5	SSW	3.1	SSW	3.2	SSW	3.6	S	4.2	S	3.9	SSW	4.0	SSW	3.6
20	ESE	2.6	E	2.0	E	2.2	E	1.6	ENE	1.3	NE	2.0	NNE	2.7	NE	3.0	NNE	2.2	NNE	2.6	E	2.6	ENE	2.1
21	NNE	2.0	NNE	2.8	NE	2.4	NNE	3.1	N	2.6	NNE	2.5	NE	1.6	NE	2.5	N	3.1	N	3.5	NE	3.7	ENE	4.4
22		0.0		0.0	ENE	1.1	E	1.6	E	1.7	E	1.8	E	1.9	ESE	2.4	E	2.0	SSW	4.2	S	5.7	S	6.2
23	ESE	2.8	ESE	3.5	ESE	3.5	ESE	3.4	SE	3.6	SE	3.4	SE	3.9	ESE	4.3	SSE	4.2	SE	4.6	SE	4.7	SSE	6.1
24	SSE	1.8	SSE	1.8		0.0	SE	1.0	SE	1.0	SSE	2.1	SSE	1.8	SW	1.8	SSW	1.8	S	1.6		0.0	SE	2.1
25	ESE	1.5		0.0		0.0		0.0		0.0		0.0		0.0	E	1.2		0.0		0.0	NNW	1.2	SW	1.8
26	SSW	2.1	SSW	2.7	SSE	1.4	S	1.0		0.0	SSW	2.5	SSW	1.7	SSW	1.8	SSW	4.0	S	3.4	S	3.7	S	4.8
27		0.0		0.0		0.0		0.0		0.0	ESE	1.3	ESE	3.3	NNE	4.9	NNE	5.3	NE	5.7	NE	6.4	NE	6.1
28	N	4.8	N	4.3	N	4.2	N	4.6	N	4.2	N	5.4	N	6.3	NNE	6.8	NNE	7.1	NNE	6.6	NNE	6.3	NNE	6.5
29	NNE	4.6	N	4.4	N	4.6	N	3.8	N	3.3	NNE	3.9	NNE	3.8	NE	4.8	NNE	5.2	E	4.3	ENE	3.9	E	3.7
30	NE	3.5	NE	3.5	ENE	3.2	ENE	3.5	ENE	2.9	ENE	2.8	ENE	3.3	E	3.5	ENE	4.4	E	5.5	E	6.1	ESE	5.6
MEAN		2.37		2.42		2.24		2.24		2.35		2.83		3.30		3.77		4.01		4.09		4.43		4.56

MAY

WIND DIRECTION AND WIND SPEED IN METRES PER SECOND

1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

HOUR (M.E.T.) 12-13		13-14		14-15		15-16		16-17		17-18		18-19		19-20		20-21		21-22		22-23		23-24		MEAN
NW	7.0	NW	7.7	NNW	6.9	NW	6.6	NW	6.9	N	3.9	WNW	1.4	SW	1.6	NE	1.5	NE	1.8		0.0		0.0	4.18
W	1.4	SSE	3.7	SSW	3.9	S	3.8	SW	5.0	SW	5.2	SW	4.9	WSW	3.1	WSW	3.5	NE	4.7	ENE	4.0	NE	4.9	3.05
NNW	9.6	N	10.9	N	9.9	N	9.6	NNW	7.7	NW	7.8	NW	7.5	WNW	7.1	NW	7.2	NW	6.7	NW	7.4	NW	7.7	8.51*
N	10.1	NNW	7.6	NNE	6.8	N	5.7	N	4.3	NNE	3.1	NNE	1.5	NE	1.2	ESE	1.4	S	1.5	SW	2.2	NW	3.6	6.02
NW	4.8	N	3.9	NNW	2.5	NNE	3.1	NNE	4.1	NNE	2.0	NW	1.8	NE	2.3	E	1.4	SSE	1.8	SSW	1.5	NE	1.0	3.50
NNE	2.8	SSE	3.2	ENE	5.1	ESE	5.2	ESE	5.1	ESE	5.1	SE	4.2	SE	3.4	SE	3.1	E	2.7	ESE	2.9	E	2.7	2.56
E	4.7	E	4.1	E	4.5	ENE	4.6	NE	4.4	NE	5.0	NE	4.4	NNE	4.9	N	5.2	N	4.4	NNW	4.8	NNW	3.4	4.30
SSW	5.1	S	5.3	SSW	5.5	S	5.6	S	7.5	S	7.0	S	5.9	SSE	6.7	SSE	6.3	SSE	6.5	SSE	6.7	S	6.2	4.32
SSW	6.0	SSW	5.7	S	4.6	S	4.7	S	6.3	S	5.0	S	3.8	SSE	3.3	SW	4.9	SW	5.4	WSW	5.6	SW	5.9	4.85
W	6.1	W	6.6	WSW	6.6	WSW	6.0	WSW	5.7	WSW	5.2	WSW	4.4	WSW	4.5	SW	3.9	WSW	4.6	SW	4.2	SW	3.5	5.01
WNW	4.5	S	4.5	SSW	4.8	SW	5.4	SW	4.1	SW	3.6	S	3.9	S	5.4	S	5.6	S	4.7	SSE	3.3	S	1.8	3.75
NE	5.8	NE	5.1	NE	5.1	NE	5.6	NE	5.4	NE	5.2	NE	4.9	NNE	5.6	NE	5.1	NE	4.8	NNE	4.2	NNE	2.8	4.17
NW	5.6	WNW	7.0	WNW	7.1	NW	6.0	NW	6.5	NW	7.3	NW	3.9	W	3.4	W	3.6	W	3.5	WSW	2.1	N	1.7	4.85
WSW	3.2	SW	3.7	SW	4.4	SW	4.1	SW	4.2	SSW	3.8	S	3.2	S	4.1	S	4.2	SSE	4.3	SSE	3.8	SE	1.8	2.56*
F	4.7	E	4.3	E	4.5	E	5.1	E	4.0	E	4.3	ENE	4.2	ENE	5.1	ENE	4.4	ENE	4.1	ENE	3.8	ENE	3.5	4.26
SSW	5.7	SSW	6.0	SSW	5.5	SW	5.7	WSW	4.2	SW	3.7	SSW	2.9	SSW	2.8	SSW	2.5	S	2.4	SSW	2.4	SSW	1.6	3.47
NNE	4.2	NNE	5.2	NNE	5.7	NNE	6.5	NNE	5.4	NNE	7.3	N	7.5	N	8.0	N	8.1	N	7.6	NNW	7.6	NNW	7.4	4.13
NW	3.8	SW	5.5	WSW	6.5	WSW	4.5	SW	4.4	NW	3.9	SW	3.1	SSW	2.3	SW	3.1	WSW	3.9	W	4.2	WNW	4.0	5.24
W	6.2	NW	7.5	NW	7.8	WNW	7.9	NNW	5.6	NW	6.3	NW	4.3	WNW	2.4	W	1.4	WNW	1.3		0.0		0.0	4.73
S	8.2	S	7.7	S	8.7	S	7.5	S	5.2	S	5.6	SSW	4.3	SW	5.7	SW	6.0	SW	6.5	SW	6.7			5.00
SW	7.2	SW	7.6	SW	8.4	WSW	8.3	SW	7.0	SW	5.5	SSW	3.8	S	6.5	S	6.2	S	5.5	SSW	4.8	WSW	4.5	6.37
WSW	11.1	WSW	11.0	WSW	11.3	WSW	10.9	WSW	10.2	WSW	9.1	SW	7.4	SW	5.9	SW	4.6	SW	4.5	SW	4.0	SW	3.3	8.48
SSW	6.8	S	6.6	S	7.2	S	7.3	S	8.3	S	8.0	S	5.7	S	2.1	SSE	4.1	S	4.3	S	2.2		0.0	5.07
E	6.0	ENE	6.0	ESE	5.6	ESE	5.4	E	4.9	E	4.9	E	3.3	NE	4.0	NE	3.8	NNE	3.4	NE	3.4	NNE	3.9	3.55
SSW	5.2	SSW	5.3	S	4.9	SSW	4.4	SSW	4.7	S	5.7	S	6.3	S	4.9	SSE	4.0	S	3.2	SSE	1.2		0.0	3.56
SSE	7.6	SSE	7.9	SSE	7.8	SSE	7.6	SSE	8.1	SSE	7.1	SSE	6.7	SE	5.7	SE	7.0	SSE	6.7	SSE	6.4	S	5.8	5.00
SW	8.7	WSW	8.2	SW	8.5	WSW	7.9	WSW	7.7	WSW	5.8	WSW	4.8	WSW	2.8	SW	2.0	SSE	1.0	SSW	2.3	W	2.6	5.87
SSE	1.7	N	2.2	NNE	4.2	NE	3.4	NNE	4.2	NNE	5.5	N	5.4	N	6.1	NNE	5.8	N	5.4	NW	6.8	NNW	6.1	2.80
NW	4.9	SW	3.5	NW	1.7	NE	1.2	NE	2.7	E	3.1	ESE	4.4	E	3.6	ESE	4.4	ESE	5.6	ESE	4.9	SE	2.3	4.85
W	2.2	S	2.9	SSW	2.1	SW	2.3	WSW	2.9	SSW	3.2	S	2.9	S	2.8	S	3.0	SSE	1.7	S	1.8	SSE	1.7	2.86
E	5.6	ESE	5.8	ESE	4.9	SE	5.2	SE	5.2	ESE	4.9	ESE	3.9	ESE	2.9	E	2.4	ESE	2.0	ESE	1.8	ENE	1.6	3.33
	5.69		5.88		5.90		5.71		5.55		5.26		4.41		4.20		4.21		4.06		3.77		3.31	4.52

JUNE

WIND DIRECTION AND WIND SPEED IN METRES PER SECOND

1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

HOUR (M.E.T.) 12-13		13-14		14-15		15-16		16-17		17-18		18-19		19-20		20-21		21-22		22-23		23-24		MEAN
SE	6.1	E	6.2	E	5.4	SE	5.6	ESE	4.8	SE	5.0	ESE	3.6	E	3.3	E	3.4	NE	3.2	NE	3.5	NE	4.4	4.31
NE	2.6	N	3.8	N	3.9	N	3.1	NNE	3.7	N	2.4	ENE	2.5	SE	2.6	S	3.0	S	1.2	S	2.2	S	1.0	2.90
NNW	3.5	WSW	4.8	WSW	3.6	WSW	3.3	W	3.5	W	3.2	WSW	2.5	SW	1.8	SW	2.3	SW	3.2	SW	3.1	SW	3.1	2.56
SW	8.3	SW	9.2	SW	8.6	WSW	6.9	WSW	6.4	ENE	6.6	ENE	5.5	ENE	4.3	E	2.1	NE	2.1	N	7.0	N	6.7	5.35
NNE	7.9	NNE	7.7	NNE	6.8	N	6.4	N	5.5	NNE	5.9	NNE	4.9	NNE	3.5	NNE	2.4	NE	2.6	NW	1.3	NW	2.1	5.91
NNW	4.2	NE	4.1	NNE	3.7	NW	3.3	NNE	1.6	NNW	1.4	S	4.5	S	6.4	S	6.0	S	5.9	SSW	5.0	S	4.4	3.16
WSW	4.4	SSE	4.6	SW	7.2	SW	9.0	SW	8.3	SW	8.4	SW	7.4	SW	6.4	SW	4.3	SW	5.0	WNW	1.4		0.0	4.23
SSW	4.2	SW	5.5	S	4.6	S	4.4	S	5.1	S	7.1	S	6.8	S	6.3	S	4.6	SE	3.5	SSE	3.8	SSE	2.9	4.29
NE	6.2	NE	5.7	NE	6.4	NE	7.0	N	7.3	NNE	6.2	NNE	5.2	NNE	4.9	NNE	4.2	NNW	4.4	NNW	2.9	NNE	3.3	4.60
N	5.5	NNE	5.3	N	5.9	NNE	4.7	NNE	4.6	NNE	4.0	NE	4.5	NE	3.0	NE	1.5		0.0		0.0		0.0	4.07
N	4.0	NNW	3.1	NW	3.1	WNW	1.9	W	2.6	W	2.3	NW	2.2		0.0		0.0		0.0		0.0		0.0	1.82
SSW	3.7	ESE	1.4	NNW	2.1	W	3.9		0.0	N	2.2	WNW	1.8	WNW	1.7	WNW	1.6	WNW	1.4	WNW	1.1	WNW	1.1	1.67*
NE	4.0	NE	5.1	NE	4.9	NE	4.4	ENE	4.0	ESE	3.4	ESE	2.7	SE	1.7		0.0		0.0		0.0		0.0	2.12
SSW	2.9	S	5.2	SSE	2.4	SE	2.4	S	2.7	WNW	3.9	NNE	2.4	E	3.1	SSE	3.0	SSE	1.9		0.0	S	1.2	2.12
SSE	4.1	SSW	3.4	SSE	3.4	SSE	4.2	SSE	3.5	SSE	4.0	SSE	3.3	SSE	3.6	SSE	3.8	SE	3.9	SSE	4.3	SSE	5.7	2.73
S	2.9	SE	3.8	SE	3.7	SE	3.6	S	4.4	SSE	4.9	SSE	4.7	SSE	4.0	SE	3.6	SE	3.2	SE	3.0	SE	2.7	3.52
SSE	6.1	SSE	6.3	S	7.0	S	7.5	S	7.0	S	6.5	SSE	5.9	SE	4.1	SE	3.8	ESE	4.2	SSE	4.5	SSE	4.3	4.62
SSE	8.9	SSE	8.0	SSE	7.0	SE	5.9	SE	5.6	SSE	6.1	SSE	6.0	SE	4.5	ESE	4.2	SSE	4.5	S	3.4	SE	3.0	6.34*
SE	2.8	ESE	2.1	SSW	3.8	SW	6.4	SSE	3.5	ESE	2.4	SSE	1.3	E	2.5	ESE	2.6	ESE	2.5	ESE	1.4	E	1.5	3.07
NE	1.9	ENE	3.7	E	4.4	ENE	4.4	SE	2.8	E	2.6	NE	2.6	NE	2.1	NE	2.4	NE	2.2	NE	2.0	NE	2.1	2.50
NE	4.2	NE	3.7	NE	3.2	NE	4.2	NE	3.9	ESE	3.6	ESE	2.7	ESE	1.2		0.0		0.0		0.0		0.0	2.54
S	7.2	S	8.3	S	8.3	S	7.5	S	5.4	S	5.4	SSE	4.6	SSE	4.4	SE	3.5	SE	2.6	SE	3.2	ESE	3.0	3.83
SSW	6.6	SSE	7.7	SSW	6.6	SSW	5.7	SSW	6.5	SSW	4.5	S	4.3	SSE	2.4	SSE	3.9	SSE	1.8	SSE	2.9	SSE	1.3	4.26
SE	4.0	SSE	4.5	SE	5.0	SSE	4.4	ESE	5.2	ESE	5.1	SE	4.2	ESE	2.1	ESE	2.9	SSE	2.2	ESE	2.2	SE	1.8	2.52
NW	1.5	WSW	1.8	NE	3.5	E	3.0	ENE	4.8	N	6.8	NE	4.3	NNE	3.1	SE	4.1	SSE	3.1	S	1.8	S	3.7	1.97
SSW	5.4	SSW	4.9	SSW	5.4	SSW	4.7	S	4.4	SSE	4.6	SSE	4.5	SSE	3.7	SSE	2.1	SSE	2.2	SE	2.1		0.0	3.05
NE	6.2	NNE	6.2	NE	6.3	NE	6.2	NE	6.7	NNE	6.1	NNE	5.7	N	4.1	N	4.6	N	4.3	N	4.5	N	4.6	4.10
NNE	7.3	NNE	7.5	NNE	7.3	NE	7.1	NNE	5.1	N	5.7	N	5.1	N	5.1	NNE	3.6	NNE	3.3	NNE	4.0	NNE	4.4	5.52
E	3.6	ENE	3.3	E	4.2	ENE	3.9	ENE	4.0	ENE	3.7	ENE	3.7	NE	3.4	NNE	2.6	NNE	2.8	NE	1.7	ENE	3.9	3.80
ESE	6.7	ESE	7.3	ESE	5.8	ESE	4.9	ESE	4.5	E	4.7	NE	4.5	NE	2.7	NE	3.0	ENE	1.3		0.0		0.0	3.88
	4.90		5.14		5.12		5.00		4.58		4.62		4.13		3.40		2.97		2.62		2.41		2.41	3.58

JULY — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 0-1		1-2		2-3		3-4		4-5		5-6		6-7		7-8		8-9		9-10		10-11		11-12	
1		0.0	NNE	2.2	N	2.4	NNW	2.1	N	2.7	N	2.6	NNW	2.5	NNW	2.4	N	2.2	N	3.8	N	4.4	E	5.8
2	N	2.6	N	2.2	N	2.1	N	2.6	N	2.5	N	3.3	NNW	3.1	NNW	2.5	N	3.1	NNE	4.2	NE	4.4	NNE	4.7
3	NNW	1.2	NNW	1.9	NNW	1.4	NNW	2.6	NNW	2.4	N	1.7	N	2.4	N	1.2	NE	1.5	NE	1.9	NNW	1.9	ESE	2.1
4	SSW	4.1	SSW	4.3	SSW	4.9	SW	3.6	W	2.3	SSW	1.0	WSW	2.3	NW	2.9	NNW	3.0	NNE	5.1	N	5.4	NNE	4.4
5	N	4.9	N	4.1	N	4.2	N	4.6	N	6.0	N	5.9	N	5.8	N	5.7	N	5.8	N	6.3	N	5.8	NNE	6.0
6	SSW	4.7	SSW	6.1	N	5.6	SSW	2.7	SSE	2.1	SSE	2.4	WSW	1.8	NNW	4.7	NNE	4.8	NNE	5.4	NE	5.1	NE	5.1
7	N	1.2	N	2.3	N	3.4	N	2.7	NW	3.0	Nw	3.6	NNW	3.9	NW	3.8	NW	4.2	NNW	4.6	NNW	5.1	NNW	4.0
8	NW	2.5	NW	2.6	NW	2.8	NNW	2.5	NNW	2.9	NNw	3.7	NW	3.2	NNE	2.8	NW	2.5	NW	2.8	NW	3.1	WSW	4.3
9	WSW	2.7	WNW	2.3		0.0		0.0		0.0		0.0		0.0		0.0	WNW	1.4	SW	3.0	S	2.2	SW	3.2
10	WSW	9.9	WSW	8.0	WSW	7.7	WSW	7.4	WSW	8.6	WSW	8.9	WSW	9.3	WSW	8.6	SW	10.6*	SW	9.3	WSW	10.2	WSW	9.7
11		0.0	N	2.8	N	3.1	N	3.9	N	2.5	N	2.7	NNW	3.4	NNE	3.6	NW	3.6	WNW	2.9	SW	2.5	WNW	3.0
12	SSW	3.8	SSW	3.8	SSW	3.7	SSW	3.2	SSW	2.8	Sw	3.4	SW	3.8	SW	3.6	SW	4.3	WSW	4.5	WSW	4.5	WNW	4.0
13	SW	3.0	SW	2.7	SSW	2.7	SSW	2.6	SSW	2.2	SSW	2.7	SSW	2.0	SSW	2.9	SW	3.7	SW	4.8	SW	5.1	WSW	4.5
14	S	4.1	S	4.9	S	4.8	SSW	5.7	SSW	5.4	SSW	5.2	SSW	5.7	SSW	6.0	SSW	5.0	SSW	6.4	SSW	7.2	SSW	6.2
15	WSW	5.8	WSW	6.1	WSW	4.6	W	3.2	N	3.4	NNE	3.0	NNE	3.1	N	2.1	N	2.8	N	3.1	N	3.4	NW	2.3
16	SSW	3.8	SW	3.4	SW	2.6	WSW	2.4	SW	1.2		0.0	ENE	2.8	E	2.0	SE	2.4	SSW	2.7	S	1.9	SSW	2.1
17		0.0	NE	1.9	NE	2.0	ESE	1.8	E	1.6	ENE	2.9	ENE	3.8	ENE	4.9	ENE	5.7	NE	5.4	E	4.5	E	3.4
18	NNE	7.8	NNE	8.5	NNE	8.3	NE	8.7	NE	10.6*	NE	9.5	NE	7.4	NNE	7.5	N	8.2	N	9.3	N	10.3	N	10.3
19	W	3.4	WNW	3.6	NW	3.7	WNW	3.4	W	4.1	WNW	5.0	NW	6.9	NW	6.8	NW	6.5	NW	6.2	NW	5.7	NNW	4.3
20		0.0	W	2.0	NNW	2.8	NW	3.3	NW	3.0	Nw	3.9	NW	4.2	NW	4.2	NW	4.8	NW	4.8	NNW	4.4	NNW	3.9
21	SE	1.8	ESE	1.7	ESE	1.3	ESE	2.2	ESE	3.5	ESE	3.4	ESE	4.1	ESE	5.3	ESE	6.0	ESE	5.8	ESE	6.3	ESE	5.5
22	ENE	2.3	ENE	2.8	E	3.3	E	3.1	E	2.8	E	1.9	E	2.0		0.0		0.0	SE	1.7	ESE	2.9	ESE	3.2
23	ESE	1.8	ESE	2.1	ESE	2.2	ESE	2.7	ESE	2.9	ESE	3.2	SE	3.4	SSE	2.9	SSE	3.0	SE	3.1	SE	1.4	SSE	3.0
24	SE	3.8	ESE	3.1	ESE	2.7	ESE	2.9	ESE	2.7	SE	2.8	SSE	2.1		0.0	E	1.1		0.0		0.0		0.0
25	SE	5.4	SE	6.3	SE	5.9	SE	5.6	SE	6.1	SE	5.8	SE	6.4	SE	6.1	S	6.0	S	6.1	S	6.6	S	5.3
26	WNW	1.2	WNW	2.2	WNW	2.1	NW	1.8	NW	1.7	NNw	1.0	NNW	1.6	NNE	2.0	E	1.2	N	1.2	S	1.1	E	1.7
27	SE	1.8		0.0		0.0		0.0		0.0	ESE	1.4	ESE	3.9	SE	2.8	SE	3.5	ESE	3.4	SE	3.6	SE	3.4
28		0.0		0.0		0.0	NNW	1.2	NW	1.7	N	2.5	NW	1.8	NW	2.1	N	1.4	NNW	1.5	SSW	1.6	W	2.1
29		0.0		0.0		0.0		0.0		0.0		0.0	SSE	1.0	ESE	1.2	ESE	1.6	SSE	2.4	SE	1.5	ESE	2.0
30	SSE	1.5	SE	1.6	SE	1.6	SE	1.9	SE	1.6	SSE	1.7	S	2.5	SSW	2.8	WSW	2.7	SW	3.8	SSW	4.3	SSW	4.8
31	S	1.5		0.0		0.0	ESE	1.4		0.0	ESE	2.4	ESE	3.0	S	3.7	S	3.0	SSW	3.7	SSW	3.2	SSW	4.1
MEAN		2.79		3.08		2.96		2.96		2.98		3.15		3.52		3.45		3.73		4.17		4.18		4.14

JULY — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

HOUR (M.E.T.) 12-13		13-14		14-15		15-16		16-17		17-18		18-19		19-20		20-21		21-22		22-23		23-24		MEAN
E	5.2	ESE	5.1	E	5.0	ENE	4.7	NE	6.5	NE	6.2	NE	4.8	NNE	3.6	N	3.1	NNW	1.9	NNW	2.6	N	3.4	3.55
NE	5.1	ESE	4.3	E	4.7	SE	3.9	E	4.0	E	2.9	NE	3.6	NE	3.3	ENE	2.3	E	2.2	ENE	1.9	NE	1.3	3.20
ENE	1.9	SSE	2.1	SE	2.3	SSE	2.2	S	2.8	SW	3.1	SSW	3.6	SSW	2.9	SSW	2.9	SSW	3.6	SSW	4.1	SSW	3.7	2.39
N	4.8	NNE	5.7	NNE	5.8	NNE	6.3	NNE	6.3	NNE	7.1	NNE	6.8	N	5.8	N	4.0	N	3.6	NNW	3.9	N	4.7	4.50
NE	5.3	NE	4.9	ENE	5.4	NE	4.7	ENE	3.8	ENE	3.3	ESE	2.8	ESE	2.7	SE	2.2	SE	3.2	SSE	3.9	SSW	4.2	4.65
NNE	5.5	NNE	6.2	NNE	6.3	NE	5.6	NE	5.4	NE	5.1	NE	3.9	NE	3.2	NNE	1.5		0.0		0.0	N	1.0	3.92
NW	3.0	NW	2.5	NW	3.1	NNE	2.9		0.0		0.0		0.0	ESE	2.4	SSE	2.2		0.0	NW	3.0	NNW	3.2	2.67
WSW	4.5	SSW	5.6	SW	5.4	WSW	6.1	SSW	4.6	WSW	5.4	SSW	4.4	SSW	4.0	WSW	3.4	WSW	3.2	WSW	3.2	WSW	2.7	3.67
WSW	5.5	SW	5.4	WSW	5.7	WSW	6.1	WSW	5.2	WSW	5.6	SW	6.3	SW	5.9	SW	5.4	SW	6.5	SW	7.2	SW	8.3	3.66
WSW	9.3	WSW	9.7	WSW	8.5	W	8.4	WSW	5.8	WSW	4.5	SW	4.5	SW	4.3	SW	3.0		0.0		0.0		0.0	6.92
WNW	4.3	WNW	4.2	W	3.6	WNW	2.5	NNW	1.5	WNW	1.3	SW	1.7	S	1.3	SSW	2.9	SSW	3.7	SSW	3.6	SW	3.5	2.84
SW	4.0	SW	5.9	WSW	4.3	SW	5.3	SW	5.6	SW	5.1	SW	4.8	SSW	4.4	SSW	3.7	SSW	3.7	SSW	3.4	SW	2.7	4.10
WSW	2.5	S	2.7	S	3.7	S	5.3	S	5.9	S	4.7	SSE	4.7	S	5.4	SSE	4.9	SSE	5.4	S	5.0	SSE	4.2	3.89
SW	6.9	SSW	6.7	SW	7.6	WSW	6.1	WSW	5.5	SW	6.2	SW	5.3	SW	5.4	SW	6.3	SW	7.1	SW	6.5	WSW	7.5	5.99
SW	2.3	WNW	2.8	WSW	2.8	WSW	3.0	S	2.2	S	2.5	SSW	3.6	S	3.1	SSW	3.7	SW	3.6	SW	3.6	SW	3.3	3.31
SSW	3.7	SW	3.3	WSW	3.4	WSW	3.0	SW	1.9		0.0	ENE	4.4	E	4.1	E	3.4	E	2.9	E	2.1		0.0	2.48
ENE	4.7	ENE	4.3	NE	5.3	NE	4.5	NE	4.7	NNE	5.1	NNE	6.0	NE	6.1	NNE	5.3	NNE	3.9	NNE	4.7	NNE	6.8	4.14
N	10.3	N	10.5	N	9.2	N	8.0	N	6.4	NNW	3.8	NW	3.1	WNW	2.5	WNW	1.9	W	4.4	W	4.2	W	4.1	7.28*
WNW	3.8	WNW	4.2	NW	4.6	N	2.3	W	3.1	NW	4.2	NE	2.6	NNE	2.2		0.0		0.0		0.0		0.0	3.61
NNW	3.2	N	2.5	NE	1.5	W	2.2	WNW	1.5	ESE	2.0	ESE	4.7	ESE	5.3	ESE	3.7	ESE	2.9	SE	2.6	ESE	1.5	3.12
ESE	5.8	ESE	4.8	ESE	5.1	ESE	6.1	ESE	5.4	ESE	4.4	ESE	4.2	ESE	5.4	ESE	4.4	E	4.0	E	3.3	ENE	2.4	4.26
ESE	3.8	ESE	3.4	ESE	3.0	SE	3.2	SE	3.0	SE	3.0	SE	3.2	SE	2.9	SE	2.5	SE	2.8	SE	2.8	SE	3.0	2.61
SSE	4.0	SSE	4.5	SSE	5.4	SSE	6.1	SSE	5.7	SSE	5.3	SSE	4.9	SSE	3.1	ESE	2.1	ESE	3.2	ESE	3.7	ESE	4.1	3.49
N	1.4	N	1.2	E	2.7	E	5.9	E	3.9	E	1.1	E	1.4	SE	1.4	SE	1.9	SE	2.9	SE	2.7	SE	3.4	2.13
S	5.5	S	5.1	SSW	3.2	NW	3.1	NNW	4.0	NNW	3.8	NNW	3.7	NNW	3.1	NNW	3.3	NNW	2.0	WNw	1.0	WNW	1.3	4.61
SSW	1.4	SE	1.6	W	1.1	SSW	1.5	WSW	1.7	SW	1.8	SW	2.2	SW	3.2	SSE	3.2	SSE	2.4	S	1.2	SE	1.5	1.73
SE	3.3	ESE	4.1	ESE	3.8	ESE	3.3	SSE	2.5	SSE	2.4	SSE	1.6	SE	1.8	ESE	2.3	ENE	1.9	SE	1.1		0.0	2.16
W	2.1	SSW	2.0	WSW	1.5	WSW	1.7	SW	2.2		0.0	S	1.4		0.0		0.0		0.0		0.0		0.0	1.12*
ESE	1.9	ESE	3.0	ESE	2.8	SE	2.7	ESE	2.7	SE	2.2	SSE	2.5	SE	2.1	ESE	2.5	E	1.5	ESE	1.8	SE	1.8	1.55
SW	4.7	SW	5.4	SW	5.2	WSW	4.8	SW	3.9	SW	3.4	SSW	3.5	SSW	2.9	SSW	2.6	SSW	2.6	S	1.4		0.0	2.97
SSW	4.6	SSW	5.1	S	5.2	S	3.7	S	3.6	S	2.9	SW	1.6	SSW	1.8	SSW	2.7	SSW	3.2	SSW	2.9	SSW	3.8	2.80
	4.33		4.48		4.43		4.36		3.91		3.50		3.61		3.41		3.01		2.85		2.82		2.82	3.53

AUGUST — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 0-1		1-2		2-3		3-4		4-5		5-6		6-7		7-8		8-9		9-10		10-11		11-12	
1	SSW	3.9	SSW	4.0	SSW	3.3	SSW	3.1	SW	3.8	WSW	4.1	SW	4.6	WSW	4.5	SW	5.1	WSW	5.2	WSW	4.9	WSW	4.4
2	S	1.5	S	2.1	SSE	1.5		0.0	E	1.8	ESE	3.3	ESE	3.4	ESE	3.4	E	5.1	E	5.5	E	6.3	E	7.4
3	SSW	6.0	SSW	4.9	SW	4.4	SW	5.7	SSW	5.7	SW	5.3	SW	6.1	SW	6.0	WSW	5.9	WSW	6.6	WSW	6.4	WSW	6.7
4	SW	4.7	SW	3.7	SW	3.2	SW	3.6	SW	3.6	SW	3.4	SW	4.0	SW	4.2	SW	4.1	SSW	4.5	SSW	5.7	SSW	5.7
5	SSW	3.3	SSW	3.8	SSW	3.3	SSW	3.4	SSW	2.9	SSW	3.4	S	4.3	S	4.5	SSE	5.6	SSE	4.5	S	4.1	SSE	5.3
6	SSW	6.0	SW	5.1	SW	6.0	SW	6.2	SW	5.9	SW	6.2	SW	6.0	SW	6.4	SW	6.5	SW	6.5	SW	6.4	SW	6.1
7	SW	2.9	SW	2.5	SW	3.3	SSW	3.6	SW	3.9	SW	4.0	SW	4.8	SW	4.9	SW	5.8	SW	6.5	SW	6.4	SW	7.2
8	SSW	2.2	SW	2.6	SSW	2.1	SSW	2.4	SSW	2.3	SSW	1.8	SSW	2.3	S	2.3	SSW	3.2	SSW	3.4	S	4.6	SSW	5.5
9	SE	1.3	SSE	1.1		0.0		0.0	SSW	1.5	SW	2.1	W	2.3	W	2.1	WSW	3.5	WSW	4.4	W	4.0	WSW	4.3
10	NNW	3.6	NNW	3.6	NNW	2.1	NNW	1.6	WNW	2.8	Nw	3.2	NNW	4.3	NNW	4.0	N	3.8	NNW	3.7	NNW	4.5	NNW	4.3
11		0.0		0.0		0.0		0.0		0.0		0.0		0.0	SE	1.7	SSW	2.4	SSE	1.1	S	1.7	WNW	1.5
12	S	1.4		0.0		0.0		0.0		0.0		0.0	S	1.9	SSE	2.9	SSW	4.3	SSW	5.0	SSW	5.6	S	6.1
13	ESE	4.0	ESE	3.7	SE	4.1	ESE	4.6	ESE	4.2	SE	4.4	SE	5.5	SSE	6.3	SSE	4.3	SSE	3.1	SSE	4.7	SSE	4.6
14		0.0		0.0		0.0		0.0		0.0		0.0	N	1.5	N	1.7		0.0	ESE	1.0		0.0	NE	1.1
15	SSE	2.5	S	2.0	SSE	2.5	S	1.7	SSE	1.5	SE	1.6		0.0		0.0		0.0		0.0	N	2.2	N	1.7
16		0.0		0.0	SSW	1.8		0.0		0.0		0.0	SW	1.6	S	2.4	S	2.4	SSW	2.7	SW	3.4	SW	4.9
17	SSE	1.7		0.0		0.0	ESE	1.3		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0
18	NNW	2.2	N	1.6	NNW	2.2	N	1.2	NW	2.7	WNW	2.5	WNW	2.4	WNW	2.9	W	3.1	NW	4.2	NNW	3.7	NNW	3.8
19	NNW	3.4	NNW	3.1	N	3.3	NNW	3.1	NNW	3.1	NNW	3.1	NNE	4.8	N	4.5	N	4.3	N	3.9	N	3.9	N	4.4
20	NNW	1.0		0.0	NW	1.5	NNW	1.4	NW	2.0	N	2.1	NNE	2.9	N	2.4	NE	2.2	NE	2.6	ENE	3.1	ENE	3.4
21	NNW	1.8	N	2.7	N	2.9	N	2.3	N	1.7	E	2.1	E	2.5	E	2.6	ESE	3.7	E	4.0	E	3.9	E	3.9
22	ENE	2.5	ENE	1.7	NE	1.9	NE	1.7	ENE	2.1	ENE	2.3	ENE	2.6	ENE	2.9	ENE	3.4	E	2.9	ENE	2.6	E	3.5
23	ENE	2.9	ENE	3.0	ENE	2.7	ENE	3.3	ENE	2.6	NE	3.1	ENE	3.9	E	4.4	E	5.5	ENE	5.6	ENE	5.0	ENE	5.9
24	ENE	3.5	ENE	4.0	ENE	3.8	NE	4.0	ENE	3.3	NE	3.4	ENE	3.4	E	3.7	ESE	4.2	ESE	3.8	ESE	4.1	ESE	4.9
25	E	1.5	ENE	1.7	E	1.0		0.0	ESE	1.3	SSE	2.9	SW	3.5	SW	3.6	SW	4.4	SW	4.9	SW	5.2	SW	5.4
26	SSW	5.1	SSW	4.9	SSW	5.1	SSW	5.2	SSW	5.2	SSW	4.6	SSW	4.9	SW	4.8	SW	4.5	SW	4.6	SW	4.7	SSW	5.1
27	NNW	2.5	NNW	2.0	NNW	2.3	NNW	2.0	NNW	1.1	NNW	1.7	NNW	2.1	NNW	2.8	NNW	3.1	NNW	3.1	NNW	2.4	NNW	2.0
28		0.0		0.0		0.0		0.0		0.0		0.0		0.0	SW	2.1	SSW	3.2	SSW	3.6	S	3.3	SSW	2.8
29	S	2.4	SSE	2.7	SE	1.8	S	2.1	S	2.2	SSE	2.6	SE	2.2	S	1.8	S	2.1	SSE	2.6	S	2.5	SE	1.7
30	ENE	1.7	NNE	1.5	NNE	1.6	NNE	1.5	NNW	1.2		0.0	N	1.0		0.0	E	1.9	SE	1.6	ESE	2.1	ESE	2.0
31	SSE	1.0	SE	1.6	SE	1.0		0.0		0.0		0.0		0.0	NE	1.5	NE	1.4	ENE	1.4	SE	1.7	SSE	1.2
MEAN		2.47		2.25		2.22		2.10		2.21		2.36		2.86		3.14		3.52		3.63		3.84		4.09

AUGUST — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

HOUR (M.E.T.) 12-13		13-14		14-15		15-16		16-17		17-18		18-19		19-20		20-21		21-22		22-23		23-24		MEAN
SW	5.1	SW	5.6	SW	5.2	WSW	5.7	SW	5.6	SW	5.1	SSW	3.8	SSW	2.9	SSW	2.9	SSW	3.3	SSW	2.7	S	1.8	4.19
SSE	7.8	SSW	8.7	S	10.5	SSW	11.4*	SSW	10.8	SW	10.9	SW	10.9	SW	10.1	SW	8.8	SW	7.4	SW	6.7	SW	6.3	6.32*
W	6.7	W	6.7	WNW	6.3	W	5.1	W	4.6	WSW	5.6	WSW	4.5	SW	3.8	SW	3.8	SW	4.6	SW	4.7	SW	5.1	5.47
SSW	4.8	SW	7.9	NW	4.8	NNE	3.2	SSW	4.4	SSW	3.4	SW	2.7	SW	4.0	SW	4.6	SW	4.8	SW	4.4	SSW	3.4	4.28
S	4.9	S	4.3	S	3.6	S	4.4	S	4.4	S	4.4	SSW	4.6	SSW	5.1	SSW	5.1	SSW	4.8	SSW	5.0	SSW	5.8	4.37
SW	5.6	SW	6.3	SW	5.8	SW	3.9	SW	2.7	SW	2.5	SW	3.0	WSW	2.6	WSW	2.4	WSW	2.1	SSW	1.5	SW	2.0	4.74
SW	7.4	SW	7.3	SW	6.5	SW	7.4	SW	6.4	SW	5.3	SW	3.4	SW	2.4	SSW	3.8	SW	3.3	SSW	3.0	SW	2.2	4.76
SSE	5.2	SSW	4.5	SSW	4.6	WSW	1.9	SSE	1.1	S	1.7	SSE	1.2	SE	1.8	SE	1.5	SSE	3.0	SSE	2.5	S	2.2	2.75
WNW	1.5	SSW	1.9	NNE	2.9	NNE	2.0	N	1.9	NW	1.4	WNW	1.1	WNW	1.4	WNW	2.1	NW	2.4	NNW	2.5	NNW	2.9	2.11
N	4.2	N	3.6	NNW	3.0	N	2.6	NNE	2.2	NNE	1.2		0.0		0.0		0.0		0.0		0.0		0.0	2.43
SW	3.2	SSW	3.8	SW	3.3	SSW	3.5	SW	3.3	SSW	2.9	SSW	1.8	SSW	1.5	S	2.6	S	2.8	SSW	2.8	SSW	2.2	1.75
S	7.1	S	6.9	S	7.2	S	7.2	S	6.6	S	5.3	SSE	3.7	SSE	3.5	SE	3.6	SE	3.4	SE	3.6	ESE	2.8	3.67
SSE	3.6	SSE	3.9	SSE	3.5	SSE	3.3	SSE	2.4	SSE	2.2	SSE	1.4	SE	1.3	SSE	1.8	SSE	1.5	SSE	1.4	SSW	1.2	3.38
SE	1.4	ESE	2.1	E	2.0	SE	2.1	ESE	1.9	E	1.7	ESE	2.3	SE	1.8		0.0	ESE	1.8	SSE	3.3	S	2.2	1.16
N	2.5	NNW	2.2	NNW	1.2		0.0	SSE	1.1		0.0		0.0		0.0		0.0	SW	1.1		0.0		0.0	0.99*
SW	4.5	SW	4.0	SSW	3.5	SSW	2.8	SSW	3.0	SSW	1.8	SW	1.0	SSE	1.4	S	2.1	SSE	2.1	SSE	2.4	SSE	1.8	2.07
SSE	1.7	N	2.7	WNW	1.7	NNW	1.8	NE	1.1	NE	1.4	NE	2.1	N	2.6	N	2.5	NE	1.6	Nw	1.6	NNW	1.2	1.04
NW	4.3	NNW	3.9	NW	3.3	WNW	2.4	NW	3.1	NNW	2.8	N	3.6	N	5.5	N	4.2	N	3.7	N	2.7	WNW	2.8	3.12
N	3.7	N	3.1	NNE	3.9	N	4.1	NNE	4.2	NE	3.1	NNE	1.8		0.0		0.0		0.0		0.0		0.0	2.87
ENE	2.8	ENE	2.6	E	3.2	ESE	3.5	NE	4.7	NE	4.5	ENE	3.0	NE	1.6	N	1.5	N	1.5	NNw	1.1	NNW	1.8	2.35
E	4.8	ESE	4.8	E	5.0	ESE	3.5	ESE	3.5	ENE	2.7	ENE	3.0	ENE	2.5	ENE	3.0	ENE	2.1	ENE	2.1	N	3.4	3.10
E	4.4	E	4.1	ESE	4.4	E	3.4	ESE	3.1	E	3.1	E	2.3	ENE	2.8	ENE	2.4	ENE	2.3	ENE	2.0	E	2.5	2.79
ENE	6.2	ENE	6.5	ENE	6.4	ENE	5.4	NE	5.7	NE	5.4	ENE	5.1	ENE	5.0	ENE	4.9	ENE	4.1	ENE	4.1	ENE	4.2	4.62
ESE	5.2	ESE	4.4	ESE	4.1	ESE	4.2	ESE	3.6	E	3.0	ENE	3.0	ENE	3.1	ENE	2.7	NE	2.6	NE	2.2	E	1.6	3.57
SSW	4.6	SSW	4.4	SW	5.0	SSW	5.4	SSW	5.8	SSW	4.8	SSW	5.3	SSW	5.4	SSW	5.8	SSW	5.6	SSW	5.8	SSW	5.7	4.13
SSW	5.3	SSW	5.8	SW	4.4	SW	3.8	SW	3.1	SSW	2.8	SSW	2.8	SSW	2.7	SSW	3.0	SSW	2.2	SSW	1.9	W	1.6	4.09
N	2.8	NNW	2.6	N	3.1	NW	1.9	NNW	1.2	WNW	1.1		0.0	SW	1.1		0.0		0.0		0.0		0.0	1.70
SSW	2.6	S	2.4	S	3.0	S	2.3	S	2.8	S	2.6	SSE	4.3	SSE	3.8	S	2.6	SE	1.9	S	1.4	SSE	1.4	1.92
SW	2.7	S	2.6	SSE	2.5	S	3.4	SSE	3.3	SSE	3.0	SE	2.8	ESE	2.7	ESE	2.7	ESE	2.7	ESE	1.8	E	2.0	2.45
E	1.8	NNW	1.6	N	1.8	NNW	2.1	ESE	2.5	SE	2.9	ESE	3.2	SE	2.7	SE	2.2	SE	2.1	SE	1.6	SSE	1.1	1.74
SW	1.6	WSW	1.2	WSW	1.5	WSW	1.4	WSW	1.6	SE	2.2	SE	2.7	SE	2.2	SE	1.8	SE	1.0		0.0		0.0	1.17
	4.19		4.27		4.10		3.71		3.60		3.25		2.92		2.82		2.72		2.64		2.41		2.30	3.07

SEPTEMBER — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 0-1		1-2		2-3		3-4		4-5		5-6		6-7		7-8		8-9		9-10		10-11		11-12	
1		0.0		0.0		0.0	NE	1.1		0.0		0.0	WNW	1.4	NNE	1.5	NE	1.7	N	1.9	NNW	1.7	SE	2.2
2	SSE	2.3	SSW	2.5	SSE	2.4	SSE	2.5	SSW	2.3	SW	2.3	SW	2.7	SSE	2.8	SSW	2.6	SW	1.8	SSW	2.5	S	2.5
3		0.0	SSW	1.3		0.0		0.0	SSW	2.2	SSW	1.8	SSW	2.5	SW	2.6	SSW	3.5	SSW	3.1	SW	3.0	SSW	3.5
4	SW	1.3		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	NW	1.6	NNW	1.8
5	SW	2.5	SW	2.3	SW	2.2	SW	1.9	WSW	1.6	W	1.6	W	1.0	NW	2.0	WNW	2.9	NNW	3.2	WNW	3.4	W	4.3
6	W	1.4	SW	1.6	WNW	1.7	NW	1.3	NW	1.9	NW	2.1	NW	2.5	NNW	2.7	N	2.4	NE	2.2	N	2.3	N	2.4
7	S	3.9	S	3.5	SSW	3.4	SSW	3.1	SSW	3.6	SSW	4.0	SSW	3.6	SSW	2.5	SW	3.6	SW	4.8	SW	5.5	SW	6.0
8	SSW	3.0	SSW	1.5	SSW	1.6	SSW	1.9	SSW	1.9	SW	2.0	SW	2.5	SW	2.9	WSW	2.9	NW	3.1	W	2.8	WSW	3.9
9	N	3.3	N	3.5	N	3.8	NNE	3.4	NNE	3.3	NNE	5.5	NE	5.0	NE	4.5	NNE	4.1	NNE	5.1	NNE	4.9	NNE	5.6
10	NNW	2.9	NNW	2.7	NNW	2.5	NW	2.5	NW	2.7	NNW	2.6	NNW	1.7	NNW	2.4	N	3.5	NNW	3.2	NNW	3.9	NW	3.4
11	WNW	2.0	S	2.2		0.0	NNW	1.8	N	2.3	NNW	3.0	NW	3.2	NW	4.3	NW	3.8	NW	4.0	NW	4.2	WNW	4.5
12	NW	5.3	NW	5.1	NW	5.3	NW	4.8	WNW	3.7	NW	4.1	NNW	5.0	NNW	6.1	NNW	5.8	NNW	5.6	NNW	5.3	NNW	4.8
13	WSW	2.1	SW	2.6	SW	2.6	SSW	2.5	SSW	3.2	SW	3.6	SW	3.3	SW	4.8	WSW	5.9	WSW	6.5	WSW	6.3	WSW	8.2
14	SW	2.5	SW	2.2	SW	2.8	SW	2.4	SSW	2.8	SSW	2.4	SW	2.6	SW	2.7	SW	2.6	W	2.9	NW	3.1	N	2.9
15	NNW	1.3	NNW	1.7	NNW	2.1	NNW	2.1	N	2.1	N	1.9	NE	3.6	NE	4.9	NE	5.3	NE	5.1	ENE	4.1	NE	4.3
16	NE	2.0	NE	2.2	NNE	2.3	NE	2.2	NNE	1.8	NNE	2.2	NE	1.8	NNE	2.1	NNE	1.8	ENE	3.0	ENE	3.7	ENE	3.6
17		0.0		0.0		0.0	SSW	1.9	SSW	2.3	SW	1.8	SSW	2.7	SSW	3.6	SSW	3.1	SSW	3.8	SSW	4.4	SSW	4.8
18	SSW	2.8	SSW	3.1	SSW	2.3	SSW	3.1	SW	2.5	SW	2.8	SW	2.6	SW	3.2	SW	4.2	WSW	4.0	WSW	4.1	SW	3.3
19	S	3.3	SSW	2.9	SSW	2.9	SSW	2.1	SW	1.7	SSW	3.4	SSW	3.1	SSW	3.6	SSW	4.5	SSW	3.8	S	3.5	S	3.5
20	SE	1.0	E	1.2	SE	1.5	SE	2.0		0.0	ESE	1.4	SSE	2.1	S	2.7	SSE	4.0	SSE	4.6	SSE	5.1	SE	5.6
21	ESE	2.8	ESE	3.0	SE	3.7	SSE	2.7	SE	3.4	SE	3.5	S	4.7	S	5.4	S	5.2	SSW	4.7	SSW	4.1	SSW	3.9
22		0.0		0.0		0.0		0.0		0.0		0.0		0.0	NNW	1.0		0.0		0.0		0.0	NW	1.4
23	N	2.5	N	2.1	N	2.2	NNE	1.9	NNE	2.5	N	1.9	N	1.5	NNW	2.0	NNW	2.5	N	2.9	N	2.8	N	3.4
24		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	S	1.5	SSW	3.1	SW	3.4	SW	3.7
25	ESE	3.8	ESE	4.0	ESE	4.4	ESE	4.3	ESE	4.0	ESE	4.0	ESE	4.1	ESE	4.8	ESE	3.8	SE	4.4	SE	4.4	SW	1.8
26	NNE	2.7	NNE	2.8	NNE	2.5	NNE	3.3	NE	5.9	NE	7.5	NNE	6.9	NNE	7.9	NNE	7.5	NNE	7.4	NNE	8.9	NNE	8.6
27	NNW	3.8	N	3.9	NNW	4.5	NNW	4.4	NW	4.3	NW	5.4	NW	4.3	NNW	4.9	NNW	5.3	N	5.5	N	5.0	NNW	5.4
28	SW	1.4	WSW	1.2	SW	1.6	SSW	1.6	SSW	2.4	SSW	2.7	SSW	2.4	SW	2.8	SSW	2.4	WSW	3.3	SW	4.4	WSW	4.1
29	SSW	3.1	SW	3.2	SW	3.1	SW	3.1	SW	3.4	SW	3.3	SW	3.6	SW	3.6	SW	4.3	SW	4.4	WSW	4.8	SW	5.2
30	SSW	3.6	SSW	3.3	S	3.0	S	2.8	SSE	2.6	SSE	2.5	SSE	2.1	S	3.2	S	4.2	S	5.0	S	5.7	S	5.4
MEAN		2.22		2.19		2.15		2.22		2.35		2.64		2.76		3.25		3.50		3.75		3.96		4.13

SEPTEMBER — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 12-13		13-14		14-15		15-16		16-17		17-18		18-19		19-20		20-21		21-22		22-23		23-24		MEAN
1	SE	1.8	ESE	1.5	SSE	1.6	SSE	2.4	S	2.4	SSE	1.3	S	1.8	S	1.1	SSE	2.5	SSE	2.1	SE	2.1	SSE	2.2	1.43
2	S	2.5	SSW	2.0	SSW	1.5	S	1.0	S	2.2	S	2.4	S	2.2	S	1.6		0.0		0.0	S	1.0		0.0	1.90
3	SSW	3.3	SSW	3.1	WSW	3.0	SW	2.9	SW	2.5	SSW	2.6	SSW	2.9	SSW	2.2	SSW	1.7		0.0		0.0		0.0	1.99
4	N	2.3	WNW	2.4	N	2.3	N	1.5	E	1.3	S	1.8	SW	1.2	SW	1.4	SW	1.8		0.0	SW	1.6	SW	2.4	1.03
5	W	3.7	NW	3.4	NNW	3.1	WNW	2.3	WNW	2.4	W	2.4	SSW	1.8	SW	1.3		0.0		0.0	W	1.0		0.0	2.10
6	NNW	1.7	SE	1.5	WSW	2.4	W	2.3	W	1.4	SSW	1.8	SSW	2.3	SSE	2.1	SSE	1.5	S	1.8	S	2.3	S	3.2	2.03
7	SW	6.7	SSW	5.7	SSW	4.9	SSW	4.3	SSW	4.4	SSW	4.3	SSW	3.7	SSW	3.7	SSW	3.2	SSW	3.0	SSW	3.9	SSW	3.3	4.11
8	NW	4.1	NNW	3.9	N	5.0	N	5.2	N	5.2	N	4.2	N	4.2	N	3.2	N	3.5	N	4.5	N	3.9	N	3.3	3.34
9	NNE	5.5	NNE	6.3	NNE	6.6	NNE	6.8	NNE	5.6	NNE	3.6	N	3.6	N	3.5	N	3.0	N	3.5	N	3.3	NNW	3.2	4.44
10	NNW	2.8	NNW	2.0	WNW	2.0	SW	1.7	SSE	1.6	SE	2.2	S	1.8	SSW	2.3	SSW	2.3	S	1.9	S	2.2	SSW	2.6	2.47
11	W	4.1	WNW	4.9	NW	6.5	NW	5.7	WNW	3.7	NW	5.0	NW	3.9	NW	4.9	NNW	4.9	NW	4.4	NW	4.6	NW	5.3	3.88
12	NW	5.0	NW	5.2	NNW	5.0	NNW	3.9	WNW	3.4	WNW	3.2	W	3.4	W	1.7	W	3.2	WSW	3.1	WSW	2.1	W	2.4	4.27
13	SW	8.1	WSW	6.4	WNW	5.8	WNW	6.2	W	4.6	W	3.0	WSW	3.8	WSW	3.4	WSW	3.8	WSW	3.5	SSW	2.8	WSW	3.0	4.42
14	SW	3.7	NNE	4.1	NW	4.8	WNW	4.5	W	3.4	ENE	1.9	E	1.5	E	1.3	SE	2.2		0.0	SSW	1.5	SW	1.2	2.58
15	NE	4.4	NE	4.2	ENE	3.3	ENE	3.4	ENE	3.7	ENE	3.1	ENE	2.4	ENE	2.4	ENE	2.3	ENE	1.8	E	1.9	E	1.8	3.05
16	E	3.3	ENE	3.6	E	2.9	ENE	2.7	NE	2.7	NE	2.7	ENE	2.1	ENE	1.5	E	1.4		0.0		0.0		0.0	2.15
17	SW	4.0	SSW	3.3	S	3.6	SSW	3.5	SW	2.6	SSW	3.3	SSW	3.2	SSW	3.1	SSW	2.8	SSW	2.4	SW	2.8	SSW	2.4	2.72
18	SW	4.7	SW	3.7	SW	3.3	N	1.8	N	1.6		0.0	SSW	2.4	SSW	1.8	S	3.1	SSW	2.9	SSW	3.2	SSW	1.9	2.85
19	SSE	4.4	S	4.3	S	3.3	SSW	2.1	SW	1.3	SSE	1.3	S	1.3	SSE	2.4	S	2.0	ESE	1.6	SE	1.6	SE	1.7	2.73
20	SE	5.6	SSE	5.2	SSE	4.7	SE	4.8	SSE	4.3	SSE	4.0	SSE	3.8	SE	2.9	ESE	3.1	ESE	2.2	ESE	2.6	SE	2.2	3.19
21	SSW	4.9	SSW	4.2	S	4.1	S	3.6	S	3.0	S	2.0	SSE	1.7	S	2.1	SSW	1.8	SSW	1.3	S	1.2		0.0	3.22
22	NNW	1.6	ENE	2.3	NE	2.4	NE	3.0	E	2.2	E	2.6	N	2.2	NE	1.7		0.0		0.0		0.0	NNE	1.8	0.93*
23	N	4.0	NNE	4.4	N	3.4	N	2.4	N	2.5	NNE	2.3		0.0		0.0	NW	1.4	NNW	1.0		0.0		0.0	2.07
24	SSW	3.3	S	2.0	SSE	1.7	SE	1.5	SSE	1.0	SE	2.3	SE	2.5	SE	2.8	SSE	4.0	SE	1.8	ESE	3.1	ESE	3.6	1.72
25	SW	1.4	SSE	1.2	ESE	1.8	SE	1.8	ESE	2.2	E	2.9	E	1.8	NE	1.8	ENE	2.8	ENE	2.2	ENE	2.1	NNE	2.9	3.03
26	NNE	7.9	NNE	8.1	NNE	9.8*	N	8.1	NNE	7.6	N	5.8	N	4.8	N	4.2	N	3.6	N	3.8	N	4.6	N	4.0	6.01*
27	NNE	5.3	NNE	4.0	N	3.2	N	1.8		0.0		0.0		0.0	SW	1.5	SW	1.5	WSW	1.6	SW	1.2	SW	1.1	3.25
28	SW	4.1	SW	4.4	WSW	4.8	SW	2.8	SSW	2.9	SSW	4.0	SW	3.5	SW	2.9	SW	3.6	SW	2.9	SW	2.9	SSW	3.4	3.02
29	SW	4.6	SW	4.5	SW	3.4	SSW	4.3	SSW	3.1	S	2.8	SSW	3.5	SSW	3.4	SSW	2.7	SSW	2.9	SSW	2.9	SSW	3.2	3.60
30	S	4.0	S	3.3	S	3.0	S	3.1	SSE	3.4	SSE	3.7	SSE	2.9	S	3.1	SSE	2.5	SSE	2.4	SSE	2.1	SE	2.0	3.29
MEAN		4.09		3.84		3.77		3.38		2.94		2.75		2.54		2.38		2.41		1.95		2.15		2.14	2.89

OCTOBER — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 0-1		1-2		2-3		3-4		4-5		5-6		6-7		7-8		8-9		9-10		10-11		11-12	
1	ESE	2.3	SE	1.8	SSE	1.9	SE	1.9	ESE	1.5	SSE	3.0	SSE	3.3	S	2.8	SSE	3.0	SSE	2.7	SSE	2.5	S	3.7
2	E	2.9	E	2.4	ENE	2.2	ENE	3.3	ENE	3.8	ENE	3.7	E	3.6	ENE	3.4	E	4.0	E	5.2	ESE	5.6	ESE	4.5
3	SE	4.1	SE	3.1	E	3.3	E	3.9	ESE	4.5	ESE	4.4	ESE	4.0	ESE	4.1	ESE	4.6	ESE	5.2	ESE	6.2	ESE	5.8
4	SE	3.2	SE	2.8	SE	2.3	SE	2.3	ESE	2.1	ESE	2.1	ESE	1.5	ESE	1.7	SE	2.1	SSE	2.7	SSW	2.3	SSW	2.0
5	SSE	3.4	SSW	3.5	SSE	3.6	SE	2.4	SE	2.9	SSE	3.0	SSE	1.9	SE	2.4	SSE	3.0	SSE	3.7	SSE	4.0	SE	3.4
6	SSE	3.1	SSE	2.4	S	2.0	S	1.9	SE	1.3	SE	1.4		0.0		0.0	SE	1.2	SE	1.8	SSE	1.5	SE	1.7
7	SE	1.5	SE	1.9	SE	2.0	SSE	2.4	SE	2.8	SE	3.2	SE	2.7	SE	3.0	SE	2.9	SE	3.3	SSE	4.2	SE	2.8
8	WSW	3.7	SSW	3.6	SSW	3.4	S	3.0	SSW	2.9	S	3.5	SSE	4.1	SSW	4.4	SSW	3.8	SSW	4.3	SW	4.5	SSW	4.2
9	SSE	6.5	SSE	6.6	S	7.0	S	7.4	SSW	8.8	SSW	8.9	SSW	6.7	SW	8.0	WSW	8.9	W	8.3	W	7.1	W	6.8
10	SSW	3.6	SSW	3.7	SSW	4.4	SSW	4.2	SSW	2.7	SSW	2.8	SSW	3.8	SW	4.9	SW	3.9	SW	4.1	WSW	4.8	SW	5.4
11	SSE	5.1	SSE	4.7	S	5.0	SSE	5.7	SSE	6.4	S	7.7	S	8.8	S	8.5	WSW	7.0	WSW	8.1	SW	8.8	WSW	10.9*
12	SSW	4.0	SSW	4.8	SSW	3.3	SSW	3.4	SSW	4.1	SSW	4.3	SSW	4.4	SSW	5.0	SSW	4.5	SSW	4.6	SSW	5.4	SW	5.7
13	SW	3.2	WSW	4.2	WSW	3.2	W	2.5	W	2.6	W	2.8	W	2.5	W	2.1	WSW	2.2	WSW	2.1	WSW	2.1	SW	2.4
14		0.0		0.0		0.0		0.0	NE	1.3		0.0		0.0		0.0	E	1.0	SE	1.2		0.0	SE	1.1
15		0.0		0.0		0.0		0.0		0.0	NNE	1.0	E	1.4	ESE	2.0	ESE	2.3	ESE	3.0	SE	3.4	ESE	3.5
16	NE	4.4	NE	5.2	NE	5.4	NE	5.4	NE	6.5	NE	5.9	NE	6.5	NE	5.6	NE	4.7	NE	5.4	NE	6.9	ENE	5.2
17	N	5.1	NNW	6.8	NNW	6.4	NNW	5.2	NNW	6.5	NNW	6.0	NNW	5.1	NNW	6.8	NNW	7.8	NNW	7.8	NNW	7.8	NNW	7.9
18	N	6.0	N	6.6	N	6.4	N	7.8	N	8.1	NNE	7.8	NNE	6.4	NNE	8.0	NNE	9.3	N	9.5	N	8.1	NNE	9.2
19	NNW	4.6	N	5.5	NNW	6.2	NNW	6.0	NNW	5.7	NW	5.3	NNW	4.5	NW	5.5	NNW	4.3	NW	5.7	NW	5.3		
20		0.0		0.0		0.0		0.0		0.0		0.0	SSW	1.0		0.0	S	1.6	SSW	2.4	SSW	2.2	SSW	3.0
21	NNE	2.1	NW	1.0	NNW	1.0		0.0	NW	1.5	NNW	1.2		0.0	NNW	1.6	N	2.5	NNW	2.2	NNW	2.8	NNW	3.4
22	NW	1.8	WNW	2.6	WNW	2.6	WSW	2.8	W	3.0	WSW	2.7	SW	3.3	SSW	3.9	SW	5.6	SW	5.4	SW	5.6	SW	7.3
23	W	4.6	WNW	4.3	NW	5.1	W	6.8	WNW	6.8	WNW	6.4	WNW	5.9	WNW	6.1	WNW	7.7	WNW	8.1	NW	8.0	NW	7.6
24	NNW	2.1	WNW	1.6	WNW	1.3	E	1.1	SSW	2.7	SSW	2.8	SSW	2.7	SSW	2.7	SSW	3.7	WSW	3.3	SW	4.3	WSW	4.5
25	SSW	2.8	SW	3.1	SW	3.0	SW	3.7	WSW	5.0	WSW	6.1	W	6.8	NNW	7.8	NW	7.2	NW	9.6	NW	10.1	WNW	9.4
26	WNW	4.7	WNW	5.3	NW	6.2	NW	7.3	NW	7.7	NW	6.6	NW	5.0	NW	6.1	NW	4.7	NW	5.0	NW	5.7	NW	4.3
27	SW	4.0	WSW	3.5	WSW	3.9	WSW	3.3	SW	3.3	SW	2.8	SW	2.8	WSW	3.3	W	3.4	WNW	4.7	WNW	6.2	WNW	7.1
28	WSW	1.6	WNW	1.2		0.0		0.0		0.0		0.0	ENE	1.5	SE	1.7	SE	1.4	ESE	1.2		0.0	SE	1.0
29	SW	4.0	SW	4.1	SW	4.4	SW	3.9	SW	3.9	SW	4.8	SW	3.6	SW	4.4	WSW	4.3	SW	5.1	SW	5.7	SW	6.3
30	SW	3.6	SSW	3.7	SW	3.6	SW	3.2	SW	3.4	WSW	4.5	SW	4.5	SW	4.7	WSW	6.0	SW	6.7	SW	6.2	SW	6.6
31	SSW	3.4	SSW	3.0	SSW	3.8	SSW	4.1	SSW	4.2	SSW	3.8	SSW	3.6	SSW	3.9	SSW	4.3	SSW	4.5	SSW	5.1	SSW	4.6
MEAN		3.27		3.32		3.32		3.45		3.75		3.84		3.64		3.98		4.33		4.69		4.93		5.05

OCTOBER — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 12-13		13-14		14-15		15-16		16-17		17-18		18-19		19-20		20-21		21-22		22-23		23-24		MEAN
1	S	3.7	S	3.9	S	3.1	SSE	2.4	S	2.7	SE	3.1	SE	2.9	ESE	2.8	ESE	3.5	ESE	3.7	ESE	3.4	ESE	3.5	2.88
2	SE	6.0	ESE	5.1	ESE	4.1	ESE	4.5	ESE	4.4	ESE	5.2	SE	4.7	SE	4.8	ESE	4.6	ESE	5.8	ESE	5.8	ESE	5.0	4.36
3	ESE	5.5	ESE	5.5	ESE	4.6	SE	4.5	ESE	3.4	ESE	4.8	ESE	3.9	ESE	3.6	SE	3.4	SE	3.1	SE	3.4	SE	3.4	4.26
4	WSW	1.1		0.0		0.0		0.0	S	1.7	S	1.2	S	1.5	S	1.3	SSW	1.8	SSW	1.9	SE	1.1	SE	1.7	1.68
5	SE	4.1	SSE	3.6	SE	3.2	SE	4.1	SE	4.3	SE	3.8	SE	3.9	SE	4.2	S	4.1	SSE	4.6	SSE	3.6	SSE	3.2	3.50
6	SSE	1.8	SSE	2.5	SE	2.3	SE	2.0	SE	2.0	SE	1.8	SE	2.2	SE	2.7	SE	2.4	SSE	2.6	SSE	2.8	S	2.8	1.92
7	SE	2.1	ESE	3.0	ESE	2.5	E	2.2	ESE	2.9	ESE	2.5	ESE	2.3	S	4.5	SSW	4.0	SW	3.7	SSW	3.6	WSW	4.8	2.95
8	SSW	4.9	SSW	4.2	S	3.9	SW	4.3	S	2.9	S	2.7	S	2.6	SSW	3.0	SSW	4.5	SSW	4.3	S	4.7	SSE	5.4	3.87
9	WSW	6.5	WSW	6.3	WSW	6.6	SW	6.2	SW	5.5	SW	4.6	SW	4.7	SW	4.0	SW	2.7	SW	3.3	SSW	3.9	SSW	4.2	6.31
10	SW	5.3	SW	5.3	SSW	4.5	SSW	3.9	S	3.7	S	4.0	S	4.8	S	4.8	S	4.6	SSE	3.7	SSE	3.4	SE	4.1	4.18
11	WSW	10.3	SW	9.9	SW	9.1	SW	7.1	SW	6.7	SW	6.7	SW	6.4	SW	5.7	SW	4.0	SSW	4.8	SW	5.0	SSW	5.3	6.99
12	SW	5.4	SSW	4.8	SSW	3.8	SSW	3.8	SSW	3.8	SSW	4.1	SSW	3.9	SSW	4.3	SW	4.3	SW	3.4	SSW	3.2	SW	3.5	4.24
13	SW	3.5	SW	3.9	SSW	2.9	W	1.2		0.0		0.0		0.0		0.0	SE	1.0		0.0		0.0		0.0	1.85
14		0.0	NNW	1.7	NW	2.5	NNW	2.7	NNW	2.3	NNW	1.2		0.0		0.0		0.0		0.0		0.0		0.0	0.63*
15	ENE	3.7	ENE	3.8	ENE	3.8	ENE	3.4	ENE	2.7	ENE	2.7	ENE	3.6	ENE	3.0	NE	3.4	NE	4.1	NE	4.7	NE	3.7	2.47
16	ENE	6.1	NE	6.1	NE	4.8	NE	4.4	NNE	4.5	NNE	4.6	NNE	4.8	NNE	4.3	NNE	3.7	NNE	4.1	N	3.7	N	4.3	5.10
17	N	7.2	N	5.3	N	3.4	NNW	3.1	NW	2.4	WNW	2.6	NNW	3.3	N	3.4	NNW	3.4	NNW	4.2	NNW	4.6	N	5.2	5.30
18	N	9.0	N	6.7	N	8.0	N	7.3	NNE	6.8	NNE	5.8	NNE	5.1	NNE	7.6	NNE	5.8	N	6.3	NNE	5.8	N	5.5	7.20
19	NW	5.2	NW	4.6	NW	3.3	NNW	3.2	NW	2.2	NNW	1.8	W	1.5	WSW	1.3	W	1.1	W	1.6	SW	1.6	SW	1.0	3.88
20	SSW	2.0	S	2.1	S	2.2	SSE	1.9	SE	1.9	SE	1.7	SE	1.3		0.0		0.0	NNE	1.4	N	2.1	NNE	2.1	1.20
21	NNE	3.2	N	2.6	N	3.1	N	2.7	NNW	2.5	NNW	2.7	NW	2.4	NNW	2.6	NNW	2.5	NW	2.9	NW	2.9	NW	3.2	2.19
22	SW	7.7	SW	6.4	WSW	6.4	WSW	5.1	W	4.2	WSW	4.1	WNW	5.2	W	4.5	NW	5.1	WNW	5.3	W	5.9	W	5.0	4.65
23	WNW	6.4	W	6.3	W	5.7	WNW	3.9	W	3.5	WSW	2.7	WSW	2.0	WSW	1.6	WNW	1.5	W	3.0	WNW	3.1	NW	2.4	4.98
24	SW	3.2	WSW	4.6	WSW	3.9	WNW	2.7	W	3.4	NW	2.3	WNW	4.2	NW	4.0	NW	2.2	W	2.5	SW	3.0	SSW	3.3	3.00
25	NW	9.9	WNW	9.7	WNW	8.1	WNW	6.8	NW	7.2	NW	9.7	NW	10.4	NW	10.0	NW	8.9	NW	8.0	NW	7.2	WNW	4.6	7.30*
26	NW	5.8	WNW	4.7	W	3.1	SW	2.8	WSW	3.7	WSW	4.0	WSW	3.9	SW	4.3	WSW	5.3	WSW	4.8	WSW	5.2	WSW	3.7	5.00
27	NW	7.2	NW	6.8	NW	5.5	W	3.3	W	2.5	WSW	2.2	WSW	1.8	SW	2.1	WSW	3.4	SW	3.0	SW	3.0	SW	2.5	3.82
28	SSE	2.4	SE	1.5	SSE	2.0	SE	2.6	SE	2.6	SSW	2.1	S	2.1	SSW	3.1	SSW	3.2	SW	3.4	SW	4.0	SSW	3.6	1.76
29	SW	6.2	SW	5.8	SW	5.4	SW	4.6	SW	4.0	SW	3.3	SW	3.3	SW	3.9	SW	4.0	SW	3.6	SW	3.1	SW	2.9	4.36
30	SW	6.9	SW	4.8	SW	4.5	SSW	5.2	SSW	4.7	SSW	3.9	SSW	3.8	SSW	3.6	SSW	4.6	SSW	4.3	SSW	4.3	SSW	3.7	4.63
31	SW	4.3	SSW	4.3	SSW	3.7	SW	3.7	SSW	3.4	SSW	4.1	SSW	3.8	SSW	3.7	SSW	3.8	SSW	3.8	SSW	3.4	SSW	2.7	3.88
MEAN		5.05		4.70		4.19		3.73		3.50		3.42		3

NOVEMBER — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 0-1		1-2		2-3		3-4		4-5		5-6		6-7		7-8		8-9		9-10		10-11		11-12	
1	SSW	2.8	SSW	2.8	SSW	2.5	SW	2.6	WSW	3.6	WSW	3.7	W	3.0	WNW	2.3	WNW	1.9	WSW	1.2	WSW	2.0	W	2.8
2		0.0	NNE	1.4		0.0		0.0		0.0		0.0		0.0		0.0	NNE	1.6	ENE	2.2	E	2.5	ESE	1.9
3	SW	2.1	SW	3.1	SW	2.5	SW	2.3	SW	2.8	SW	3.4	SW	3.6	SW	4.6	S	4.8	S	5.3	SSW	6.3	SSW	5.6
4	SSW	3.0	SSW	2.1	SSE	1.6	S	1.2		0.0		0.0		0.0	ESE	1.0	ESE	2.1	ESE	1.8	ESE	1.7	ESE	2.0
5	ENE	4.5	ENE	3.8	ESE	5.3	E	4.8	E	4.7	ENE	3.6	ENE	4.8	ENE	3.9	E	3.4	E	3.7	E	4.6	E	4.4
6	SSE	5.4	SSE	5.4	SSE	4.5	SSE	3.8	SE	3.1	SSE	4.2	SSE	4.3	SSE	4.5	SSE	5.2	SSE	5.1	SSE	4.0	S	4.4
7	S	3.7	S	3.0	S	4.3	S	3.1	S	2.8	SSW	3.6	SSW	3.9	SSW	3.1	SSW	4.0	SSW	3.0	SW	2.8	SSW	3.0
8	S	3.0	S	2.1	SSE	1.4	ESE	1.6	SE	2.8	SSE	3.6	SE	3.5	SSE	4.5	SSE	3.9	SSE	4.4	SSE	4.7	SSE	5.4
9	S	4.7	S	4.9	S	4.8	S	4.6	S	3.6	S	3.5	S	3.4	S	3.4	S	3.7	SSW	4.4	SSW	3.4	SSW	3.2
10	S	3.3	SSW	3.0	S	3.0	S	3.3	S	3.0	S	3.3	SSE	3.6	SSE	3.8	S	3.6	SSE	3.0	S	4.5	SSW	4.4
11	SSW	1.7	ESE	1.2	ESE	1.1		0.0		0.0		0.0		0.0		0.0		0.0		0.0	N	1.5	N	2.0
12		0.0		0.0		0.0		0.0		0.0	ESE	2.2	ESE	1.8	SSE	2.0	SSW	3.2	SW	3.7	SW	3.1	SSW	3.4
13	ENE	1.6	ENE	2.0	E	2.7	NE	2.4	NE	2.6	NE	2.6	NE	2.8	NE	3.4	NE	2.5	NE	2.1	ENE	1.2	ESE	1.8
14	SE	2.7	SE	2.9	ESE	2.7	SE	2.9	SE	2.8	SE	2.8	SE	3.6	SE	3.8	SSE	3.9	SSE	4.4	SSE	4.6	S	3.9
15	SW	3.2	SSW	3.2	WSW	3.0	WSW	3.0	WNW	3.8	W	4.0	WSW	4.2	WSW	4.2	WSW	3.9	SW	4.0	SW	4.7	SW	5.0
16	SW	3.9	WSW	3.6	W	3.2	WNW	3.0	WNW	2.0	WSW	2.1	W	2.4	WNW	2.1	W	2.1	W	1.8	WSW	1.5	WSW	2.6
17	SW	2.2	SSW	2.0	SSW	4.0	SSW	4.6	SSW	3.6	SSW	3.7	SSW	4.4	SSW	3.9	SW	4.9	SW	4.9	SW	6.1	SW	6.2
18	W	3.7	W	3.6	WSW	3.0	WSW	2.9	SW	3.0	W	2.9	WNW	2.4	WSW	1.9	W	2.4	W	2.1	NW	2.6	NNW	2.6
19	NW	1.4	NW	1.5	NNW	1.8	NW	1.2	NW	1.1		0.0		0.0		0.0		0.0		0.0		0.0		0.0
20		0.0		0.0	SE	1.1		0.0		0.0	SE	1.5	S	1.5	S	1.7	SSE	2.4	S	3.0	SW	3.0	SW	2.7
21	WSW	3.5	WSW	2.8	SW	3.0	WSW	4.1	WSW	4.1	WSW	3.6	WSW	4.0	WSW	4.3	WSW	4.7	WSW	4.5	WSW	5.1	WSW	4.6
22	SW	5.2	WSW	4.7	WSW	4.0	W	3.7	WSW	3.1	W	3.1	WSW	2.6	W	2.5	SW	2.6	SW	2.7	WSW	2.5	SW	2.4
23	WNW	4.7	WNW	4.1	NW	4.4	NW	5.6	NW	4.5	NW	3.7	WNW	3.5	WNW	4.3	WNW	3.9	WNW	4.1	WNW	3.6	W	3.4
24	SW	2.3	SW	3.2	WSW	3.1	SW	3.7	SW	5.1	SW	4.4	SW	4.5	SW	5.3	SW	5.7	SW	5.6	SW	6.0	WSW	6.8
25	SW	3.0	WSW	4.5	WSW	5.0	SW	4.8	WSW	5.1	WSW	4.3	WSW	4.2	W	3.5	WSW	3.2	WSW	3.9	WSW	4.6	WSW	4.7
26	WNW	4.6	WNW	4.8	WNW	5.1	NW	5.7	NW	5.1	NNW	4.4	NW	4.8	NNE	4.2	NW	4.8	NW	5.1	NNW	4.2	NNW	4.4
27	ENE	1.9	SE	1.5	SE	1.4	S	2.0	S	1.4	SSE	1.9	S	1.9	S	2.5	SSW	3.1	SSW	3.5	SSW	4.3	SSW	4.7
28	WSW	2.7	WSW	2.9	WSW	3.0	WSW	3.2	WSW	2.8	WSW	3.3	WSW	3.0	SW	2.9	WSW	4.1	WSW	2.8	W	2.9	NW	3.0
29	SW	3.1	SW	3.2	SW	2.8	SW	2.3	SW	3.0	SSW	3.8	SW	4.4	SW	4.7	SW	5.6	WSW	6.9	SW	5.9	SW	6.2
30	WSW	5.6	WNW	6.7	WNW	6.4	WNW	7.6	WNW	7.2	WNW	7.3	NW	7.1	NW	6.0	WNW	4.8	WNW	5.5	NW	5.9	NW	6.4
MEAN		2.98		3.00		3.02		3.01		2.89		3.02		3.11		3.14		3.40		3.49		3.66		3.80

NOVEMBER — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

HOUR (M.E.T.) 12-13		13-14		14-15		15-16		16-17		17-18		18-19		19-20		20-21		21-22		22-23		23-24		MEAN
NW	3.3	NNW	2.7	N	3.0	N	3.6	NNW	1.9	NNE	2.3	NNE	1.5	NNE	1.0		0.0		0.0		0.0		0.0	2.10
ESE	2.5	ESE	2.5	SSE	3.4	SSE	2.6	SE	2.2	SE	1.5	SSE	2.5	SE	2.4	SSE	3.0	SSE	2.6	SW	1.8	SW	1.7	1.60
SSW	6.4	SSW	5.5	SSW	6.1	SSW	5.7	SSW	5.8	SW	3.9	SSW	4.2	SSW	2.9	SSW	4.4	SSW	3.7	SSW	4.0	SSW	4.1	4.30
ESE	1.5	E	2.2	E	1.8	E	1.9	ENE	1.8	NE	2.3	E	2.2	E	2.9	E	3.5	ENE	3.9	NE	3.5	NE	4.2	2.01
E	4.5	E	4.1	ESE	4.3	ESE	4.1	ESE	4.1	ESE	4.5	ESE	4.2	SE	4.2	SSE	4.0	SE	3.2	SSE	4.4	SSE	3.6	4.20
SSW	3.9	S	3.4	S	3.6	S	3.1	S	2.7	S	2.8	S	3.6	S	2.6	SSW	3.9	S	3.4	S	4.1	SSE	3.6	3.94
S	3.0	SSE	1.4	SSE	2.5	SE	3.1	SSE	3.3	SE	3.1	SSE	2.8	SSE	2.7	SE	3.4	SSE	3.4	SSW	2.6	SSW	2.7	3.10
S	4.7	S	4.5	SSE	4.6	SSE	4.5	SSE	3.3	SSE	3.9	SSE	4.6	S	5.2	S	5.0	S	5.5	S	5.5	S	5.6	4.07
SSW	3.4	SSW	3.1	S	3.3	S	3.7	SSW	3.4	SSW	4.7	SSW	4.9	SSW	5.2	SSW	4.8	SSW	3.7	SSW	3.6	SSW	3.3	3.95
SSW	4.2	S	4.2	SSW	2.4		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	S	1.5	2.25
N	2.5	N	2.8	N	3.6	N	3.5	N	2.8	N	2.5	N	1.8	N	1.2	N	1.5	NNW	1.0	N	1.0		0.0	1.32
SW	3.5	SW	4.4	SW	3.6	SSW	3.6	SSW	2.1	SSW	2.6	SSW	1.4		0.0		0.0		0.0		0.0	E	1.2	1.74
ESE	2.8	SE	2.7	SE	2.7	ESE	2.7	ESE	3.2	SSE	3.3	SE	3.5	SSE	4.4	SSE	4.6	SE	3.0	SE	2.8	SSE	3.2	2.77
SSW	3.9	SSW	4.6	SSW	5.0	SSW	4.5	SSW	4.1	SSW	4.2	SSW	4.5	SSW	4.9	SSW	4.8	SSW	4.3	SSW	4.4	SW	3.7	3.91
WSW	5.0	WSW	5.2	WSW	5.0	WSW	5.3	WSW	4.0	SSW	4.2	SSW	5.0	SSW	5.1	SW	4.5	SW	4.4	SW	4.5	SW	4.3	4.28
WSW	2.0	W	2.2	WSW	3.1	WSW	2.5	W	3.3	WSW	3.2	W	2.1	WSW	1.4	SSW	2.1	SW	2.8	SSW	2.6	SW	2.0	2.48
SW	6.4	SW	7.3	WSW	8.2	WSW	6.8	WSW	6.7	WSW	7.0	WSW	7.2	WSW	6.7	WSW	6.0	WSW	5.7	WSW	4.8	WSW	4.2	5.31
NW	2.5	NNW	2.8	NNW	2.4	NW	2.0	NNW	2.0	NW	1.6	NW	1.6	NNW	1.3	NW	1.2	NW	1.1	NW	1.0	NW	1.2	2.24
SW	1.0		0.0		0.0		0.0		0.0		0.0	S	1.4	SSW	1.6	SW	1.3	SW	1.4	SW	1.6		0.0	0.64*
SW	3.6	SW	3.8	SW	4.3	SW	3.4	SW	3.5	WSW	3.9	SW	3.2	WSW	3.3	WSW	3.2	SW	2.8	SW	3.0	SW	2.8	2.40
SW	5.1	SW	7.1	SW	6.2	SW	6.3	SW	8.0	WSW	8.0	SW	7.5	WSW	6.9	SW	6.1	WSW	6.2	WSW	6.0	SW	5.4	5.30
SW	2.6	WSW	2.5	WSW	2.2	SW	3.2	WSW	2.1	SW	1.9	WNW	2.7	WNW	3.1	WNW	2.7	WNW	2.5	W	3.3	WNW	3.6	2.98
W	3.1	WSW	2.6	WSW	2.7	W	2.3	W	2.0	WSW	2.3	WSW	3.0	W	2.8	W	2.1	WNW	2.1	SW	1.7	SW	2.3	3.28
WSW	6.9	WSW	6.9	WSW	6.5	WSW	5.4	W	5.5	W	4.6	W	4.5	W	5.4	W	4.9	W	2.5	WSW	2.7	SW	2.7	4.76
WSW	5.1	WSW	5.1	W	4.7	W	4.9	WNW	4.8	WNW	4.4	WNW	4.2	WNW	4.6	WNW	4.7	WNW	4.3	NNW	4.6	NNW	4.5	4.45
NNW	5.4	N	5.1	NNW	3.9	N	5.8	NNE	4.3	NE	4.4	N	5.1	NE	4.6	NNE	4.0	NE	4.0	NE	3.1	NNE	2.4	4.55
SSW	4.7	SSW	5.3	SSW	6.4	SW	4.7	SW	4.9	SW	5.0	WSW	4.4	WSW	4.3	WSW	4.2	W	3.8	W	3.6	WSW	3.0	3.52
NNW	3.4	NW	2.7	NW	2.5	NNW	2.7	N	3.0	NW	1.2	WNW	2.0	WSW	2.2	SW	2.0	WSW	2.8	SW	3.0	SW	3.0	2.80
WSW	5.3	SW	4.2	SW	4.5	SW	3.5	SW	3.5	SW	4.5	WSW	5.4	WSW	6.6	SW	6.5	WSW	6.6	SW	6.5	WSW	5.3	4.76
NW	5.3	NNW	4.4	NNW	4.1	NNW	4.6	N	6.5	N	6.8	NNE	8.7	NNE	7.8	NNE	6.6	NNE	6.7	NNE	7.6	N	6.2	6.33*
	3.92		3.84		3.89		3.67		3.49		3.49		3.66		3.58		3.50		3.25		3.24		3.04	3.38

DECEMBER — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

DATE	HOUR (M.E.T.) 0-1		1-2		2-3		3-4		4-5		5-6		6-7		7-8		8-9		9-10		10-11		11-12	
1	NNW	6.8	NNW	5.6	NNW	5.8	NNW	5.8	NW	5.1	NW	4.0	NW	4.5	NW	4.7	NW	4.7	NW	5.3	NW	4.7	NW	5.0
2	WNW	2.7	WNW	3.1	WNW	3.4	WNW	3.1	WNW	2.5	W	2.6	WSW	2.4	W	2.7	WSW	2.6	SSW	2.2	SW	1.8	SW	2.4
3	W	1.9	WSW	1.4	WNW	1.2		0.0	SW	1.0	SW	1.0	SW	1.7	SSW	2.6	SSW	2.7	SW	2.7	SW	2.8	SW	3.0
4	WSW	3.5	WSW	3.3	SW	3.9	SW	3.3	SW	3.4	SW	4.3	SSW	4.1	WSW	2.8	SW	5.1	SW	5.5	WSW	8.2	WSW	8.5*
5	WSW	3.1	SW	3.0	WSW	3.8	SW	3.9	WSW	4.9	W	3.9	W	2.5	WNW	3.5	NW	4.4	NW	5.4	NW	5.5	NW	4.7
6	NW	5.9	NW	5.4	NNW	4.6	NW	4.0	NNW	2.9	NW	3.2	WNW	2.9	W	2.2	WNW	2.3	WNW	4.0	NW	5.0	NW	5.7
7	NW	3.9	NW	3.6	NW	3.7	NW	3.2	NW	2.8	NW	3.4	WNW	2.7	WNW	2.1	WNW	1.8	NW	3.5	NW	2.6	W	1.8
8	SSW	3.8	SSW	3.3	SSW	4.2	SSW	6.1	S	6.3	SSW	6.9	SSW	7.4	SSW	6.5	SSW	6.7	SSW	7.1	SSW	6.6	SSW	6.5
9	SSW	4.1	SSW	4.4	SSW	4.0	SSW	3.8	SSW	3.7	SSW	3.4	SW	2.8	SW	1.4	WNW	2.6	NNE	6.2	N	5.5	N	5.4
10	SW	1.3	WSW	2.3	SW	2.3	SSW	2.9	SSW	4.2	SW	3.9	SW	3.7	SW	3.1	SW	2.7	WSW	1.2	NW	1.7	NNW	2.2
11	WNW	4.1	WNW	5.0	W	3.8	WNW	5.1	WNW	5.3	WNW	4.8	WNW	5.9	NW	5.7	NW	4.9	NW	4.9	NW	6.0	NW	6.1
12	WSW	1.1	SW	2.1	W	1.6		0.0		0.0		0.0		0.0	SW	1.0		0.0	SSW	1.0		0.0		0.0
13		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0
14	ENE	4.1	ENE	3.6	E	4.2	E	5.2	E	3.6	E	3.6	ENE	3.5	E	4.2	ENE	3.8	NE	3.8	NE	4.4	NE	4.8
15	NNE	6.4	NE	6.8	NE	6.4	NE	6.2	NE	6.3	NE	5.5	NNE	4.4	NNE	4.3	NNE	4.7	NNE	4.5	NNE	4.2	NNE	4.5
16	N	4.3	NNW	3.2	NNW	2.9	NW	2.6	N	2.4	NW	2.1	NNW	2.4	NW	2.1	N	2.2	N	2.3	N	2.1	NE	1.7
17	E	3.0	ENE	4.3	ENE	3.5	E	4.3	ESE	4.6	E	4.3	ESE	5.0	ESE	5.1	ESE	4.5	ESE	4.8	ESE	4.6	ESE	4.9
18	SE	2.4	SE	2.1	SE	1.2	SE	1.2	S	1.4	SSW	1.5	SSW	1.4	SW	1.5	WSW	2.0	SSW	2.0	SSW	1.9	SSW	3.0
19	W	2.5	WSW	3.3	WSW	3.0	SW	3.3	W	3.2	WSW	2.7	W	2.2	W	1.4	SW	1.6	SW	1.4	W	1.1	WSW	1.0
20	E	3.8	ESE	4.3	ESE	5.1	ESE	5.5	ESE	5.8	ESE	4.8	ESE	5.5	ESE	5.7	SE	4.3	SE	4.4	SE	3.6	SE	3.2
21	ESE	2.5	ESE	4.0	ESE	3.7	ESE	2.8	ESE	2.7	SE	1.7	ESE	2.4	SE	2.3	ESE	3.6	ESE	4.5	ESE	3.9	SE	2.9
22	NE	2.6	NE	2.5	NE	2.4	NE	3.5	NE	2.5	NE	1.8	ENE	1.8	NE	2.4	E	1.4	E	2.2	ESE	2.7	ESE	2.8
23	SSW	3.5	SSW	3.3	SSW	3.3	SSW	3.2	SSW	3.5	SSW	3.9	SSW	3.3	SSW	2.9	SSW	2.9	SSW	2.8	SSW	3.0	SSW	2.9
24	WNW	1.8	NNW	2.4	NNW	2.2	NNW	2.3	NNW	2.8	N	2.6	N	2.5	N	2.5	N	1.0	NE	1.2	NE	1.4	NE	3.1
25	NE	3.4	NE	3.5	NNE	3.5	NNE	4.4	NNE	4.1	NNE	4.8	NNE	5.3	NNE	4.3	NNE	5.0	NNE	3.0	NNE	4.0	NNE	4.2
26	NE	5.7	NE	5.8	NE	5.5	NE	5.5	NE	5.8	ENE	5.7	NE	5.1	NE	5.9	NE	6.2	NE	6.2	NE	5.7	NE	6.2
27	NE	5.0	NE	4.9	NE	4.2	ENE	2.8	ENE	1.5	NE	2.3	ENE	2.5	ENE	2.6	NE	1.8	ENE	1.7	ENE	1.6	NE	1.2
28	NNE	2.8	NNE	3.6	NNE	4.2	NNE	4.9	NNE	5.8	NNE	5.9	NNE	6.4	N	5.0	N	5.4	N	5.1	N	4.8	NW	4.4
29	S	1.9	S	2.7	S	1.8	SSE	2.9	SE	2.8	SE	3.0	ESE	3.6	ESE	4.5	ESE	4.4	ESE	4.8	ESE	4.0	ESE	3.7
30	WSW	2.3	WSW	1.6	S	1.1	SSW	2.6	SSW	3.2	S	1.8	SE	1.8	SSE	1.4	E	2.4	ESE	1.4	SE	1.5		0.0
31		0.0	SSE	1.1	SSE	1.2	SSW	1.7	S	2.6	SW	2.6	SW	2.3	SW	3.4	SSW	2.4	SSW	2.7	SW	2.7	SSW	3.4
MEAN		3.23		3.40		3.28		3.42		3.44		3.29		3.29		3.22		3.23		3.48		3.47		3.52

DECEMBER — WIND DIRECTION AND WIND SPEED IN METRES PER SECOND — 1958

MEAN WIND SPEED OF SIXTY-MINUTE PERIODS BETWEEN EXACT HOURS. WIND DIRECTION AT THE END OF EACH PERIOD. HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

HOUR (M.E.T.) 12-13		13-14		14-15		15-16		16-17		17-18		18-19		19-20		20-21		21-22		22-23		23-24		MEAN
NW	5.5	NW	5.4	NW	5.1	NW	4.3	NW	3.7	NW	4.6	NW	5.1	NW	4.4	NW	5.3	WNW	5.0	WNW	4.0	WNW	3.4	4.91
SSW	2.7	SSW	3.5	SSW	2.9	SW	2.0	WSW	1.6	SW	2.9	SW	2.8	WSW	3.6	W	2.5	W	2.1	WNW	2.0	WNW	1.6	2.57
SW	3.2	SSW	4.0	SSW	5.2	SW	4.8	SW	4.8	SW	5.4	SW	5.3	SW	4.4	SW	4.9	WSW	2.5	SW	3.0	SW	3.2	3.03
WSW	7.7	WSW	5.7	WSW	4.5	WSW	4.8	W	5.2	W	4.6	WSW	4.9	W	5.2	WSW	4.5	W	4.8	W	4.2	W	3.9	4.83
NW	4.5	NW	4.7	NW	3.1	NW	3.9	NW	5.6	NW	5.2	NW	4.9	NW	5.4	NW	5.3	NW	4.9	NW	6.2	NW	5.9	4.51
NW	6.3	NNW	6.2	NNW	5.6	NNW	5.5	NW	4.5	NW	4.8	NW	5.0	NW	5.5	NW	4.5	NW	3.9	NW	4.8	NW	4.6	4.55
WSW	2.1	WSW	2.2	SW	2.4	SW	2.9	SW	1.1	SSW	1.4	SSW	2.1	S	1.3	SSW	2.1	S	2.0	SSW	3.5	SSW	3.3	2.56
SSW	6.4	SSW	6.3	SSW	6.2	SSW	5.4	SSW	5.5	SSW	5.2	SSW	5.9	SSW	6.1	SSW	5.6	SSW	5.5	SSW	4.9	S	4.8	5.80*
NNW	5.2	N	4.8	N	4.8	N	5.7	NNW	4.9	NNW	4.5	NNW	3.6	NNW	3.2	NW	3.5	NW	3.3	NNW	2.7	NW	2.6	4.00
N	2.7	NNW	3.5	NW	3.6	NNW	4.1	NW	3.9	WNW	3.1	W	2.4	WNW	3.2	W	3.0	WNW	3.7	WSW	2.5	WNW	3.8	2.96
NW	5.7	WNW	5.2	WNW	3.7	WNW	4.2	WNW	4.0	NW	4.0	NW	3.4	NW	3.9	NW	3.4	NW	2.7	NW	2.4	W	1.6	4.41
WSW	1.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	0.32*
NE	1.3	ENE	1.2	NE	1.2	ENE	1.4	E	1.4	E	3.3	ESE	2.8	ESE	2.9	ESE	3.0	E	2.0	ENE	2.4	ENE	3.3	1.09
NE	4.2	NE	3.7	NE	4.4	NE	4.9	NE	5.6	NE	6.4	NE	6.6	NE	6.3	NE	5.9	NE	5.8	NE	6.2	NNE	5.9	4.78
NNE	4.7	NE	4.7	NNE	4.5	NNE	3.3	NNE	2.4	NNE	3.5	NNE	3.0	NNW	4.5	NNW	5.6	N	5.0	N	5.0	N	4.7	4.80
ENE	3.9	ENE	3.5	ENE	4.0	ESE	4.3	ENE	4.2	NE	4.6	ENE	3.8	ENE	3.7	NE	4.1	ENE	3.6	ENE	4.4	ENE	4.0	3.27
SE	4.7	SE	4.8	SE	4.5	SE	4.7	SE	4.7	SE	4.1	SE	4.0	SE	2.8	ESE	2.7	ESE	2.9	SE	2.6	SE	2.4	4.07
SW	2.7	SSW	2.9	SW	2.4	SW	2.6	WSW	2.8	WSW	2.7	SW	2.5	SSW	2.6	SSW	1.8	WSW	2.8	WSW	2.5	W	2.9	2.20
	0.0		0.0		0.0		0.0		0.0		0.0	E	1.4	NE	1.4	ENE	2.6	E	3.2	E	3.6	E	4.7	1.82
NNE	2.9	SE	2.1	SE	2.1	SE	1.6	E	1.6	ESE	2.0	E	2.5	ESE	2.1	SE	2.0	E	2.2	E	2.7	ESE	2.5	3.43
ESE	1.7	E	2.1	ESE	1.7	E	1.5	NE	1.9	NE	2.8	NE	3.1	NE	2.6	NNE	2.9	NE	3.3	NE	3.7	NE	2.4	2.78
SE	2.0	SE	2.0	SSE	2.3	SSE	2.5	SSE	2.3	S	3.0	S	3.5	S	2.9	S	3.2	S	3.6	S	3.3	SSW	3.4	2.61
W	1.7	WSW	2.1	WNW	2.4	WNW	1.7	W	1.5	WNW	1.7	WNW	1.4		0.0	WSW	1.0		0.0	NW	1.0	WNW	1.6	2.27
NNE	1.0	NNE	1.3	NE	1.8	NE	3.2	NNE	3.0	NNE	2.2	NNE	1.6	NE	4.6	NNE	3.5	NNE	2.5	NE	3.1	NNE	4.0	2.40
NNE	4.5	NE	4.3	NE	4.2	ENE	4.0	ENE	4.5	ENE	4.8	ENE	4.1	ENE	5.1	ENE	5.6	NE	5.6	NE	5.9	NE	6.1	4.51
NE	5.9	NE	5.6	NE	5.9	NE	6.1	NE	5.9	NE	5.6	NE	5.3	NE	4.7	NE	4.4	NE	4.8	NE	4.4	NE	4.5	5.52
	0.0		0.0	NE	1.4		0.0	NNE	1.1	NNE	1.3	E	1.1	NE	1.5	NE	1.7	NE	1.9	NNE	2.3	NNE	2.2	1.94
NW	4.8	NNW	3.8	NNW	3.6	NNW	3.5	NNW	3.0	NNW	2.4	NW	2.7	NW	1.8	WNW	2.1	WSW	1.2	SW	1.6	S	1.1	3.75
E	2.4	ENE	2.0	NE	2.2	N	2.4	NNW	2.6	NW	3.9	NW	4.1	NW	3.9	NW	3.8	WNW	3.2	NW	2.2	WSW	2.4	3.13
	0.0	ESE	1.2	WSW	1.5	SW	1.4	SW	1.5		0.0	SSW	2.0	SSW	1.7	SSW	2.2	SW	2.1	WSW	2.0	S	1.6	1.60
SW	4.0	SSW	4.5	SW	3.8	SSW	3.2	SSW	2.6	S	3.1	SSE	3.4	S	4.8	SSE	4.5	SSE	4.9	SE	5.4	SE	5.7	3.17
	3.40		3.33		3.26		3.22		3.14		3.33		3.36		3.42		3.46		3.26		3.37		3.36	3.34

AMOUNT IN MM FOR EACH DAY 7H TO 7H (M.E.T.)
GIVEN AMOUNTS MEASURED AT 7H ON THE FOLLOWING DAY.

DATE	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE	
	TYPE	AMOUNT	TYPE	AMOUNT	TYPE	AMOUNT	TYPE	AMOUNT	TYPE	AMOUNT	TYPE	AMOUNT
1		-		0.0		0.7		2.1		2.0		-
2		0.1		0.6		0.1		-		14.1		0.0
3		0.1		-		2.7		-		1.7		0.2
4		9.4		-		2.3		-		0.0		0.0
5		0.1		0.5		7.7		0.2		-		-
6		0.1		0.9		5.9		0.0		0.0		-
7		0.4		-		0.2		-		8.1		-
8		0.5		0.0		0.0		-		1.3		1.2
9		1.0		0.1		0.1		0.5		0.4		4.1
10		0.9		-		0.8		-		-		-
11		0.4		6.9		1.4		-		1.1		-
12		0.1		1.1		0.4		-		0.8		5.8
13		-		0.1		1.0		-		0.5		0.8
14		-		0.7		2.1		-		-		1.8
15		0.0		-		0.1		0.1		12.4		0.4
16		-		3.8		0.0		-		-		-
17		2.0		0.7		1.6		-		22.7		-
18		1.5		-		-		-		1.2		12.8
19		0.8		0.5		0.0		5.1		1.1		4.8
20		-		0.3		0.1		3.8		-		5.5
21		0.1		0.1		-		3.2		-		0.4
22		0.2		0.3		0.0		-		-		0.1
23		1.6		0.2		-		-		-		3.6
24		0.9		0.2		-		-		-		0.1
25		-		3.4		0.1		-		-		6.1
26		-		0.3		0.1		2.9		-		0.0
27		0.0		-		0.0		0.4		0.0		0.1
28		-		0.0		0.0		9.1		8.9		21.8
29		0.3				-		-		0.1		4.0
30		0.0				-		-		-		-
31		0.0				-				-		
TOTAL		20.5		20.7		27.4		27.4		76.4		73.6

AMOUNT IN MM FOR EACH DAY 7H TO 7H (M.E.T.)
GIVEN AMOUNTS MEASURED AT 7H ON THE FOLLOWING DAY.

DATE	JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	TYPE	AMOUNT	TYPE	AMOUNT	TYPE	AMOUNT	TYPE	AMOUNT	TYPE	AMOUNT	TYPE	AMOUNT
1		-		0.9		0.1		0.0		0.0		-
2		-		8.5		0.0		1.3		2.4		-
3		-		0.3		0.0		5.7		10.3		-
4		-		0.2		0.0		0.9		3.1		-
5		24.9		0.8		0.0		0.1		5.2		0.2
6		-		0.8		0.0		0.4		0.8		0.1
7		-		-		0.0		7.8		1.4		1.0
8		0.5		10.6		-		11.2		1.4		3.1
9		-		1.2		-		0.0		0.1		3.4
10		0.2		0.0		5.2		2.8		0.2		0.1
11		-		-		-		1.1		1.7		-
12		-		-		-		0.0		1.0		-
13		5.1		1.6		-		0.1		0.2		0.1
14		10.1		2.8		-		0.1		1.2		1.9
15		1.7		0.0		-		1.8		0.0		2.4
16		-		0.4		0.0		3.2		0.0		2.6
17		17.3		21.1		0.0		0.5		0.2		4.4
18		1.6		0.8		-		-		0.0		0.0
19		0.4		-		0.0		0.0		0.4		7.2
20		-		0.0		1.6		-		-		5.1
21		1.8		1.0		1.1		-		1.4		1.6
22		0.1		0.2		18.0		2.4		0.1		0.3
23		2.4		6.4		0.0		0.0		0.0		0.2
24		8.1		10.2		0.9		-		0.1		0.2
25		6.2		1.6		7.9		-		0.1		0.4
26		0.0		1.1		0.5		-		0.1		15.0
27		-		0.0		0.0		0.0		0.2		0.7
28		0.0		0.1		0.0		0.0		1.1		1.0
29		5.1		0.0		0.0		-		5.2		2.6
30		-		0.0		0.0		0.0		0.4		0.3
31		6.7		0.1				0.9				0.5
TOTAL		92.2		70.7		35.3		40.3		38.3		54.4

Summary

1958

PRESSURE AT STATION LEVEL

MONTHLY AND ANNUAL MEANS OF HOURLY VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

1958

HOUR (M.E.T.)

	1	2	3	4	5	6	7	8	9	10	11	12
JAN	1007.25	1007.32	1007.24	1007.20	1007.07	1007.06	1007.25	1007.47	1007.75	1007.95	1008.00	1007.81
FEB	1002.49	1002.36	1002.25	1002.15	1002.22	1002.28	1002.35	1002.45	1002.56	1002.68	1002.76	1002.72
MAR	1014.41	1014.32	1014.23	1014.17	1014.15	1014.24	1014.44	1014.66	1014.73	1014.84	1014.92	1014.87
APR	1014.16	1014.10	1013.99	1013.93	1013.92	1014.01	1014.15	1014.34	1014.32	1014.38	1014.38	1014.29
MAY	1007.98	1007.98	1007.97	1008.07	1008.16	1008.23	1008.45	1008.55	1008.57	1008.60	1008.58	1008.58
JUNE	1012.33	1012.27	1012.20	1012.26	1012.35	1012.31	1012.40	1012.41	1012.32	1012.22	1012.11	1011.98
JULY	1007.35	1007.30	1007.20	1007.19	1007.24	1007.30	1007.41	1007.46	1007.45	1007.47	1007.37	1007.32
AUG	1009.51	1009.46	1009.40	1009.39	1009.43	1009.51	1009.69	1009.75	1009.82	1009.82	1009.75	1009.64
SEPT	1016.17	1016.11	1015.96	1015.87	1015.86	1015.92	1016.03	1016.12	1016.18	1016.18	1016.04	1015.92
OCT	1011.00	1010.87	1010.65	1010.55	1010.42	1010.35	1010.55	1010.78	1010.91	1011.12	1011.06	1011.03
NOV	1018.81	1018.85	1018.74	1018.73	1018.68	1018.65	1018.89	1019.16	1019.14	1019.25	1019.21	1019.03
DEC	1002.66	1002.66	1002.59	1002.36	1002.24	1002.11	1002.12	1002.27	1002.24	1002.30	1002.20	1002.09
YEAR	1010.34	1010.30	1010.20	1010.16	1010.14	1010.16	1010.31	1010.45	1010.50	1010.57	1010.53	1010.44

1958

TEMPERATURE

MONTHLY AND ANNUAL MEANS OF HOURLY VALUES IN DEGREES CELSIUS AT EXACT HOURS

1958

HOUR (M.E.T.)

	1	2	3	4	5	6	7	8	9	10	11	12
JAN	-4.75	-4.89	-5.03	-5.04	-4.89	-4.93	-4.98	-5.04	-5.12	-4.85	-4.55	-4.24
FEB	-8.37	-8.59	-8.69	-8.63	-8.70	-8.66	-8.64	-8.61	-8.23	-7.47	-6.52	-5.68
MAR	-8.09	-8.50	-8.88	-9.12	-9.43	-9.55	-9.29	-8.30	-6.99	-5.69	-4.23	-3.21
APR	-0.43	-0.71	-0.86	-0.97	-1.05	-0.64	0.28	1.36	2.85	3.89	4.83	5.24
MAY	5.36	4.67	4.25	4.13	4.75	6.00	7.30	8.60	9.67	10.74	11.51	11.96
JUNE	8.51	8.13	7.77	7.96	8.96	10.38	12.09	13.35	14.65	15.80	16.15	16.80
JULY	11.96	11.55	11.39	11.33	11.86	13.01	14.22	15.23	16.09	16.86	17.36	18.20
AUG	11.52	11.25	10.93	10.77	10.87	11.61	12.77	13.74	14.61	15.13	15.83	16.34
SEPT	8.86	8.54	8.33	8.25	8.06	8.18	9.20	10.59	12.18	13.38	14.54	15.25
OCT	6.30	6.14	6.13	6.01	5.98	6.09	6.21	6.81	7.62	8.42	9.15	9.62
NOV	2.81	2.70	2.49	2.44	2.43	2.39	2.39	2.40	2.69	3.06	3.65	4.15
DEC	-3.35	-3.30	-3.36	-3.34	-3.42	-3.46	-3.44	-3.40	-3.38	-3.31	-3.00	-2.80
YEAR	2.53	2.25	2.04	1.98	2.12	2.53	3.18	3.89	4.72	5.50	6.23	6.80

1958

VAPOUR PRESSURE

MONTHLY AND ANNUAL MEANS OF HOURLY VALUES IN MB AT EXACT HOURS

1958

HOUR (M.E.T.)

	1	2	3	4	5	6	7	8	9	10	11	12
JAN	3.95	3.92	3.90	3.88	3.89	3.87	3.87	3.87	3.82	3.88	3.92	3.93
FEB	3.19	3.18	3.14	3.13	3.07	3.06	3.04	3.03	3.09	3.19	3.32	3.39
MAR	3.12	3.06	3.01	2.97	2.90	2.87	2.89	3.05	3.24	3.39	3.53	3.48
APR	4.88	4.84	4.80	4.76	4.75	4.86	5.08	5.24	5.27	5.19	5.30	5.28
MAY	7.08	6.90	6.87	6.89	7.05	7.49	7.68	7.87	7.99	7.90	8.01	8.01
JUNE	9.58	9.47	9.32	9.43	9.95	10.49	10.86	10.84	10.75	10.81	10.71	10.89
JULY	12.51	12.26	12.05	12.07	12.37	12.93	13.17	12.86	13.04	12.58	12.52	12.54
AUG	12.52	12.35	12.15	12.02	12.09	12.59	13.25	13.62	13.85	13.79	14.14	13.98
SEPT	10.43	10.30	10.23	10.15	10.05	10.08	10.69	11.19	11.72	11.75	11.82	11.58
OCT	8.66	8.62	8.58	8.54	8.50	8.64	8.71	8.90	9.00	9.01	8.94	8.86
NOV	6.89	6.81	6.71	6.66	6.64	6.61	6.61	6.66	6.79	6.90	7.04	7.10
DEC	4.40	4.41	4.43	4.46	4.45	4.45	4.48	4.49	4.48	4.51	4.56	4.54
YEAR	7.27	7.18	7.10	7.08	7.15	7.33	7.53	7.63	7.75	7.74	7.82	7.80

1958

RELATIVE HUMIDITY

MONTHLY AND ANNUAL MEANS OF HOURLY VALUES IN PER CENT AT EXACT HOURS

1958

HOUR (M.E.T.)

	1	2	3	4	5	6	7	8	9	10	11	12
JAN	86.1	86.2	86.5	86.3	86.2	86.4	86.6	86.9	86.4	86.1	85.2	84.0
FEB	85.6	85.9	85.8	85.5	85.4	84.6	84.1	84.0	83.1	82.1	80.4	78.5
MAR	87.5	88.3	88.9	89.1	88.9	88.5	88.3	87.4	85.4	82.5	77.7	71.5
APR	80.5	81.4	81.7	82.1	82.0	81.8	80.2	77.1	70.5	65.0	62.2	60.3
MAY	77.5	79.1	81.1	82.1	80.8	79.1	74.8	70.6	66.8	62.3	59.5	57.6
JUNE	83.3	84.3	84.8	85.2	84.6	81.6	75.8	70.0	64.0	59.7	58.2	56.9
JULY	88.7	89.2	88.5	89.0	88.3	85.7	80.9	74.3	71.5	66.1	64.2	60.8
AUG	91.7	92.1	92.3	92.3	92.3	91.8	89.8	86.8	83.5	80.6	79.1	75.9
SEPT	90.2	91.0	91.7	91.4	91.5	91.3	90.6	86.7	81.9	76.4	71.4	67.0
OCT	87.5	88.0	87.7	87.6	87.4	87.8	87.5	86.4	83.5	79.3	75.0	72.4
NOV	90.8	90.5	90.4	90.1	89.9	89.6	89.6	90.1	90.0	89.3	87.6	85.4
DEC	86.6	86.4	87.0	87.1	87.3	87.3	87.5	87.3	86.6	87.4	86.7	85.6
YEAR	86.3	86.9	87.2	87.3	87.0	86.3	84.6	82.3	79.4	76.4	73.9	71.3

1958

PRESSURE AT STATION LEVEL

MONTHLY AND ANNUAL MEANS OF HOURLY VALUES IN MB AT EXACT HOURS. HEIGHT OF BAROMETER ABOVE M.S.L. 15 M

1958

HOUR (M.E.T.)

	13	14	15	16	17	18	19	20	21	22	23	24	MEAN
JAN	1007.66	1007.67	1007.73	1007.87	1007.89	1007.89	1007.99	1008.08	1008.18	1008.18	1008.08	1008.06	1007.69
FEB	1002.62	1002.42	1002.40	1002.45	1002.56	1002.56	1002.51	1002.47	1002.49	1002.54	1002.39	1002.32	1002.46
MAR	1014.77	1014.65	1014.52	1014.47	1014.54	1014.69	1014.87	1015.03	1015.01	1015.00	1015.05	1015.00	1014.65
APR	1014.21	1014.06	1013.96	1013.79	1013.72	1013.76	1013.97	1014.15	1014.03	1013.96	1013.93	1013.89	1014.06
MAY	1008.51	1008.34	1008.25	1008.06	1007.94	1007.86	1007.96	1008.12	1008.25	1008.24	1008.30	1008.30	1008.24
JUNE	1011.87	1011.74	1011.59	1011.51	1011.54	1011.55	1011.66	1011.82	1012.03	1012.11	1012.17	1012.15	1012.04
JULY	1007.17	1007.06	1006.88	1006.85	1006.73	1006.72	1006.70	1006.87	1007.07	1007.15	1007.21	1007.21	1007.15
AUG	1009.53	1009.40	1009.30	1009.23	1009.12	1009.20	1009.44	1009.65	1009.83	1009.98	1010.06	1010.06	1009.58
SEPT	1015.78	1015.56	1015.31	1015.16	1015.09	1015.16	1015.37	1015.55	1015.55	1015.66	1015.62	1015.54	1015.74
OCT	1010.82	1010.69	1010.55	1010.63	1010.72	1010.85	1010.94	1011.07	1011.16	1011.19	1011.12	1011.11	1010.84
NOV	1018.86	1018.73	1018.82	1018.85	1018.78	1018.93	1018.96	1019.08	1019.07	1019.16	1019.21	1019.10	1018.94
DEC	1002.02	1001.96	1002.06	1002.13	1002.17	1002.12	1002.13	1002.22	1002.35	1002.29	1002.30	1002.14	1002.24
YEAR	1010.32	1010.19	1010.11	1010.08	1010.07	1010.11	1010.21	1010.34	1010.42	1010.45	1010.45	1010.41	1010.30

1958

TEMPERATURE

MONTHLY AND ANNUAL MEANS OF HOURLY VALUES IN DEGREES CELSIUS AT EXACT HOURS

1958

HOUR (M.E.T.)

	13	14	15	16	17	18	19	20	21	22	23	24	MEAN
JAN	-4.08	-4.15	-4.19	-4.32	-4.36	-4.47	-4.41	-4.39	-4.44	-4.43	-4.38	-4.39	-4.60
FEB	-5.23	-5.01	-5.23	-5.56	-6.23	-6.75	-7.00	-7.33	-7.61	-7.79	-8.10	-8.28	-7.37
MAR	-2.44	-2.17	-2.09	-2.27	-2.74	-3.52	-4.36	-4.95	-5.51	-6.27	-6.87	-7.61	-5.92
APR	5.50	5.51	5.41	5.22	4.79	4.04	2.99	2.05	1.35	0.88	0.51	0.27	2.18
MAY	12.37	12.83	12.92	12.87	12.59	11.95	11.12	9.84	8.89	7.93	6.98	6.09	8.97
JUNE	17.16	17.12	16.84	16.60	16.04	15.24	14.43	13.43	12.29	11.22	10.30	9.40	12.94
JULY	18.69	18.95	19.01	18.67	18.40	18.08	17.18	15.97	14.81	13.83	13.08	12.40	15.34
AUG	16.91	17.14	17.05	17.05	16.74	16.23	15.28	14.18	13.34	12.67	12.20	11.77	14.00
SEPT	15.79	15.95	16.00	15.73	15.01	13.70	12.41	11.44	10.65	10.16	9.68	9.28	11.71
OCT	9.79	9.96	9.69	9.05	8.38	7.89	7.68	7.46	7.18	6.97	6.78	6.49	7.58
NOV	4.51	4.38	4.09	3.74	3.56	3.39	3.39	3.28	3.10	2.86	2.67	2.53	3.13
DEC	-2.52	-2.56	-2.74	-2.88	-2.96	-2.98	-2.98	-2.98	-3.06	-3.09	-3.08	-3.07	-3.10
YEAR	7.20	7.33	7.23	6.99	6.60	6.07	5.48	4.83	4.25	3.75	3.31	2.91	4.57

1958

VAPOUR PRESSURE

MONTHLY AND ANNUAL MEANS OF HOURLY VALUES IN MB AT EXACT HOURS

1958

HOUR (M.E.T.)

	13	14	15	16	17	18	19	20	21	22	23	24	MEAN
JAN	3.96	3.96	3.96	3.95	3.97	4.00	4.03	4.04	4.02	4.03	4.05	4.05	3.95
FEB	3.43	3.48	3.45	3.40	3.30	3.27	3.32	3.28	3.26	3.25	3.20	3.17	3.24
MAR	3.45	3.48	3.46	3.40	3.32	3.25	3.27	3.31	3.29	3.26	3.22	3.14	3.22
APR	5.31	5.26	5.30	5.29	5.16	5.12	5.10	5.04	5.10	5.12	5.09	5.03	5.09
MAY	8.09	8.18	8.15	8.23	8.10	8.06	8.01	7.77	7.84	7.62	7.49	7.31	7.69
JUNE	10.65	10.56	10.72	10.86	10.71	10.80	10.88	10.71	10.78	10.56	10.32	10.01	10.44
JULY	12.21	12.12	12.23	12.34	12.42	12.44	12.70	12.63	12.59	12.54	12.66	12.56	12.51
AUG	14.24	14.02	14.20	14.16	13.99	13.95	13.72	13.49	13.31	13.12	12.89	12.64	13.34
SEPT	11.59	11.55	11.51	11.54	11.46	11.43	11.72	11.56	11.31	11.08	10.78	10.58	11.09
OCT	8.90	9.08	8.97	8.97	8.94	8.87	8.81	8.74	8.67	8.66	8.67	8.63	8.79
NOV	7.16	7.17	7.10	7.04	7.04	6.93	6.90	6.84	6.78	6.72	6.72	6.69	6.85
DEC	4.59	4.59	4.56	4.53	4.47	4.49	4.51	4.52	4.47	4.47	4.48	4.48	4.49
YEAR	7.80	7.79	7.80	7.81	7.74	7.72	7.75	7.66	7.62	7.54	7.46	7.36	7.56

1958

RELATIVE HUMIDITY

MONTHLY AND ANNUAL MEANS OF HOURLY VALUES IN PER CENT AT EXACT HOURS

1958

HOUR (M.E.T.)

	13	14	15	16	17	18	19	20	21	22	23	24	MEAN
JAN	83.8	84.0	83.9	84.3	84.9	86.0	86.0	86.2	86.3	86.5	86.5	86.4	85.7
FEB	77.0	76.8	77.7	78.4	79.9	81.6	83.6	83.5	84.3	84.8	85.0	85.1	82.6
MAR	67.6	66.7	66.2	66.0	66.7	68.8	72.7	76.3	78.6	81.5	83.6	85.4	79.3
APR	59.5	59.3	59.9	60.7	60.8	63.3	67.4	70.9	75.2	78.0	79.4	79.7	71.6
MAY	57.1	56.2	55.9	56.7	57.1	59.0	61.5	64.3	68.3	70.6	73.6	76.1	67.8
JUNE	54.6	54.3	56.1	57.9	59.4	62.8	66.3	69.0	74.2	77.5	80.0	81.8	70.1
JULY	57.9	56.6	56.8	58.8	59.9	61.2	66.1	70.5	75.4	79.8	84.1	86.8	73.4
AUG	74.7	72.5	73.8	73.6	74.3	76.5	79.5	83.5	86.8	89.3	90.4	91.2	83.9
SEPT	65.0	64.0	63.5	64.6	67.1	72.5	80.3	84.3	86.8	88.0	88.4	89.1	80.6
OCT	72.0	72.4	72.8	75.7	78.8	80.9	81.5	82.0	82.8	83.9	84.9	86.1	81.8
NOV	84.2	85.1	86.0	87.4	88.4	87.9	87.3	87.0	87.4	88.0	89.4	89.8	88.4
DEC	84.9	85.2	85.8	86.1	85.7	86.2	86.5	86.6	86.1	86.5	86.5	86.3	86.5
YEAR	69.8	69.4	69.9	70.8	71.9	73.9	76.6	78.7	81.0	82.8	84.3	85.3	79.3

1958

WIND SPEED IN METRES PER SECOND
MONTHLY AND ANNUAL MEANS OF MEAN WIND SPEED BETWEEN EXACT HOURS
HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

1958

HOUR (M.E.T.)

	0- 1	1- 2	2- 3	3- 4	4- 5	5- 6	6- 7	7- 8	8- 9	9-10	10-11	11-12
JAN	4.07	3.97	3.80	3.85	4.01	4.00	3.95	3.83	4.18	4.26	4.18	4.20
FEB	3.75	3.56	3.58	3.55	3.72	3.66	3.64	3.71	3.99	4.25	4.58	4.77
MAR	3.40	3.34	3.14	3.06	3.03	3.08	3.18	3.26	3.23	3.43	4.06	4.32
APR	3.39	3.35	3.40	3.44	3.46	3.49	3.55	3.71	4.11	4.42	4.60	4.80
MAY	3.17	3.10	3.35	3.37	3.70	3.99	4.40	4.60	4.81	5.13	5.50	5.49
JUNE	2.37	2.42	2.24	2.24	2.35	2.83	3.30	3.77	4.01	4.09	4.43	4.56
JULY	2.79	3.08	2.96	2.96	2.98	3.15	3.52	3.45	3.73	4.17	4.18	4.14
AUG	2.47	2.25	2.22	2.10	2.21	2.36	2.86	3.14	3.52	3.63	3.84	4.09
SEPT	2.22	2.19	2.15	2.22	2.35	2.64	2.76	3.25	3.50	3.75	3.96	4.13
OCT	3.27	3.32	3.32	3.45	3.75	3.84	3.64	3.98	4.33	4.69	4.93	5.05
NOV	2.98	3.00	3.02	3.01	2.89	3.02	3.11	3.14	3.40	3.49	3.66	3.80
DEC	3.23	3.40	3.28	3.42	3.44	3.29	3.29	3.22	3.23	3.48	3.47	3.52
YEAR	3.09	3.08	3.04	3.06	3.16	3.28	3.43	3.59	3.84	4.07	4.28	4.41

1958

WIND DIRECTION
MONTHLY AND ANNUAL RELATIVE FREQUENCIES (PER THOUSAND)

1958

	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	N	CALMS
JAN	36	57	32	49	90	24	32	32	115	143	115	67	26	87	21	32	0
FEB	92	58	20	29	25	10	13	20	72	90	46	13	49	145	141	135	34
MAR	161	111	33	12	10	25	18	25	73	61	25	4	12	22	64	197	138
APR	59	88	37	72	126	80	31	52	65	86	33	13	26	61	50	97	16
MAY	47	53	25	56	49	34	57	99	64	135	76	28	34	77	49	51	56
JUNE	102	87	41	52	65	70	112	87	55	47	20	11	13	22	31	77	98
JULY	48	44	25	41	95	72	43	47	99	86	69	20	30	53	56	90	75
AUG	17	29	71	45	52	45	72	68	135	147	30	12	18	17	65	56	111
SEPT	38	33	29	18	29	38	55	76	159	126	36	26	25	54	61	80	91
OCT	29	25	21	14	63	92	55	49	139	134	67	40	43	68	53	36	64
NOV	19	19	16	23	34	37	70	79	118	150	147	51	51	44	29	29	77
DEC	63	118	47	36	59	44	13	28	106	77	59	37	55	116	44	30	61
MEAN	61	~~60~~ 61	~~35~~ 34	~~37~~ 38	~~58~~ 59	48	48	~~55~~ 56	~~100~~ 101	107	~~60~~ 61	27	32	~~63~~ 64	55	~~75~~ 76	72

1958

FIVE-DAY MEANS OF HOURLY VALUES

1958

ONLY THE FIRST DAY OF EACH FIVE-DAY PERIOD IS PRINTED. I.E. FEB 5 MEANS THE PERIOD FEB 5-9

5-DAY PERIOD	STATION PRESSURE MB	TEMPERATURE DEGREES CELSIUS	VAPOUR PRESSURE MB	RELATIVE HUMIDITY PER CENT	WIND SPEED METRES PER SECOND	5-DAY PERIOD	STATION PRESSURE MB	TEMPERATURE DEGREES CELSIUS	VAPOUR PRESSURE MB	RELATIVE HUMIDITY PER CENT	WIND SPEED METRES PER SECOND
JAN 1	1013.02	-9.24	2.67	85.7	3.82	JULY 5	1008.9	15.81	12.27	70.0	3.72
6	999.57	-9.13	2.57	81.5	4.75	10	1002.6	16.87	11.87	62.9	4.75
11	1012.71	-1.06	5.09	89.2	2.91	15	1008.4	12.90	11.36	77.1	4.16
16	986.18	-3.08	4.06	77.8	5.54	20	998.5	13.95	12.69	79.9	3.12
21	1009.41	-5.24	3.88	90.8	2.43	25	1009.9	13.22	12.06	80.8	2.24
26	1023.58	-0.77	5.11	87.0	4.50	30	1006.7	14.40	13.21	81.2	4.35
31	1006.45	0.40	5.01	79.3	5.30	AUG 4	1004.9	13.55	12.07	78.5	4.18
FEB 5	999.16	-10.70	2.30	83.1	4.91	9	1012.7	14.44	12.88	79.9	2.67
10	1004.75	-3.86	4.45	86.8	3.82	14	1006.0	14.34	14.48	88.6	1.68
15	994.42	-4.21	3.90	84.3	3.52	19	1013.0	13.09	12.83	85.5	3.15
20	1001.93	-12.30	2.10	84.7	2.35	24	1005.6	14.24	14.28	88.2	3.08
25	1011.84	-10.82	2.47	80.4	4.41	29	1025.2	14.13	14.03	87.2	1.74
MAR 2	1004.18	-3.59	4.13	83.8	4.63	SEPT 3	1021.4	15.95	13.77	78.3	2.25
7	1004.90	-11.03	2.21	82.6	5.65	8	1013.3	12.08	10.81	76.2	3.68
12	1008.26	-3.90	3.97	85.1	4.95	13	1020.5	11.47	10.08	75.4	2.99
17	1024.91	-5.68	3.39	83.1	3.45	18	1016.2	10.43	10.14	80.7	2.58
22	1021.96	-6.67	2.82	75.4	1.69	23	1004.0	9.21	10.31	88.0	3.21
27	1025.09	-5.59	2.41	63.5	1.24	28	1010.2	10.68	10.88	84.3	3.43
APR 1	1022.45	-0.77	4.39	75.6	3.94	OCT 3	1014.0	12.49	13.18	91.0	2.86
6	1013.17	-0.24	3.85	65.3	4.15	8	1010.6	9.79	9.74	81.1	5.12
11	1015.63	3.41	5.44	69.6	3.59	13	1002.1	4.13	7.26	87.7	3.07
16	1006.42	3.79	5.38	69.6	3.48	18	1014.6	3.16	6.04	78.7	3.83
21	1017.44	2.23	5.17	74.0	3.99	23	1013.0	6.61	6.39	65.8	4.82
26	1009.25	4.65	6.29	75.6	4.35	28	1012.8	6.88	8.61	86.7	3.34
MAY 1	1006.29	5.98	6.22	68.1	5.05	NOV 2	1014.9	5.86	8.59	92.4	3.21
6	1005.93	6.07	6.96	75.1	4.21	7	1012.4	3.63	7.31	91.2	2.94
11	1004.72	7.38	6.61	66.0	3.72	12	1018.1	3.17	6.87	89.1	3.04
16	1000.63	7.87	8.05	76.1	4.51	17	1035.3	1.61	6.07	87.9	3.18
21	1013.50	11.70	7.77	56.9	5.41	22	1018.1	2.86	6.21	82.4	4.00
26	1014.93	13.92	10.48	67.4	4.27	27	1015.3	-0.58	5.06	82.9	4.46
31	1017.73	14.34	9.24	58.4	3.69	DEC 2	1001.5	-2.48	3.97	76.7	3.90
JUNE 5	1011.66	11.54	8.30	61.6	4.44	7	994.6	-7.58	3.09	81.6	3.95
10	1016.54	8.37	7.67	70.9	2.36	12	995.9	-7.57	3.14	85.1	2.85
15	1016.54	13.27	10.57	70.6	4.06	17	999.2	-0.15	5.78	92.8	2.86
20	1001.27	12.27	11.32	80.4	3.13	22	1017.4	0.30	5.85	93.1	3.46
25	1010.05	16.34	13.84	75.8	3.69	27	1001.8	-0.47	5.50	92.7	2.72
30	1015.40	20.46	14.91	64.4	3.51						

1958

WIND SPEED IN METRES PER SECOND
MONTHLY AND ANNUAL MEANS OF MEAN WIND SPEED BETWEEN EXACT HOURS
HEIGHT OF ANEMOMETER ABOVE GROUND 16.5 M

1958

HOUR (M.E.T.)

	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	MEAN
JAN	4.13	4.15	4.10	3.97	4.01	3.81	3.76	3.79	3.99	3.98	3.98	3.90	3.99
FEB	4.76	4.79	4.60	4.41	4.45	4.28	4.19	4.02	3.75	3.61	3.97	3.89	4.06
MAR	4.34	4.26	4.21	4.36	4.02	3.90	3.84	3.72	3.53	3.40	3.19	3.27	3.61
APR	4.75	4.62	4.54	4.52	4.49	4.26	3.86	3.63	3.43	3.33	3.39	3.51	3.92
MAY	5.69	5.88	5.90	5.71	5.55	5.26	4.41	4.20	4.21	4.06	3.77	3.31	4.52
JUNE	4.90	5.14	5.12	5.00	4.58	4.62	4.13	3.40	2.97	2.62	2.41	2.41	3.58
JULY	4.33	4.48	4.43	4.36	3.91	3.50	3.61	3.41	3.01	2.85	2.82	2.82	3.53
AUG	4.19	4.27	4.10	3.71	3.60	3.25	2.92	2.82	2.72	2.64	2.41	2.30	3.07
SEPT	4.09	3.84	3.77	3.38	2.94	2.75	2.54	2.38	2.41	1.95	2.15	2.14	2.89
OCT	5.05	4.70	4.19	3.73	3.50	3.42	3.43	3.51	3.45	3.59	3.60	3.43	3.88
NOV	3.92	3.84	3.89	3.67	3.49	3.49	3.66	3.58	3.50	3.25	3.24	3.04	3.38
DEC	3.40	3.33	3.26	3.22	3.14	3.33	3.36	3.42	3.46	3.26	3.37	3.36	3.34
YEAR	4.46	4.44	4.34	4.17	3.97	3.82	3.64	3.49	3.37	3.21	3.19	3.11	3.65

1958

WIND DIRECTION
MONTHLY AND ANNUAL ABSOLUTE FREQUENCIES (NUMBERS OF OBSERVATIONS)

1958

	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	N	CALMS	TOTAL
JAN	27	43	24	37	67	18	24	24	86	107	86	50	20	65	16	24	26	744
FEB	62	39	14	20	17	7	9	14	49	61	31	9	33	98	95	91	23	672
MAR	120	83	25	9	8	19	14	19	55	46	19	3	9	17	48	147	103	744
APR	43	64	27	52	91	58	23	38	47	62	24	10	19	44	36	70	12	720
MAY	35	40	19	42	37	26	43	74	48	101	57	21	26	58	37	38	42	744
JUNE	74	63	30	38	47	51	81	63	40	34	15	8	10	16	23	56	71	720
JULY	36	33	19	31	71	54	32	35	74	64	52	15	23	40	42	67	56	744
AUG	13	22	53	34	39	34	54	51	101	110	23	9	14	13	49	42	83	744
SEPT	42	24	21	13	21	28	40	55	115	91	26	19	18	39	44	58	66	720
OCT	22	19	16	11	47	69	41	37	104	100	50	30	32	51	40	27	48	744
NOV	14	14	12	17	25	27	51	57	85	108	106	37	37	32	21	21	56	720
DEC	47	88	35	27	44	33	10	21	79	58	44	28	41	87	33	23	46	744
YEAR	535	532	295	331	514	424	422	488	883	942	533	239	282	560	484	664	632	8760

1958

MONTHLY AND ANNUAL SUMMARIES

1958

	EXTREMES OF PRESSURE AT STATION LEVEL IN MB			EXTREMES OF TEMPERATURE IN DEGREES CELSIUS			AMOUNT OF CLOUDS IN OKTAS				PRECIPITATION IN MM
	MEAN DAILY MAXIMUM	MEAN DAILY MINIMUM	MEAN DAILY DIFFERENCE	MEAN DAILY MAXIMUM	MEAN DAILY MINIMUM	MEAN DAILY DIFFERENCE	HOUR (M.E.T.) 07	13	19	MEAN DAILY AMOUNT	TOTAL
JAN	1012.51	1002.61	9.90	-2.26	-7.20	4.94	7.1	6.6	6.7	6.8	20.5
FEB	1006.70	997.93	8.78	-4.23	-10.77	6.54	5.6	6.0	5.3	5.6	20.7
MAR	1018.04	1011.28	6.75	-1.07	-11.30	10.23	5.6	4.8	4.8	5.1	27.4
APR	1017.11	1010.96	6.15	6.71	-1.77	8.48	5.5	6.4	5.4	5.7	27.4
MAY	1011.78	1004.51	7.28	13.88	3.24	10.65	5.3	5.7	6.0	5.7	76.4
JUNE	1014.38	1009.91	4.47	18.61	6.63	11.98	5.5	6.1	6.3	6.0	73.6
JULY	1009.96	1004.09	5.87	20.23	10.28	9.95	5.6	5.7	5.3	5.5	92.2
AUG	1012.22	1007.19	5.02	18.30	9.76	8.54	6.8	6.7	5.9	6.4	70.7
SEPT	1018.18	1013.32	4.86	16.89	6.45	10.44	5.3	5.9	3.9	5.0	35.3
OCT	1013.59	1007.65	5.94	10.48	4.64	5.84	6.8	5.9	5.9	6.2	40.3
NOV	1023.29	1014.49	8.80	5.36	0.41	4.95	6.5	6.9	6.7	6.7	38.3
DEC	1006.11	998.62	7.50	-0.73	-5.35	4.62	6.6	6.7	6.2	6.5	54.4
YEAR	1013.66	1006.88	6.78	8.52	0.42	8.10	6.0	6.1	5.7	5.9	577.2

MEAN VALUES FOR 1958 (JAN-DEC).

PRESSURE IN MB AT STATION LEVEL (15 M ABOVE M.S.L.)	1010.30
TEMPERATURE IN DEGREES CELCIUS	+4.57
RELATIVE HUMIDITY IN PER CENT	79.3
VAPOUR PRESSURE IN MB	7.56
WIND SPEED IN METRES PER SECOND	3.65
CLOUD AMOUNT IN OKTAS	5.9
TOTAL AMOUNT OF PRECIPITATION IN MM	577.2

UPPSALA 1971. TOFTERS/WRETMANS BOKTRYCKERI AB